BIOCHEMICAL JOURNAL

BIJOAK

AUTHOR AND KEYWORD INDEXES

for volumes

305–312 (1995)

The Biochemical Society, London © 1996

Clinical SCIENCE

Announcing a New Receiving Office for the Pacific Rim

Professor A M Heagerty, the Editor in Chief of *Clinical Science*, is pleased to announce the opening of an editorial office for the Asiatic and Oceanic regions. The new Regional Editor is Professor S B Harrap at the University of Melbourne in Australia.

Clinical Science publishes high-quality papers in the field of clinical investigation, including biochemical, physiological, immunological, cellular, molecular biological and other approaches of relevance to disease in man. Rapid Communications, short accounts of completed work not exceeding four printed pages, receive accelerated reviewing and publication. The journal also features Editorial Reviews, reviews of techniques in clinical research and scientific correspondence.

- ✓ No page charges
- ✓ No additional charges for half-tones
- ✓ Decisions sent by fax to authors outside Europe
- ✓ Thorough reviewing (three reviewers' reports on each paper)
- ✓ Fast reviewing (less than 3 weeks) for rapid communications
- ✓ Rapid publication time
- ✓ Free offprints (25) provided for each page published
- ✓ Extensively quoted (impact factor 2.1)
- ✓ Abstracted and indexed by all the major secondary services
- ✓ A truly international journal

Further information available on http://www.portlandpress.co.uk

Editor in Chief

A M Heagerty, Manchester, UK

Deputy Editors in Chief

M J Jackson, Liverpool, UK

K Bartlett, Newcastle-upon-Tyne, UK

Regional Editor, Pacific Rim

S B Harrap, Melbourne, Australia

Reviews Editor

P M Stewart, Birmingham, UK

Subscriptions

Volumes 90 and 91 (six issues each) will appear in 1996. Orders and sample copy requests should be sent to **Portland Press, Commerce Way, Colchester CO2 8HP, UK,** or to your usual subscription agent.

Institutional subscription prices for 1996:

UK and overseas	£238.00
North America	US$430.00

Personal subscription rate: £90.00/US$145.00

Guidance for authors

Submissions from the Asiatic and Oceanic regions should be sent to:
Professor S B Harrap, Regional Editor, University of Melbourne, Department of Physiology, Parkville, Victoria 3052, Australia
(Tel +61 3 344 5820, Fax +61 3 9349 4519)

Submissions from all other areas should be sent to:
***Clinical Science*, Portland Press, 59 Portland Place, London W1N 3AJ, UK**
(Tel +44 171 637 5873, Fax +44 171 323 1136)

CALL FOR PAPERS

Published by Portland Press on behalf of the Biochemical Society and the Medical Research Society.

Biochemical Journal

AUTHOR AND KEYWORD INDEXES

for volumes

305–312 (1995)

The Biochemical Society, London © 1996

Available from

Portland Press Ltd, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.
Fax (U.K.) 01206 799331
(from overseas) +44 1206 799331

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the above-mentioned address.

Compiled and composed by Cadmus Journal Services, Linthicum, MD, U.S.A.

Printed in Great Britain by the University Press, Cambridge

Author Index

VOLUMES 305–312 (1995)

Aballay, A.
——Sarrouf, M. N.; Colombo, M. I.; Stahl, P. D.; Mayorga, L. S.
Zn^{2+} depletion blocks endosome fusion, 312: 919
Abbasi, A. See Smith, J. B.
Abbruzzese, A. See Beninati, S.
Abdel-Latif, A. A. See Wang, X.-L.
Abell, C. See Bornemann, S.; Borthwick, E. B.
Abo, A. See Chetty, M.
Abrahamson, M. See Björk, I.
Açil, Y. See Yang, C.
Adachi, H. See Nanjo, H.
Adams, C. J. See Murray, J. B.; Renwick, S. B.
Adams, L. E. See Thomas, T. J.
Adams, R. L. P. See Johnson, C. A.; Reale, A.
Adamski, J.
——Normand, T.; Leenders, F.; Monté, D.; Begue, A.; Stéhelin, D.; Jungblut, P. W.; de Launoit, Y.
Molecular cloning of a novel widely expressed human 80 kDa 17β-hydroxysteroid dehydrogenase IV, 311: 437
Addey, C. V. P. See Wilde, C. J.
Ader, G. See Goebeler, M.
Adiga, P. R. See Subramanian, N.
Aebi, U. See Mörgelin, M.
Aepfelbacher, M.
——Essler, M.; Luber de Quintana, K.; Weber, P. C.
ADP-ribosylation of the GTP-binding protein RhoA blocks cytoplasmic division in human myelomonocytic cells, 308: 853
Afdhal, N. H. See Nunes, D. P.
Agatsuma, T. See Yano, H.
Aghajanian, S. A.
——Martin, S. R.; Engel, P. C.
Urea-induced inactivation and denaturation of clostridial glutamate dehydrogenase: the absence of stable dimeric or trimeric intermediates, 311: 905
Agius, L.
——Peak, M.; Van Schaftingen, E.
The regulatory protein of glucokinase binds to the hepatocyte matrix, but, unlike glucokinase, does not translocate during substrate stimulation, 309: 711
Agosti, V. See Morrone, G.
Agostinelli, E.
——Cervoni, L.; Giartosio, A.; Morpurgo, L.
Stability of Japanese-lacquer-tree laccase to thermal and chemical denaturation: comparison with ascorbate oxidase, 306: 697
Aguilar, J. S.
——Tan, F.; Durand, I.; Green, R. D.
Isolation and characterization of an avian A_1 adenosine receptor gene and a related cDNA clone, 307: 729
Ahmad, F. See Zhang, J.
Ahmad, S. S.
——Rawala, R.; Cheung, W.-F.; Stafford, D. W.; Walsh, P. N.
The role of the second growth-factor domain of human factor IX in binding to platelets and in factor-X activation, 310: 427, 312: 991
Aitken, A. See Robinson, K.
Akbar, M. See Okajima, F.
Åkesson, B. See Howie, A. F.
Aketa, M. See Nanjo, H.
Akhtar, M. See Lee-Robichaud, P.
Akhtar, M. E. See Lee-Robichaud, P.
Akhtar, R. A. See Wang, X.-L.
Akino, T. See Sohma, H.
Akizuki, S. See Nasu, K.
Akkerman, J.-W. N. See Giesberts, A. N.
Al, R. H. See Van Beers, E. H.
Ala-Kokko, L. See Bonaventure, J.
——Kvist, A.-P.; Metsäranta, M.; Kivirikko, K. I.; de Crombrugghe, B.; Prockop, D. J.; Vuorio, E.
Conservation of the sizes of 53 introns and over 100 intronic sequences for the binding of common transcription factors in the human and mouse genes for type II procollagen (COL2A1), 308: 923
Alayash, A. I. See Rogers, M. S.
Albanese, J. See Henning, W.
Albuquerque, M. C. See Galina, A.
Alcázar, O.
——Giné, E.; Qiu-Yue, Z.; Tamarit-Rodríguez, J.
The stimulation of insulin secretion by D-glyceraldehyde correlates with its rate of oxidation in islet cells, 310: 215
Aldridge, T. C.
——Tugwood, J. D.; Green, S.
Identification and characterization of DNA elements implicated in the regulation of CYP4A1 transcription, 306: 473
Aledo, J. C. See Blakemore, S. J.; Molina, M.
Alengrin, F. See Hauguel-De-Mouzon, S.
Alexander, C. L. See Anderson, L.
Alexandre, A. See Cavallini, L.
Al Haq, A. See Benzakour, O.
Al Harrasy, W. S. See Ford, K. G.
Alho, H. See Kolmer, M.
Alhonen, L. See Wahlfors, J.
Ali, B. R. S. See Braithwaite, K. L.; Hall, J.
Ali, N. See Craxton, A.
——Craxton, A.; Sumner, M.; Shears, S. B.
Effects of aluminium on the hepatic inositol polyphosphate phosphatase, 305: 557
——Duden, T.; Bembenek, M. E.; Shears, S. B.
The interaction of coatomer with inositol polyphosphates is conserved in *Saccharomyces cerevisiae*, 310: 279
Allan, J. A.
——Docherty, A. J. P.; Barker, P. J.; Huskisson, N. S.; Reynolds, J. J.; Murphy, G.
Binding of gelatinases A and B to type-I collagen and other matrix components, 309: 299
Alldread, R. M.
——Halsall, D. M.; Clarke, A. R.; Sundaram, T. K.; Atkinson, T.; Scawen, M. D.; Nicholls, D. J.
Catalytic-rate improvement of a thermostable malate dehydrogenase by a subtle alteration in cofactor binding, 305: 539
Allen, A. J. See Wilson, R.
Allen, R. A. See Tsu, R. C.
Allende, G. See Robles-Flores, M.
Almeida, P. C. See Chagas, J. R.
Alston-Smith, J. See Sjöberg, E. M.
Alvarez, A. See Teruel, T.
Alvarez, E.
——Conde, M.; Machado, A.; Sobrino, F.; Santa Maria, C.
Decrease in free-radical production with age in rat peritoneal macrophages, 312: 595
Alvarez, I. M. See Buhi, W. C.
Alvarez, J. See Montero, M.
Alvarez, V.
——Parodi, A. J.; Couso, R.
Characterization of the mannose 6-phosphate-dependent pathway of lysosomal enzyme routing in an invertebrate, 310: 589
Alvergna, P. See Brigotti, M.
Ambs, P.
——Baccarini, M.; Fitzke, E.; Dieter, P.
Role of cytosolic phospholipase A_2 in arachidonic acid release of rat-liver macrophages: regulation by Ca^{2+} and phosphorylation, 311:189
Amiel, C. See Perrichot, R.
Amikam, D.
——inberger, O.; Shkolnik, T.; Ben-Ishai, Z.
The novel cyclic dinucleotide 3'-5' cyclic diguanylic acid binds to $p21^{ras}$ and enhances DNA synthesis but not cell replication in the Molt 4 cell line, 311: 921
Andersen, A. S. See Kristensen, C.
Anderson, L.
——Alexander, C. L.; Faccenda, E.; Eidne, K. A.
Rapid desensitization of the throtropin-releasing hormone receptor expressed in single human embryonal kidney 293 cells, 311: 385
Anderson, L. A. See Lee, T. W.
Anderson, R. C. See Johnson, T. M.
Anderson, S. C. K. See Mitchell, C. G.
Anderton, B. H. See Davis, D. R.
Anderton, K. L. See Bennett, A. J.
Ando, S. See Zhou, Z.-H. L.
Andrea, J. E.
——Walsh, M. P.
Identification of a brain-specific protein kinase Cς pseudogene (ΨPKCς) transcript, 310: 835
Andres, A. See Martinez, C.
Andrews, S. C. See Le Brun, N. E.
Andrieux, A. See Molla, A.
Angel, A. See Hatch, G. M.
Angel, P. See Schorpp, M.
Annabi, B. See St-Denis, J.-F.
Anson, D. S. See Bielicki, J.; Brooks, D. A.
Ansorge, I.
——Jeckel, D.; Wieland, F.; Lingelbach, K.
Plasmodium falciparum-infected erythrocytes utilize a synthetic truncated ceramide precursor for synthesis and secretion of truncated sphingomyelin, 308: 335
Anthes, J. C.
——Zhan, Z.; Gilchrest, H.; Egan, R. W.; Siegel, M. I.; Billah, M. M.
Interferon-α down-regulates the interleukin-6 receptor in a human multiple myeloma cell line, U266, 309: 175
Anthony, C. See Avezoux, A.; Cozier, G. E.; Dales, S. L.
Antras-Ferry, J. See Franckhauser, S.
Anzon, E. See Tacchini, L.

Aparicio, J. F. See Cal, S.
Aplin, R. T. See Chan, C.
Apold, J. See Martinez, A.
Apte, S. S. See Wick, M.
Arai, H. See Arita, M.
Araki, Y. See Tulsiani, D. R. P.
Arancia, G. See Sarti, P.
Arden, S. D. See Bailyes, E. M.
Arenzana, N.
——Rodríguez de Córdoba, S.; Rey-Campos, J.
Expression of the human gene coding for the α-chain of C4b-binding protein, *C4BPA,* is controlled by an HNF1-dependent hepatic-specific promoter, 308: 613
Argraves, W. S. See Coppolino, M.
Arias, G. See Asins, G.
Arii, S. See Furutani, M.
Arita, M.
——Sato, Y.; Miyata, A.; Tanabe, T.; Takahashi, E.; Kayden, H. J.; Arai, H.; Inoue, K.
Human α-tocopherol transfer protein: cDNA cloning, expression and chromosomal localization, 306: 437
Ariyanayagam, M. R. See Smith, K.
Arlaud, G. See Marty, I.
Armand, J. See Fischer, T.
Armitage, I. M. See Okar, D. A.
Armstrong, D. J.
——Roman, A.
Human papillomavirus type 6 E7 protein is a substrate *in vitro* of protein kinase C, 312: 667
Arnold, J. R. P. See Murray, J. B.
Arrieta, J. See Hernandez, L.
Arrigo, A.-P. See Mehlen, P.
Artemenko, I. P. See Los, G. V.
Arthur, G. See Badiani, K.
Arthur, J. R. See Bermano, G.; Howie, A. F.
Arts, J.
——Lansink, M.; Grimbergen, J.; Toet, K. H.; Kooistra, T.
Stimulation of tissue-type plasminogen activator gene expression by sodium bytyrate and trichostatin A in human endothelial cells involves histone acetylation, 310: 171
Asamoah, K. A.
——Atkinson, P. G. P.; Carter, W. G.; Sale, G. J.
Studies on an insulin-stimulated insulin receptor serine kinase activity: separation of the kinase activity from the insulin receptor and its reconstitution back to the insulin receptor, 308: 915
Asano, T. See Fukushima, Y.; Mukuria, C. J.
Asher, R. A. See Perides, G.
Ashour, M. S.-E. See Fouda, S. I.
Asins, G.
——Serra, D.; Arias, G.; Hegardt, F. G.
Developmental changes in carnitine palmitoyltransferases I and II gene expression in intestine and liver of suckling rats, 306: 379
Asker, N.
——Baeckström, D.; Axelsson, M. A. B.; Carlstedt, I.; Hansson, G. C.
The human MUC2 mucin apoprotein appears to dimerize before O-glycosylation and shares epitopes with the 'insoluble' mucin of rat small intestine, 308: 873
Asplund, T. See Suzuki, M.
Asselin, J. See Yanaga, F.
Atkinson, M. See Culbert, A. A.
Atkinson, P. G. P. See Asamoah, K. A.
Atkinson, T. See Alldread, R. M.
Aubert, J.-P. See Guyonnet Duperat, V.
Aubery, M. See Zanetta, J.-P.
Auchi, L. See Tsvetnitsky, V.
Auclair, M. See Quiec, D.
Audie, J.-P. See Guyonnet Duperat, V.
Augé, N.
——Pieraggi, M.-T.; Thiers, J.-C.; Nègre-Salvayre, A.; Salvayre, R.
Proliferative and cytotoxic effects of mildly oxidized low-density lipoproteins on vascular smooth-muscle cells, 309: 1015
Aumercier, M. See Moutiez, M.
Aumercier, P. See Moutiez, M.
Aumont, M.-C. See Magnier, C.
Austen, B. M. See Kaderbhai, M. A.
Autelli, R.
——Persson, L.; Baccino, F. M.
Cloning and expression of two ornithine decarboxylase forms from HMO_A cells, 312: 13
Authi, K. S. See Bokkala, S.; Goodwin, C. A.; Rahman, S.
Averbakh, A. Z.
——Pekel, N. D.; Seredenko, V. I.; Kulikov, A. V.; Gvozdev, R. I.; Rudakova, I. P.
Flavin-dependent alcohol oxidase from the yeast *Pichia pinus.* Spatial localization of the coenzyme FAD in the protein structure: hot-tritium bombardment and ESR experiments, 310: 601
Avery, N. C. See Bailey, A. J.
Avery, S. V.
——Lloyd, D.; Harwood, J. L.
Temperature-dependent changes in plasma-membrane lipid order and the phagocytotic activity of the amoeba *Acanthamoeba castellanii* are closely correlated, 312: 811
Avezoux, A.
——Goodwin, M. G.; Anthony, C.
The role of the novel disulphide ring in the active site of the quinoprotein methanol dehydrogenase from *Methylobacterium extorquens,* 307: 735
Avignon, A. See Yamada, K.
——Standaert, M. L.; Yamada, K.; Mischak, H.; Spencer, B.; Farese, R. V.
Insulin increases mRNA levels of protein kinase C-α and -β in rat adipocytes and protein kinase C-α, -β and -θ in rat skeletal muscle, 308: 181
Avila, J. See Sánchez, C.
Aviram, I. See Tisch, D.
Aviv, A. See Nakamura, K.
Axelsson, M. A. B. See Asker, N.
Ayala, J. M. See Lark, M. W.
Azzi, A. See O'Donnell, V. B.
Azzone, G. F. See Canton, M.

Babia, T. See Kok, J. W.
Baccarini, M. See Ambs, P.
Bacchi, C. J.
——Goldberg, B.; Garofalo-Hannan, J.; Rattendi, D.; Lyte, P.; Yarlett, N.
Fate of soluble methionine in African trypanosomes: effects of metabolic inhibitors, 309: 737
Baccino, F. M. See Autelli, R.; Houri, J.-J.
Bach, A. C. See Raclot, T.
Badache, A. See Zanetta, J.-P.
Badiani, K.
——Arthur, G.
Evidence for receptor and G-protein regulation of a phosphatidylethanolamine-hydrolysing phospholipase A_1 in guinea-pig heart microsomes: stimultaion of phospholipase A_1 activity by D-isoprenaline and guanine nucleotides, 312: 805
Badwey, J. A. See Heyworth, P. G.
Baeckström, D. See Asker, N.
Baggiolini, M. See Barella, L.
Baggott, J. E.
——Johanning, G. L.; Branham, K. E.; Prince, C. W.; Morgan, S. L.; Eto, I.; Vaughn, W. H.
Cofactor role for 10-formyldihydrofolic acid, 308: 1031
Bahouth, S. W. See Park, E. A.
——Thyroid hormone regulation of transmembrane signalling in neonatal rat ventricular myocytes by selective alteration of the expression and coupling of G-protein α-subunits, 307: 831
Bailey, A. J. See Knott, L.
——Sims, T. J.; Avery, N. C.; Halligan, E. P.
Non-enzymic glycation of fibrous collagen: reaction products of glucose and ribose, 305: 385
Bailyes, E. M.
——Shennan, K. I. J.; Usac, E. F.; Arden, S. D.; Guest, P. C.; Docherty, K.; Hutton, J. C.
Differences between the catalytic properties of recombinant human PC2 and endogenous rat PC2, 309: 587
Baker, K. See Lee, A. G.
Baker, K. J.
——East, J. M.; Lee, A. G.
Mechanism of inhibition of Ca^{2+}-ATPase by myotoxin a, 307: 571
Baker, M. E. See Chenevert, S. W.
——Enoyl-acyl-carrier-protein reductase and *Mycobacterium tuberculosis* InhA do not conserve the Tyr-Xaa-Xaa-Xaa-Lys motif in mammalian 11β- and 17β-hydroxysteroid dehydrogenases and *Drosophila* alcohol dehydrogenase, 309: 1029
Bakke, M. See Mankowitz, L.
Bakos, É. See Magyar, A.
Balage, M. See Hocquette, J.-F.
Balaña Fouce, R. See Parry, L.
Balasubramanian, S. See Bornemann, S.
Balbo, M. See Jean, D.
Balducci, E.
——Orsomando, G.; Polzonetti, V.; Vita, A.; Emanuelli, M.; Raffaelli, N.; Ruggieri, S.; Magni, G.; Natalini, P.
NMN adenylytransferase from bull testis: purification and properties, 310: 395
Baldwin, J. E. See Zhang, Z.
Baldwin, S. A. See Barros, L. F.
Ballard, F. J. See Milner, S. J.
Bally, I. See Marty, I.
Balme, A.
——Brunt, C. E.; Pallister, R. L.; Chapman, S. K.; Reid, G. A.
Isolation and characterization of the flavin-binding domain of flavocytochrome b_2 expressed independently in *Escherichia coli,* 309: 601
Baltz, T. See Barrett, M. P.
Bandyopadhyay, U.
——Bhattacharyya, D. K.; Chatterjee, R.; Banerjee, R. K.
Irreversible inactivation of lactoperoxidase by mercaptomethylimidazole through generation of a thiyl radical: its use as a probe to study the active site, 306: 751
Banerjee, A. B. See Misra, K.
Banerjee, R. K. See Bandyopadhyay, U.; Das, D.
Banfić, H. See Višnjić, D.
Banfic, H. H. See Divecha, N.
Bangur, C. S.
——Howland, J. L.; Katyare, S. S.

Thyroid hormone treatment alters phospholipid composition and membrane fluidity of rat brain mitochondria, 305: 29
Bannai, S. See Sato, H.
Barbato, R. See Di Lisa, F.
Bardhan, S. See Kambayashi, Y.
Barel, M. See Jean, D.
Barella, L.
——Loetscher, M.; Tobler, A.; Baggiolini, M.; Moser, B.
Sequence variation of a novel heptahelical leucocyte receptor through alternative transcript formation, 309: 773
Baret, P. See Caris, C.
Barger, S. W.
——Mattson, M. P.
The secreted form of the Alzheimer's β-amyloid precursor protein stimulates a membrane-associated guanylate cyclase, 311: 45
Barker, C. J.
——French, P. J.; Moore, A. J.; Nilsson, T.; Berggren, P.-O.; Bunce, C. M.; Kirk, C. J.; Michell, R. H.
Inositol 1,2,3-trisphosphate and inositol 1,2- and/or 2,3-bisphosphate are normal constituents of mammalian cells, 306: 567
Barker, P. J. See Allan, J. A.
Barnes, H. J. See Weinander, R.
Barnes, K. See Takahashi, M.
Barnes, L. D. See Huang, Y.
Barnes, M. J. See Morton, L. F.
Barnes, P. J. See Perkins, R. S.
Barraclough, R. See Thorne, N. M. H.
Barrett, A. J. See Knight, C. G.; McKie, N.
Barrett, M. P.
——Tetaud, E.; Seyfang, A.; Bringaud, F.; Baltz, T.
Functional expression and characterization of the *Trypanosoma brucei* procyclic glucose transporter, THT2, 312: 687
Barros, L. F.
——Marchant, R. B.; Baldwin, S. A.
Dissection of stress-activated glucose transport from insulin-induced glucose transport in mammalian cells using wortmannin and ML-9, add; 731
Barstow, D. G. Jr. See Wu, G.
Bartholomew, B. A.
——Smith, M. J.; Long, M. T.; Darcy, P. J.; Trudgill, P. W.; Hopper, D. J.
Tropine dehydrogenase: purification, some properties and an evaluation of its role in the bacterial metabolism of tropine, 307: 603
Bartles, J. R. See Nehme, C. L.
Bartrons, R. See Rosa, J. L.
Barzilai, N.
——Massillon, D.; Rossetti, L.
Effects of fasting on hepatic and peripheral glucose metabolism in conscious rats with near-total fat depletion, 310: 819
Bas, N.
——Garcia, A.
Effect of deoxycholate on guanine-nucleotide-dependent carbachol stimulation of phosphoinositdase C in mouse brain cortical membranes, 312: 445
Basak, A. See Jean, F.
Bashir, A.
——Perham, R. N.; Scrutton, N. S.; Berry, A.
Altering kinetic mechanism and enzyme stability by mutagenesis of the dimer interface of glutathione reductase, 312: 527
Basselin, M. See Phelouzat, M.-A.
Bassols, A. See Romarís, M.
Basu, H. S. See Clément, S.; Delcros, J.-G.; Schwartz, B.
Bateman, J. F. See Chiodo, A. A.
Batinić, D. See Višnjić, D.
Batliwala, H.
——Somasundaram, T.; Uzgiris, E. E.; Makowski, L.
Methane-induced haemolysis of human erythrocytes, 307: 433
Batz, O. See Möhlmann, T.
Baulieu, E.-E. See Binart, N.
Bause, E.
——Breuer, W.; Peters, S.
Investigation of the active site of oligosaccharyltransferase from pig liver using synthetic tripeptides as tools, 312: 979
Bauvy, C. See Houri, J.-J.
Baxter, M. A. See Grafton, G.
Bazin, R. See Charon, C.
Beale, D. See Mayans, M. O.
Bean, P. A. See Underwood, P. A.
Beattie, J. See Shakur, Y.
Beaudet, A. See Boudin, H.
Beaudoin, A. R. See Sévigny, J.
Beaumont, E. S. See West, S. M.
Beauwens, R. See Golstein, P. E.
Becker, A. See Haendler, B.
Beckett, G. J. See Bermano, G.; Howie, A. F.
Beckmann, J. D. See Schauss, S. J.
Beddington, R. See Sowden, J.
Beechey, R. B. See Tarpey, P. S.
Beeler, J. R.
——Cooper, R. H.
Regulation of hepatocyte plasma membrane α_1-adrenergic receptors by 4β-phorbol 12-myristate 13-acetate, 305: 73
Begue, A. See Adamski, J.
Béguin, C. See Caris, C.
Behm, C. A. See Lenton, L. M.
Beinert, H. See Breton, J. L.
Belham, C. M. See Malarkey, K.
Béliveau, R. See Boivin, D.; Jetté, L.
Bell, A. See Mathew, A.
Bell, P. A. See Johnson, T. M.
Bellingham, R. M. A.
——Gibbs, A. H.; de Matteis, F.; Lian, L-Y.; Roberts, G. C. K.
Determination of the structure of an N-substituted protoporphyrin isolated from the livers of griseofulvin-fed mice, 307: 505
Bembenek, M. E. See Ali, N.
Benaim, G.
——Moreno, S. N. J.; Hutchinson, G.; Cervino, V.; Hermoso, T.; Romero, P. J.; Ruiz, F.; de Souza, W.; Docampo, R.
Characterization of the plasma-membrane calcium pump from *Trypanosoma cruzi*, 306: 299
Benaissa, M. See Escrivá, H.
Ben-Ari, Y. See Trabelsi-Terzidis, H.
Benech, J. C.
——Wolosker, H.; de Meis, L.
Reversal of the Ca^{2+} pump of blood platelets, 306: 35
Benedetti, A. See Fulceri, R.
Benet, L. Z. See Zia-Amirhosseini, P.
Benham, A. See Kertesz, Z.
Beninati, S. See Del Duca, S.
——Nicolini, L.; Jakus, J.; Passeggio, A.; Abbruzzese, A.
Identification of a substrate site for transglutaminases on the human protein synthesis initiation factor 5A, 305: 725
Ben-Ishai, Z. See Amikam, D.
Benito, M. See Teruel, T.
Ben-Menahem, D.
——Shraga-Levine, Z.; Mellon, P. L.; Naor, Z.
Mechanism of action of gonadotropin-releasing hormone upon gonadotropin α-subunit mRNA levels in the αT3–1 cell line: role of Ca^{2+} and protein kinase C, 309: 325
Ben Nasr, A.
——Herwald, H.; Müller-Esterl, W.; Björck, L.
Human kininogens interact with M protein, a bacterial surface protein and virulence determinant, 305: 173
Bennett, A. J.
——Billett, M. A.; Salter, A. M.; Mangiapane, E. H.; Bruce, J. S.; Anderton, K. L.; Marenah, C. B.; Lawson, N.; White, D. A.
Modulation of hepatic apolipoprotein B, 3-hydroxy-3-methylglutaryl-CoA reductase and low-density lipoprotein receptor mRNA and plasma lipoprotein concentrations by defined dietary fats. Comparison of trimyristin, tripalmitin, tristearin and triolein, 311: 167
Bennett, B. See Sears, H. J.
Bennett, D. L. See Petersen, C. C. H.
Bennett, F. A. See Underwood, P. A.
Bennick, A. See Yan, Q.
Benzakour, O.
——Formstone, C.; Rahman, S.; Kanthou, C.; Dennehy, U.; Scully, M. F.; Kakkar, V. V.; Cooper, D. N.
Evidence for a protein S receptor(s) on human vascular smooth muscle cells. Analysis of the binding characteristics and mitogenic properties of protein S on human vascular smooth muscle cells, 308: 481
——Kanthou, C.; Dennehy, U.; Al Haq, A.; Berg, L.-P.; Kakkar, V. V.; Cooper, D. N.
Evaluation of the use of the luciferase-reporter-gene system for gene-regulation studies involving cyclic AMP-elevating agents, 309: 385
Berardi, S.
——Hagenbuch, B.; Carafoli, E.; Krähenbühl, S.
Characterization of the endogenous carnitine transport and expression of a rat renal Na^+-dependent carnitine transport system in *Xenopus laevis* oocytes, 309: 389
Berden, J. H. M. See van Det, N. F.
Bereziat, G. See Levistre, R.
Berg, L.-P. See Benzakour, O.
Berg, T. See Holen, I.
——Gjøen, T.; Bakke, O.
Physiological functions of endosomal proteolysis, 307: 313
Berg, T. O. See Holen, I.
Berger, B.
——Hunziker, P. E.; Hauer, C. R.; Birchler, N.; Dallinger, R.
Mass spectrometry and amino acid sequencing of two cadmium-binding metallothionein isoforms from the terrestrial gastropod *Arianta arbustorum*, 311: 951
Berger, S. J.
——Resing, K. A.; Taylor, T. C.; Melançon, P.
Mass-spectrometric analysis of ADP-ribosylation factors from bovine brain: identification and evidence for homogeneous actylation with the $C_{14:0}$ fatty acid (myristate), 311: 125
Berggren, P.-O. See Barker, C. J.; Islam, Md. S.
Berggren Söderlund, M.
——Johannesson, G.; Fex, G.
Expression of human *all-trans*-retinoic acid receptor β and its ligand-

binding domain in *Escherichia coli*, 308: 353
Berglund, L. See Johnsen, L. B.
Bergman, T. See Weinander, R.
Berguerand, M. See Levistre, R.
Berks, B. C.
——Richardson, D. J.; Reilly, A.; Willis, A. C.; Ferguson, S. J.
The *napEDABC* gene cluster encoding the periplasmic nitrate reductase system of *Thiosphaera pantotropha*, 309: 983
Berlin, R. D.
——Preston, S. F.
Arachidonic acid mobilization is suppressed during mitosis: role of cytosolic phospholipase A_2 activation, 309: 91
Bermano, G.
——Nicol, F.; Dyer, J. A.; Sunde, R. A.; Beckett, G. J.; Arthur, J. R.; Hesketh, J. E.
Tissue-specific regulation of selenoenzyme gene expression during selenium deficiency in rats, 311: 425
Berndt, M. C. See Dorahy, D. J.
Bernelli-Zazzera, A. See Tacchini, L.
Bernfield, M., 309: 69
Bernuau, D. See Racine, L.
Berridge, M. J. See Petersen, C. C. H.
——Capacitative calcium entry, 312: 1
Berridge, M. V.
——Tan, A. S.
Interleukin-3 facilitates glucose transport in a myeloid cell line by regulating the affinity of the glucose transporter for glucose: involvement of protein phosphorylation in transporter activation, 305: 843
Berrou, E.
——Quarck, R.; Fontenay-Roupie, M.; Lévy-Toledano, S.; Tobelem, G.; Bryckaert, M.
Transforming growth factor-β1 increases internalization of basic fibroblast growth factor by smooth muscle cells: implication of cell-surface heparan sulphate proteoglycan endocytosis, 311: 393
Berry, A. See Bashir, A.
Berry, M. N. See Grivell, A. R.
Bertello, L. E.
——Gonçalvez, M. F.; Colli, W.; de Lederkremer, R. M.
Structural analysis of inositol phospholipids from *Trypanosoma cruzi* epimastigote forms, 310: 255
Berthier, R. See Molla, A.; Rabilloud, T.
Berti, A. See Chiarugi, P.
Bertina, R. M. See Wojcik, E. G. C.
Bertoli, E. See Kochan, Z.
Bertrand, L. See Rider, M. H.
Beslin, A.
——Vié, M.-P.; Blondeau, J. P.; Francon, J.
Identification by photoaffinity labelling of a pyridine nucleotide-dependent tri-iodothyronine-binding protein in the cytosol of cultured astroglial cells, 305: 729
Bevan, A. P.
——Christensen, J. R.; Tikerpae, J.; Smith, G. D.
Chloroquine augments the binding of insulin to its receptor, 311: 787
Beveridge, M. J. See Bravo, P.
Bevilacqua, M. A.
——Faniello, M. C.; D'Agostino, P.; Quaresima, B.; Tiano, M. T.; Pignata, S.; Russo, T.; Cimino, F.; Costanzo, F.
Transcriptional activation of the H-ferritin gene in differentiated Caco-2 cells parallels a change in the activity of the nuclear factor Bbf, 311: 769
Bhagwat, A. S. See Gabbara, S.
Bhaskar, K. R. See Turner, B. S.
Bhat, P. V. See Labrecque, J.
Bhatia, M.
——Kirkland, J. B.; Meckling-Gill, K. A.
Modulation of poly(ADP-ribose) polymerase during neutrophilic and monocytic differentiation of promyelocytic (NB4) and myelocytic (HL-60) leukaemia cells, 308: 131
Bhattacharyya, D. K. See Bandyopadhyay, U.
Bhavani, K. See Xu, Y.-Y.
Bian, X. See Gilon, P.
Bianchi, N. See Passadore, M.
Bielicki, J.
——Fuller, M.; Guo, X.-H.; Morris, C. P.; Hopwood, J. J.; Anson, D. S.
Expression, purification and characterization of recombinant human *N*-acetylgalactosamine-6-sulphatase, 311: 333
Bielinska, M.
——Wilson, D. B.
Regulation of J6 gene expression by transcription factor GATA-4, 307: 183
Bierbaum, S. See Yang, C.
Biessels, P. T. M. See Donath, M.-J. S. H.
Bignami, A. See Perides, G.
Bijleveld, C. See Guzmán, M.
Billah, M. M. See Anthes, J. C.
Billett, M. A. See Bennett, A. J.
Bilodeau, D. See Boivin, D.
Binart, N.
——Lombès, M.; Baulieu, E.-E.
Distinct functions of the 90 kDa heat-shock protein (hsp90) in oestrogen and mineralcorticosteroid receptor activity: effects of hsp90 deletion mutants, 311: 797
Bindloss, C. See Brooks, D. A.
Bingle, C. D.
——Hackett, B. P.; Moxley, M.; Longmore, W.; Gitlin, J. D.
Role of hepatocyte nuclear factor-3α and hepatocyte nuclear factor-3β in Clara cell secretory protein gene expression in the bronchiolar epithelium, 308: 197
Binner, S. See Itoh, Y.
Birchler, N. See Berger, B.
Bird, G. St. J. See Gilon, P.
Bishop, C. W. See Strugnell, S.
Bismut, H.
——Caron, M.; Coudray-Lucas, C.; Capeau, J.
Glucose contribution to nucleic acid base synthesis in proliferating hepatoma cells: a glycine-biosynthesis-mediated pathway, 308: 761
Bismuth, J. See Prieur, B.
Biswas, B. B. See Biswas, S.
Biswas, S.
——Dalal, B.; Sen, M.; Biswas, B. B.
Receptor for *myo*-inositol trisphosphate from the microsomal fraction of *Vigna radiata*, 306: 631
Bjarnason, I. See Mayall, T. P.
Bjerknes, T. See Smeland, S.
Björck, L. See Ben Nasr, A.
Björk, I. See Ersdal-Badju, E.; Pol, E.; Razi, N.
——Brieditis, I.; Abrahamson, M.
Probing the functional role of the N-terminal region of cystatins by equilibrium and kinetic studies of the binding of Gly-11 variants of recombinant human cystatin C to target proteinases, 306: 513
Black, G. W. See Braithwaite, K. L.; Hall, J.; Millward-Sadler, S. J.
——Hazlewood, G. P.; Millward-Sadler, S. J.; Laurie, J. I.; Gilbert, H. J.
A modular xylanase containing a novel non-catalytic xylan-specific binding domain, 307: 191
Black, P. N.
——Zhang, Q.
Evidence that His^{110} of the protein FadL in the outer membrane of *Escherichia coli* is involved in the binding and uptake of long-chain fatty acids: possible role of this residue in carboxylate binding, 310: ???
Blair, G. E. See Osbaldeston, N. J.
Blake, R. See Yanaga, F.
Blakemore, S. J.
——Aledo, J. C.; James, J.; Campbell, F. C.; Lucocq, J. M.; Hundal, H. S.
The GLUT5 hexose transporter is also localized to the basolateral membrane of the human jejunum, 309: 7, 310: 1055
Blanckaert, N. See Bossuyt, X.
Blanco, A.
——Habib, A.; Levy-Toledano, S.; Maclouf, J.
Involvement of tyrosine kinases in the induction of cyclo-oxygenase-2 in human endothelial cells, 312: 419
Block, M. A. See Lenne, C.
Blom, A. See Sjöberg, E. M.
Blomhoff, R. See Smeland, S.
Blondeau, J.-P. See Beslin, A.
Bloomberg, G. B. See Diggle, T. A.
Board, M.
——Bollen, M.; Stalmans, W.; Kim, Y.; Fleet, G. W. J.; Johnson, L. N.
Effects of C-1-substituted glucose analogue on the activation states of glycogen synthase and glycogen phosphorylase in rat hepatocytes, 311: 845
Board, P. G. See Gali, R. R.
——Coggan, M.; Wilce, M. C. J.; Parker, M. W.
Evidence for an essential serine residue in the active site of the Theta class glutathione transferases, 311: 247
Bock, S. C. See Ersdal-Badju, E.
Bockaert, J. See Marin, P.
Boddy, L. M. See Wilde, C. J.
Bode, A. M. See Rose, R. C.
Bodnar, A. G.
——Cooper, J. M.; Loenard, J. V.; Schapira, A. H. V.
Respiratory-deficient human fibroblasts exhibiting defective mitochondrial DNA replication, 305: 817
Boeckh, C. See Plüss, K. M. A.
Bogoyevitch, M. A.
——Clerk, A.; Sugden, P. H.
Activation of the mitogen-activated protein kinase cascade by pertussis toxin-sensitive and -insensitive pathways in cultured ventricular cardiomyocytes, 309: 437
Böhm, S. K.
——Gum, J. R., Jr.; Erickson, R. H.; Hicks, J. W.; Kim, Y. S.
Human dipeptidyl peptidase IV gene promoter: tissue-specific regulation from a TATA-less GC-rich sequence characteristic of a housekeeping gene promoter, 311: 835
Bohr, H. See Hansen, J. E.
Boileau, G. See Dion, N.; Lanctôt, C.; Milhiet, P. E.; Yang, X.-F.
Boivin, D.
——Bilodeau, D.; Béliveau, R.

Immunochemical characterization of L-isoaspartyl-protein carboxyl methyltransferase from mammalian tissues, 309: 993
Bokkala, S. See Goodwin, C. A.
——El-Daher, S. S.; Kakkar, V. V.; Wuytack, F.; Authi, K. S., 306: 837
Bolen, J. B. See Ghazizadeh, S.
Bolger, G. See McPhee, I.
Bollag, W. B.
——Xiong, Y.; Ducote, J.; Harmon, C. S.
Regulation of *fos-lacZ* fusion gene expression in primary mouse epidermal keratinocytes isolated from transgenic mice, 306: 879
Bollen, M. See Board, M.; Uriarte, M.
Bolscher, J.
——Veerman, E.; Van Nieuw Amerongen, A.; Tulp, A.; Verwoerd, D.
Distinct populations of high-M_r mucins secreted by different human salivary glands discriminated by density-gradient electrophoresis, 309: 801
Bolwell, G. P. See Robertson, D.
Bonaventure, J.
——Cohen-Solal, L.; Ritvaniemi, P.; Van Maldergem, L.; Kadhom, N.; Delezoide, A.-L.; Maroteaux, P.; Prockop, D. J.; Ala-Kokko, L.
Substitution of aspartic acid for glycine at position 310 in type II collagen produces achondrogenesis II, and substitution of serine at position 805 produces hypochondrogenesis: analysis of genotype-phenotype relationships 307:823
Bond, H. M. See Morrone, G.
Bonet, M. L.
——Serra, F.; Matamala, J. C.; García-Palmer, F. J.; Palou, A.
Selective loss of the uncoupling protein from light *versus* heavy mitochondria of brown adipocytes after a decrease in noradrenergic stimulation *in vivo* and *in vitro*, 311: 327
Bonnafous, M. See Tazi, K. A.
Bono, J.-J. See Bourdineaud, J.-P.
Bonte, E. J. See de Moor, C. H.
Bonventre, J. V. See Kim, D. K.
Bootman, M. D.
——Missiaen, L.; Parys, J. B.; De Smedt, H.; Casteels, R.
Control of inositol 1,4,5-trisphosphate-induced Ca^{2+} release by cytosolic Ca^{2+}, 306: 445
Bordet, J.-C. See Gebuhrer, V.
Bordon, P. See Foresta, C.
Borgeat, P. See Krump, E.
Borges, A. See Smith, K.
Borgese, M. F. See Petersen, C. C. H.
Bornemann, S.
——Balasubramanian, S.; Coggins, J. R.; Abell, C.; Lowe, D. J.; Thorneley, R. N. F.
Escherichia coli chorismate synthase: a deuterium kinetic-isotope effect under single-turnover and steady-state conditions shows that a flavin intermediate forms before the C-(6*proR*)-H bond is cleaved, 305: 707
Bornes, F. See Hocquette, J.-F.
Borthwick, E. B.
——Connell, S. J.; Tudor, D. W.; Robins, D. J.; Shneier, A.; Abell, C.; Coggins, J. R.
Escherichia coli dihydrodipicolinate synthase: characterization of the imine intermediate and the product of bromopyruvate treatment by electrospray mass spectrometry, 305: 521
Bosc, D. See Foufelle, F.
Bose, S.
——Seetharam, S.; Hammond, T. G.; Seetharam, B.
Regulation of expression of transcobalamin II receptor in the rat, 310: 923
Bossuyt, X.
——Blanckaert, N.
Mechanism of stimulation of microsomal UDP-glucuronosyltransferase by UDP-*N*-acetylglucosamine, 305: 321
Botham, K. M. See Lambert, M. S.
Bothelho, B. B., 309: 69
Bottomley, K. N. K. See Hill, P. A.
Bottomley, S. P. See Walker, K. N.
Bouaboula, M.
——Poinot-Chazel, C.; Bourri, B.; Canat, X.; Calandra, B.; Rinaldi-Carmona, M.; Le Fur, G.; Casellas, P.
Activation of mitogen-activated protein kinases by stimulation of the central cannabinoid receptor CB1, 312: 637
Boucher, I. See Fukamizo, T.
Boudin, H.
——Gruaz-Guyon, A.; Faure, M.-P.; Forgez, P.; Lhiaubet, A.-M.; Dennis, M.; Beaudet, A.; Rostene, W.; Pelaprat, D.
Immunological recognition of different forms of the neurotensin receptor in transfected cells and rat brain, 305: 277
Bouillaud, F. See Prieto, S.
Bourdineaud, J.-P.
——Bono, J.-J.; Ranjeva, R.; Cullimore, J. V.
Enzymatic radiolabelling to a high specific activity of legume lipo-oligosaccharidic nodulation factors from *Rhizobium meliloti*, 306: 259
Bourri, B. See Bouaboula, M.
Boutillon, M.-M. See Freyria, A.-M.
Bouton, M.-C.
——Jandrot-Perrus, M.; Moog, S.; Cazenave, J.-P.; Guillin, M.-C.; Lanza, F.
Thrombin interaction with a recombinant N-terminal extracellular domain of the thrombin receptor in an acellular system, 305: 635
Bovelander, F.-J. See Tytgat, K. M. A. J.
Bovina, C. See Genova, M. L.
Bowen, D. M. See Webster, M.-T.
Bowman, L. H. See Kim, K.
Bowyer, D. E. See Fitzsimmons, C.
Boyd, S. M. See Thomas, M. P.
Boyer, J. See Somma-Delpéro, C.
Boyne, R. See Chesters, J. K.
Bozon, D. See Froissart, R.
Bozza, A. See Villalba, M.
Bozzini, M. See Martinez, A.
Brady, K. D.
——Wagner, K. A.; Tashjian, A. H. Jr.; Golan, D. E.
Alterations in the frequency and shape of Ca^{2+} fluctuations in GH_4C_1 cells induced by thyrotropin-releasing hormone and Bay K 8644, 306: 399
Braithwaite, K. L.
——Black, G. W.; Hazlewood, G. P.; Ali, B. R. S.; Gilbert, H. J.
A non-modular endo-β-1,4-mannanase from *Pseudomonas fluorescens* subspecies *cellulosa*, 305: 1005
Brand, M. D. See Buttgereit, F.; Porter, R. K.
Brandau, S.
——Dresel, A.; Clos, J.
High constitutive levels of heat-shock proteins in human-pathogenic parasites of the genus *Leishmania*, 310: 225
Brandi, G. See Magnani, M.
Branham, K. E. See Baggott, J. E.
Brant, D. P. See Turnell, A. S.
Brasseur, R. See Magdalena, J.
Braun-Breton, C. See Vuillard, L.
Bravo, P.
——Marin, J. J. G.; Beveridge, M. J.; Novak, D. A.
Reconstitution and characterization of ATP-dependent bile acid transport in human and rat placenta, 311: 479
Brearley, C. A.
——Hanke, D. E.
Evidence for substrate-cycling of 3-, 3,4-, 4-, and 4,5-phosphorylated phosphatidylinositols in plants, 311: 1001
Brech, A. See Holen, I.
Brée, F. See Urien, S.
Brennan, S. O. See Ledgerwood, E. C.
Breton, J. L.
——Farrar, J. A.; Kennedy, M. C.; Beinert, H.; Thomson, A. J.
Magnetic circular dichroism study of the selenium-substituted form (Fe_3Se_4) of bovine heart aconitase, 311: 197
Brett, D. J.
——Pease, R. J.; Scott, J.; Gibbons, G. F.
Microsomal triglyceride transfer protein activity remains unchanged in rat livers under conditions of altered very-low-density lipoprotein secretion, 310: 11
Breu, J. See Slack, B. E.
Breuer, W. See Bause, E.
Briat, J.-F. See Van Wuytswinkel, O.; van Wuytswinkel, O.
Brieditis, I. See Björk, I.
Briend-Sutren, M. M. See Nahmias, C.
Brigotti, M.
——Carnicelli, D.; Alvergna, P.; Pallanca, A.; Lorenzetti, R.; Denaro, M.; Sperti, S.; Montanaro, L.
3'-Immature tRNA*Trp* is required for ribosome inactivation by gelonin, a plant RNA-*N*-glycosidase, 310: 249
Brindle, K. M. See Wilson, I. A.
Bringaud, F. See Barrett, M. P.
Briolay, J. See Mehlen, P.
Brion, J.-P. See Davis, D. R.
Briscoe, C. P.
——Martin, A.; Cross, M.; Wakelam, M. J. O.
The roles of multiple pathways in regulating bombesin-stimulated phospholipase D activity in Swiss 3T3 fibroblasts, 306: 115
Brittain, T. See Hofmann, O.; Scheepens, A.
Broadberry, R. E. See Yu, L.-C.
Broadway, N. M.
——Saggerson, E. D.
Solubilization and separation of two distinct carnitine acyltransferases from hepatic microsomes: characterization of the malonyl-CoA-sensitive enzyme, 310: 989
Brocklehurst, K. See Thomas, M. P.
Brodt-Eppley, J.
——Hui, D. Y.
Calcium mobilization and protein kinase C activation are required for cholecystokinin stimulation of pancreatic cholesterol esterase secretion, 306: 605
Bröer, A. See Boöer, S.
Bröer, S.
——Bröer, A.; Hamprecht, B.
The 4F2hc surface antigen is necessary for expression of system L-like

neutral amino acid-transport activity in C6-BU-1 rat glioma cells: evidence from expression studies in *Xenopus laevis* oocytes, 312: 863
Bronson, R. T. See Katz, M. L.
Brookman, J. L. See Wilson, R.
Brooks, D. A.
——Robertson, D. A.; Bindloss, C.; Litjens, T.; Anson, D. S.; Peters, C.; Morris, C. P.; Hopwood, J. J.
Two site-directed mutations abrogate enzyme activity but have different effects on the conformation and cellular content of the *N*-acetylgalactosamine 4-sulphatase protein, 307:457
Brosnan, J. T. See Kovacevic, Z.
Brosnan, M. E. See Kovacevic, Z.
Brot-Laroche, E. See Mesonero, J.
Brouwer, M.
——Enghild, J.; Hoexum-Brouwer, T.; Thogersen, I.; Truncali, A.
Primary structure and tissue-specific expression of blue crab *(Callinectes sapidus)* metallothionein isoforms, 311: 617
Brown, G. R. See Turnell, A. S.
Brown, K. D. See Corps, A. N.
Brown, L. See Fosang, A. J.
Brown, M. A. See McKie, N.
Bru, R. See López-Nicolás, J. M.
——Sánchez-Ferrer, A.; García-Carmona, F.
Kinetic models in reverse micelles, 310: 721
Bruce, J. A. See Bennett, A. J.
Bruce, N. C. See French, C. E.
Bruckdorfer, K. R. See Meyer, D. F.; Naseem, K. M.
Brüggemann, U. See Grebenkämper, K.
Brugman, C. See Hendriks, W.
Bruijn, J. A. See van Det, N. F.
Brunak, S. See Hansen, J. E.
Bruni, P. See Meacci, E.
Brunink, F. See de Vries, K. J.
Brunt, C. E. See Balme, A.
Brunton, L. L. See Post, S. R.
Bryant, J. M. See Long, G. S.
Bryckaert, M. See Berrou, E.
Bryson, J. M.
——Cooney, G. J.; Wensley, V. R.; Phuyal, J. L.; Caterson, I. D.
Tissue differences in the response of the pyruvate dehydrogenase complex to a glucose load during the development of obesity in gold-thioglucose-obese mice, 305: 811
Brzezinski, R. See Fukamizo, T.
Buc-Calderon, P. See Tinton, S.
Buchner, K. See Rosenberger, U.
Buchter, S. See Floros, J.
Buckland, R. See Daviet, L.
Budarf, M. L. See Wick, M.
Buhi, W. C.
——Alvarez, I. M.; Shille, V. M.; Thatcher, M.-J.; Harney, J. P.; Cotton, M.
Purification and characterization of a uterine retinol-binding protein in the bitch, 311: 407
Buhl, W.-J.
——Eisenlohr, L. M.; Preuss, I.; Gehring, U.
A novel phospholipase A_2 from human placenta, 311: 147
Buisine, M.-P. See Guyonnet Duperat, V.
Bukato, G. See Kochan, Z.
Bulfield, G. See Gray, A.
Bulleid, N. J. See Wilson, R.
Büller, H. A. See Tytgat, K. M. A. J.; Van Beers, E. H.
Bunce, C. M. See Barker, C. J.
Burchell, A. See Fulceri, R.; Lucius, R. W.
Bürger, C. See Wick, M.
Burke, T. R., Jr. See Kole, H. K.
Burlingame, A. L. See Zia-Amirhosseini, P.
Burns, G. F. See Dorahy, D. J.
Burtscher, H. See Zarnt, T.
Busby, S. J. W. See Savery, N. J.
Bush, K. T.
——Hendrickson, B. A.; Nigam, S. K.
Induction of the FK506-binding protein, FKBP13, under conditions which misfold proteins in the endoplasmic reticulum, 305: 1031
Bush, R. See Fitzsimmons, C.
Bustamante, J. See Slater, A. F. G.
Butler, J. See Eiserich, J. P.
Buttgereit, F.
——Brand, M. D.
A hierarchy of ATP-consuming processes in mammalian cells, 312: 163
Buxton, N. See Inskip, A.
Byers, P. H. See Culbert, A. A.
Byford, V. See Strugnell, S.
Bygrave, F. L. See Lenton, L. M.
Byus, C. V. See Tjandrawinata, R. R.

Cable, H. C.
——El-Mansoury, A.; Morgan, N. G.
Activation of alpha-2-adrenoceptors results in an increase in F-actin formation in HIT-TY15 pancreatic B-cells, 307: 169
Caiafa, P. See Santoro, R.
Cake, M. H. See Harris, L. R.
Cal, S.
——Aparicio, J. F.; De Los Reyes-Gavilan, C. G.; Nicieza, R. G.; Sanchez, J.
A novel exocytoplasmic endonuclease from *Streptomyces antibioticus,* 306: 93
Calandra, B. See Bouaboula, M.
Calleja, M. See Peña, P.
Calugaru, S. V.
——Hall, B. G.; Sinnott, M. L.
Catalysis by the large subunit of the second β-galactosidase of *Escherichia coli* in the absence of the small subunit, 312: 281
Calvete, J. J.
——Mann, K.; Schäfer, W.; Sanz, L.; Reinert, M.; Nessau, S.; Raida, M.; Töpfer-Petersen, E., 310: 615
Calzetti, F. See Cassatella, M. A.
Cambier, D. See Mesonero, J.
Cammack, R. See Shergill, J. K.
Campbell, A. K. See Watkins, N. J.
Campbell, A. M. See Shakur, Y.
Campbell, C. J. See Turnell, A. S.
Campbell, D. See Inskip, A.
Campbell, F. C. See Blakemore, S. J.
Campbell, G. See Hovland, R.
Campenot, R. B. See Posse de Chaves, E.
Campos, N. See Feldwisch, J.
Canat, X. See Bouaboula, M.
Cantell, K. See Sareneva, T.
Canton, M.
——Luvisetto, S.; Schmehl, I.; Azzone, G. F.
The nature of mitochondrial respiration and discrimination between membrane and pump properties, 310: 477
Cao, D. See Lau, E. T.
Cao, J.-G.
——Wei, Z.-Y.; Meighen, E. A.
The *lux* autoinducer–receptor interaction in *Vibrio harveyi:* binding parameters and structural requirements for autoinducer, 312: 439
Cao, S. G. See Hatch, G. M.
Capeau, J. See Bismut, H.
Capponi, A. M. See Python, C. P.
Caprioli, R. M. See Jardim, A.
Carafoli, E. See Berardi, S.
Caris, C.
——Baret, P.; Béguin, C.; Serratrice, G.; Pierre, J.-L.; Laulhère, J.-P.
Metabolization of iron by plant cells using O-Trensox, a high-affinity abiotic iron-chelating agent, 312: 879
Carlsson, S. R. See Dahlgren, C.
Carlstedt, I. See Asker, N.
Carmona, A. K.
——Puccia, R.; Oliveira, M. C. F.; Rodrigues, E. G.; Juliano, L.; Travassos, L. R.
Characterization of an exocellular serine-thiol proteinase activity in *Paracoccidioides brasiliensis,* 309: 209
Carnicelli, D. See Brigotti, M.
Caron, M. See Bismut, H.
Carpéné, C. See Fischer, Y.
Carpenter, K. See Hanlon, S. P.
Carr, I. C. See Kim, G.-D.
Carrascosa, J. M. See Martinez, C.
Carroll, R.
——Liu, L.; Severson, D. L.
Post-transcriptional mechanisms are responsible for the reduction in lipoprotein lipase activity in cardiomyocytes from diabetic rat hearts, 310: 67
Carrucan, G. See Hofmann, O.
Carrupt, P.-A. See Urien, S.
Carsberg, C. J.
——Ohanian, J.; Friedmann, P. S.
Ultraviolet radiation stimulates a biphasic pattern of 1,2-diacylglycerol formation in cultured human melanocytes and keratinocytes by activation of phospholipases C and D, 305: 471
Carter, W. G. See Asamoah, K. A.
Cartron, J.-P.
——Le Van Kim, C.; Cherif-Zahar, B.; Mouro, I.; Rouillac, C.; Colin, Y.
The two-gene model of the RH blood-group locus, 306: 877
Cartwright, I. J.
——Higgins, J. A.
Intracellular events in the assembly of very-low-density-lipoprotein lipids with apolipoprotein B in isolated rabbit hepatocytes, 310: 897
Caruccio, L. See Huang, L. E.
Carvalho, C. R. O. See Saad, M. J. A.
Casabianca, A. See Magnani, M.
Casado, J. See Ferrer-Martinez, A.
Cascante, M.
——Meléndez-Hevia, E.; Kjolodenko, B.; Sicilia, J.; Kacser, H.
Control analysis of transit time for free and enzyme-bound metabolites: physiological and evolutionary significance of metabolic response times, 308: 895
Casellas, P. See Bouaboula, M.; Fischer, T.
Casey, G. See Xu, Y.
Casimir, C. M. See Chetty, M.
Caspersen, C. See Poulsen, J.-C. J.
Cassatella, M. A.
——Gasperini, S.; Calzetti, F.; McDonald, P. P.; Trinchieri, G.
Lipopolysaccharide-induced interleukin-8 gene expression in human granulocytes: transcriptional inhibition by interferon-γ, 310: 751
Castaño, E. M.
——Prelli, F.; Wisniewski, T.; Golabek, A.; Kumar, R. A.; Soto, C.; Frangione, B.
Fibrillogenesis in Alzheimer's disease of amyloid β peptides and apolipoprotein E, 306: 599

Casteels, R. See Bootman, M. D.
Castelli, G. P. See Genova, M. L.
Castelló, A.
——Gumá, A.; Sevilla, L.; Furriols, M.; Testar, X.; Palacín, M.; Zorzano, A.
Regulation of GLUT5 gene expression in rat intestinal mucosa: regional distribution, circadian rhythm, perinatal development and effect of diabetes, 309: 271
Castelluccio, C. See Genova, M. L.
Casu, B. See Razi, N.
Caterson, B. See Hughes, C. E.
Caterson, I. D. See Bryson, J. M.
Cavallini, L.
——Coassin, M.; Alexandre, A.
Two classes of agonist-sensitive Ca^{2+} stores in platelets, as identified by their differential sensitivity to 2,5-di-(tert-butyl)-1,4-benzohydroquinone and thapsigargin, 310: 449
Cazaubon, S. M. See Nahmias, C.
Cazenave, J.-P. See Bouton, M.-C.; Ohlmann, P.
Ceciliani, F. See Pollegioni, L.
Cederbaum, A. I. See Kukielka, E.
Cervino, V. See Benaim, G.
Cervoni, L. See Agostinelli, E.
Chadwick, M. P.
——May, F. E. B.; Westley, B. R.
Production and comparison of mature single-domain 'trefoil' peptides pNR-2/pS2 Cys^{58} and pNR-2/pS2 Ser^{58}, 308: 1001
Chagas, J. R. See Del Nery, E.
——Portaro, F. C. V.; Hirata, I. Y.; Almeida, P. C.; Juliano, M. A.; Juliano, L.; Prado, E. S.
Determinants of the unusual cleavage specificity of lysyl-bradykinin-releasing kallikreins, 306: 63
Chait, B. T. See Stam, K.
Chambers, R. C. See McAnulty, R. J.
Chambert, R. See Hernandez, L.
Chambon, P. See Lyons, J. G.
Chan, C.
——Willis, A. C.; Robinson, C. V.; Aplin, R. T.; Radford, S. E.; Ferguson, S. J.
The complete amino acid sequence confirms the presence of pseudoazurin in *Teiosphaera pantotropha*, 308: 585
Chan, P.
——Risler, J.-L.; Raguenez, G.; Salier, J.-P.
The three heavy-chain precursors for the inter-α-inhibitor family in mouse: new members of the multicopper oxidase protein group with differential transcription in liver and brain, 306: 505
Chan, W. W.-C.
——Combination plots as graphical tools in the study of enzyme inhibition, 311: 981
Chan, Y.-S. See Yu, L.-C.
Chance, M. L. See Haughan, P. A.
Chang, G.-G. See Chiou, S.-H.; Tang, S.-S.
Chang, S. H. See Chenevert, S. W.
Chang, W.-C. See Lu, H. S.
Chantepie, J. See Quash, G.
Chao, J. See Chen, L.-M.
Chao, L. See Chen, L.-M.
Chap, H. See Gaits, F.; Jalink, K.
Chapel, A. See Molla, A.
Chapman, H. A. See Munger, J. S.
Chapman, S. K. See Balme, A.
Chapman-Smith, A. See Val, D. L.
Charest, A.
——Wagner, J.; Shen, S.-H.; Tremblay, M. L.
Murine protein tyrosine phosphatase-PEST, a stable cytosolic protein tyrosine phosphatase, 308: 425
Charon, C.
——Krief, S.; Diot-Dupuy, F.; Strosberg, A. D.; Emorine, L. J.; Bazin, R.
Early alterations in the brown adipose tissue adenylate cyclase system of pre-obese Zucker rat *fa/fa* pups: decreased G-proteins and β3-adrenoceptor activities, 312: 781
Chassagne, P. See Racine, L.
Chasteen, N. D. See Grady, J. K.
Chatterjee, R. See Bandyopadhyay, U.
Chawla, D.
——Owen, J. S.
Secretion of active human lecithin-cholesterol acyltransferase by insect cells infected with a recombinant baculovirus, 309: 249
Chawla, S.
——Mutenda, E. K.; Dixon, H. B. F.; Freeman, S.; Smith, A. W.
Synthesis of 3-arsonopyruvate and its interaction with phosphoenolpyruvate mutase, 308: 931
Cheah, K. S. E. See Lui, V. C. H.
Chedeville, A. See Claeyssens, S.
Cheesman, M. R. See Spinner, F.
Chen, C.
——Durrant, H. J.; Newton, R. P.; Ratcliffe, N. A.
A study of novel lectins and their involvement in the activation of the prophenoloxidase system in *Blaberus discoidalis*, 310: 23
Chen, C.-S. See Shieh, W.-R.
Chen, F.
——Torres, M.; Duncan, R. F.
Activation of mitogen-activated protein kinase by heat shock treatment in *Drosophila*, 312: 361
Chen, J.-H. See Shergill, J. K.
Chen, J. R. See Wiley, J. S.
Chen, K.-Y. See Tsao, Y.-P.
Chen, K. Y. See Huang, L. E.
Chen, L.-M.
——Richards, P.; Chao, L.; Chao, J.
Molecular cloning, purification and *in situ* localization of human colon kallikrein, 307:481
Chen, L.-S. See Tserng, K.-Y.
Chen, S.-L. See Tsao, Y.-P.
Chen, S.-W. See Chen, Y.-L.
Chen, Y.-H. See Yu, L.-C.
Chen, Y.-L.
——Huang, T.-F.; Chen, S.-W.; Tsai, I.-H.
Determination of the structure of two novel echistatin variants and comparison of the ability of echistatin variants to inhibit aggregation of platelets from different species, 305: 513
Chenevert, S. W.
——Fossett, N. G.; Chang, S. H.; Tsigelny, I.; Baker, M. E.; Lee, W. R.
Amino acids important in enzyme activity and dimer stability for *Drosophila* alcohol dehydrogenase, 308: 419
Cheng, J. See Liu, C.
Cheng, J.-F. See Valhmu, W. B.
Cheng, K. See Durante, W.
Cheng, Z. J. See Yu, S. M.
Cherif-Zahar, B. See Cartron, J.-P.
Cherry, R. J. See van Veen, M.
Chesters, J. K.
——Boyne, R.; Petrie, L.; Lipson, K. E.
Role of the promoter in the sensitivity of human thymidine kinase to lack of Zn^{2+}, 308: 659
Chetty, M.
——Thrasher, A. J.; Abo, A.; Casimir, C. M.
Low NADPH oxidase activity in Epstein-Barr-virus-immortalized B-lymphocytes is due to a post-transcriptional block in expression of cytochrome b_{558}, 306: 141
Cheung, A. N. Y. See Lui, V. C. H.
Cheung, P. See Lin, S.-H.
Cheung, R. See Paterson, H. F.
Cheung, W.-F. See Ahmad, S. S.
Chevallier, J. See Urban-Grimal, D.
Chevallier, S. See Milhiet, P. E.
Chiarantini, L. See Magnani, M.
Chiarugi, P.
——Raugei, G.; Marzocchini, R.; Flaschi, T.; Ciccarelli, C.; Berti, A.; Ramponi, G.
Differential modulation of expression of the two acylphosphatase isoenzymes by thyroid hormone, 311: 567
Chiba, Y.
——Midorikawa, T.; Ichishima, E.
Cloning and expression of the carboxypeptidase gene from *Aspergillus saitoi* and determination of the catalytic residues by site-directed mutagenesis, 308: 405
Chillarón, J. See Mora, S.
Chin, D. T. See Katz, M. L.
Chini, E. N. See Perezzic, C. M.
Chiodo, A. A.
——Sillence, D. O.; Cole, W. G.; Bateman, J. F.
Abnormal type III collagen produced by an exon-17-skipping mutation of the *COL3A1* gene in Ehlers-Danlos syndrome type IV is not incorporated into the extracellular matrix, 311: 939
Chiou, S.-H.
——Yu, C.-W.; Lin, C.-W.; Pan, F.-M.; Lu, S.-F.; Lee, H.-J.; Chang, G.-G.
Octopus S-crystallins with endogenous glutathione S-transferase (GST) activity: sequence comparison and evolutionary relationships with authentic GST enzymes, 309: 793
Choi, J. W.
——Peffley, D. N.
3'-Untranslated sequences mediate post-transcriptional regulation of 3-hydroxy-3-methylglutaryl-CoA reductase mRNA by 25-hydroxycholesterol, 307: 233
Choo, K. H. A. See Philcox, J. C.
Chorev, M. See Zor, T.
Chou, W.-Y. See Hsu, L.-S.
Choy, P. C. See Lee, E.
Christen, A. See Lark, M. W.
Christensen, J. R. See Bevan, A. P.
Christensen, S.
——Sottrup-Jensen, L.; Christensen, U.
Stopped-flow fluorescence kinetics of bovine α_2-antiplasmin inhibition of bovine midiplasmin, 305: 97
Christensen, U. See Christensen, S.
Christiaens, L. See Damblon, C.
Chu, J. W. K. See Sharom, F. J.
Chueh, S.-H. See Hsu, L.-S.
Chung, S. K. See Lau, E. T.
Chung, S. S. See Lau, E. T.
Churcher, Y.
——Moss, S. E.
Inhibition of interleukin-2-mediated DNA synthesis in activated human T-lymphoblasts by okadaic acid is accompanied by hyperphosphorylation of *Ick*, 308: 777
Ciarrocchi, G. See Gallina, A.
Ciccarelli, C. See Chiarugi, P.
Cimino, F. See Bevilacqua, M. A.
Citro, G. See Sarti, P.

Civitareale, D. See Saiardi, A.
Claeyssens, S.
——Francois, A.; Chedeville, A.; Lavoinne, A.
Microcystin-LR induced an inhibition of protein synthesis in isolated rat hepatocytes, 306: 693
Clague, M. J. See Jones, A. T.
Clapham, D. E. See Perezzic, C. M.
Clark, A. E. See Muraoka, A.
Clark, A. J. See McClenaghan, M.
Clark, A. R.
——Wilson, M. E.; London, N. J. M.; James, R. F. L.; Docherty, K.
Identification and characterization of a functional retinoic acid/thyroid hormone-response element upstream of the human insulin gene enhancer, 309: 863
Clark, E. A. See Yanaga, F.
Clark, M. A. See Holtsberg, F. W.; Thomson, F. J.
Clarke, A. R. See Alldread, R. M.
Clarke, J. H. See Millward-Sadler, S. J.
Classen-Linke, I. See Olsen, J.
Clauser, E. See Leconte, I.
Clément, S. See Delcros, J.-G.
——Delcros, J.-G.; Basu, H. S.; Quash, G.; Marton, L. J.; Feuerstein, B. G.
The structure of polyamine analogues determines haemoglobin production and cytotoxicity in murine erythroleukaemia cells, 309: 787
——Delcros, J.-G.; Feuerstein, B. G.
Spermine uptake is necessary to induce haemoglobin synthesis in murine erythroleukaemia cells, 312: 933
Clemente, G. See Galletti, P.
Clerk, A. See Bogoyevitch, M. A.
Clos, J. See Brandau, S.
Coadwell, W. J. See Mayans, M. O.
Coassin, M. See Cavallini, L.
Cobbold, P. H. See Dixon, C. J.; Green, A. K.
Cockcroft, S. See de Vries, K. J.
Coddeville, B. See Escrivá, H.
Coderre, L. See Kandror, K. V.
Codogno, P. See Houri, J.-J.
Coego, A. See Hernandez, L.
Coggan, M. See Board, P. G.
Coggins, J. R. See Bornemann, S.; Borthwick, E. B.
Cohen, P. See Gould, G. W.
Cohen-Solal, L. See Bonaventure, J.
Cole, W. G. See Chiodo, A. A.
Coli, W. See Bertello, L. E.
Colin, Y. See Cartron, J.-P.
Collett, V. See Kovacevic, Z.
Collingridge, G. L. See Seal, A. J.
Collins, R. A.
——McNally, T.; Fothergill-Gilmore, L. A.; Muirhead, H.
A subunit interface mutant of yeast pyruvate kinase requires the allosteric activator fructose 1,6-bisphosphate for activity, 310: 117
Colombo, M. I. See Aballay, A.
Comeau, M. See Krüttgen, A.
Comerford, J. G. See Rich, G. T.
Communi, D. See Vanweyenberg, V.
——Lecocq, R.; Vanweyenberg, V.; Erneux, C.
Active site labelling of inositol 1,4,5-trisphosphate 3-kinase A by phenylglyoxal, 310: 109
Comoy, E. See Perrichot, R.
Comte, B.
——Romanelli, A.; Tchu, S.; van de Werve, G.
Modulation of glucagon-induced glucose production by dexfenfluramine in rat hepatocytes, 310: 51
Conde, M. See Alvarez, E.
Connell, S. J. See Borthwick, E. B.
Connor, M. K. See Ornatsky, O. I.
Contestabile, R. See Tyacke, R. J.
Cook, G. A. See Park, E. A.
Cook, R. J. See Krupenko, S. A.
Coombes, R. C. See Johnston, C. L.
Cooney, G. J. See Bryson, J. M.
Cooper, D. N. See Benzakour, O.
Cooper, D. R. See Yamada, K.
Cooper, J. M. See Bodnar, A. B.
Cooper, R. See Moore, P. S.
Cooper, R. A. See Hanlon, S. P.
Cooper, R. H. See Beeler, J. F.
Copeland, N. G. See Tsuji, K.
Coppolino, M.
——Migliorini, M.; Argraves, W. S.; Dedhar, S.
Identification of a novel form of the α_3 integrin subunit: covalent association with transferrin receptor, 306: 129
Corbeil, D. See Milhiet, P. E.
Cordeau-Lossouarn, L. See Prieur, B.
Cornell, N. W. See Morrison, H. G.
Cornell, R. B.
——Kalmar, G. B.; Kay, R. J.; Johnson, M. A.; Sanghera, J. S.; Pelech, S. L.
Functions of the C-terminal domain of CTP:phosphocholine cytidylyltransferase. Effects of C-terminal deletions on enzyme activity, intracellular localization and phosphorylation potential, 310: 699
Corps, A. N.
——Pascall, J. C.; Hadfield, K. M.; Brown, K. D.
Identification of a functional promoter element in the 5'-flanking region of the rat cMG1/TIS11b gene, 311: 251
Correas, I. See De Cárcer, G.
Corvazier, E. See Magnier, C.
Costanzo, F. See Bevilacqua, M. A.
Costa Rosa, L.-F. B. P.
——Curi, R.; Murphy, C.; Newsholme, P.
Effect of adrenaline and phorbol myristate acetate or bacterial lipopolysaccharide on stimulation of pathways of macrophage glucose, glutamine and O_2 metabolism. Evidence for cyclic AMP-dependent protein kinase-mediated inhibition of glucose-6-phosphate dehydrogenase and activation of $NADP^+$-dependent, 310: 709
Côté, Y. P. See Sévigny, J.
Cotton, M. See Buhi, W. C.
Cotton, R. G. H. See Hufton, S. E.
Couck, A.-M. See Davis, D. R.
Coudray-Lucas, C. See Bismut, H.
Couette, S. See Perrichot, R.
Courtoy, P. J. See Marbaix, E.
Couso, R. See Alvarez, V.
Cowan, G. M. See Elford, B. C.
Cox, H. C. See Johnston, C. L.
Cox, V. M. See Osbaldeston, N. J.
Coyle, P. See Philcox, J. C.
——Philcox, J. C.; Rofe, A. M.
Hepatic zinc in metallothionein-null mice following zinc challenge: *in vivo* and *in vitro* studies, 309: 25
Cozier, G. E.
——Anthony, C.
Structure of the quinoprotein glucose dehydrogenase of *Escherichia coli* modelled on that of methanol dehydrogenase from *Methylobacterium extorquens*, 312: 679
——Giles, I. G.; Anthony, C.
The structure of the quinoprotein alcohol dehydrogenase of *Acetobacter aceti* modelled on that of methanol dehydrogenase from *Methylobacterium extorquens*, 308: 375
Crabbe, M. J. C. See Dilsiz, N.
Craddock, B. L.
——Price, N. T.; Proud, C. G.
Cloning and expression of cDNAs for the β subunit of eukaryotic initiation factor-2B, the guanine nucleotide exchange factor for eukaryotic initiation factor-2, 309: 1009
Craxton, A. See Ali, N.
——Ali, N.; Shears, S. B.
Comparison of the activities of a multiple inositol polyphosphate phosphatase obtained from several sources: a search for heterogeneity in this enzyme, 305: 491
Creaney, A.
——Masters, D. J.; Needham, M. B.; Gordon, R. D.; Mott, R.; Wilton, D. C.
The properties of a cloned human high-molecular-mass cytosolic phospholipase A_2 investigated using a continuous fluorescence displacement assay: evidence for enzyme clustering on phospholipid vesicles, 306: 857
Crease, D. J. See Meyer, D. J.
Creely, D. P. See Gierse, J. K.
Crepin, K. M. See Rider, M. H.
Crine, P. See Dion, N.; Lanctôt, C.; Milhiet, P. E.; Yang, X.-F.
Critchley, A. D. See Renwick, S. B.
Cronan, J. E. Jr. See Green, D. E.
Cronan, J. E., Jr. See Val, D. L.
Cronshaw, A. D.
——Fothergill-Gilmore, L. A.; Hulmes, D. J. S.
The proteolytic processing site of the precursor of lysyl oxidase, 306: 279
Crooke, S. T.
——Lemonidis, K. M.; Neilson, L.; Griffey, R.; Lesnik, E. A.; Monia, B. P.
Kinetic characteristics of *Escherichia coli* RNase H1: cleavage of various antisense oligonucleotide–RNA duplexes, 312: 599
Crookston, K. P. See Webb, D. J.
Cross, C. E. See Eiserich, J. P.
Cross, M. See Briscoe, C. P.
Cubero, A. See Martín, M.
Cuenda, A. See Gould, G. W.
Cui, Z.
——Houweling, M.; Vance, D. E.
Expression of phosphatidylethanolamine *N*-methyltransferase-2 in McArdle-RH7777 hepatoma cells inhibits the CDP-choline pathway for phosphatidylcholine biosynthesis via decreased gene expression of CTP: phosphocholine cytidylytransferase, 312: 939
Culbert, A. A.
——Lowe, M. P.; Atkinson, M.; Byers, P. H.; Wallis, G. A.; Kadler, K. E.
Substitutions of aspartic acid for glycine-220 and of arginine for glycin-664 in the triple helix of the proα1(I) chain of type I procollagen produce lethal osteogenesis imperfecta and disrupt the ability of collagen fibrils to incorporate crystalline hydroxyapatite, 311: 815
Cullen, P. J.
——Dawson, A. P.; Irvine, R. F.
Purification and characterization of an Ins(1,3,4,5)P_4 binding protein from pig platelets: possible identification of a novel non-neuronal Ins(1,3,4,5)P_4 receptor, 305: 139
Cullimore, J. V. See Bourdineaud, J.-P.

Cunningham, E. See de Vries, K. J.
Cuomo, C. See Morrone, G.
Cupers, R. See Wojcik, E. G. C.
Curi, R. See Costa Rosa, L.-F. B. P.
Curnutte, J. T. See Heyworth, P. G.
Curstedt, T. See Johansson, J.
Curti, B. See Pollegioni, L.
Cysyk, R. L. See Kitchen, J. R.

Da Costa, T. H. M.
——Taylor, K.; Ilic, V.; Williamson, D. H.
Regulation of milk lipid secretion: effects of oxytocin, prolactin and ionomucin on triacylglycerol release from rat mammary gland slices, 308: 975
Dagnall, B. H.
——Paulsen, I. T.; Saier, M. H., Jr.
The DAG family of glycosyl hydrolases combines two previously identified protein families, 311: 349
Dagorn, J.-C. See Dusetti, N. J.
D'Agostino, P. See Bevilacqua, M. A.
Daha, M. R. See van Det, N. F.
Dahlbäck, B. See Härdig, Y.
Dahlgren, C.
——Carlsson, S. R.; Karlsson, A.; Lundqvist, H.; Sjölin, C.
The lysosomal membrane glycoproteins Lamp-1 and Lamp-2 are present in mobilizable organelles, but are absent from the azurophil granules of human neutrophils, 311: 667
Dahlmann, B.
——Kuehn, L.; Reinauer, H.
Studies on the activation by ATP of the 26 S proteasome complex from rat skeletal muscle, 309: 195
Dalal, B. See Biswas, S.
Dales, S. L.
——Anthony, C.
The interaction of methanol dehydrogenase and its cytochrome electron acceptor, 312: 261
Dallinger, R. See Berger, B.
Daly, C. See Shakur, Y.
Daly, T. J. See Mayo, K. H.
Damblon, C. See Grandchamps, J.
——Zhao, G.-H.; Jamin, M.; Ledent, P.; Dubus, A.; Vanhove, M.; Raquet, X.; Christiaens, L.; Frère, J.-M.
Breakdown of the stereospecificity of DD-peptidases and β-lactamases with thiolester substrates, 309: 431
Dando, P. M. See Knight, C. G.; McKie, N.
Daneshvar, L. See Schwartz, B.
Daniel, R. M. See More, N.; Toogood, H. S.
Danielson, U. H. See Kolm, R. H.
Danilenko, M. See Tisch, D.
Dannenbring, R. See Schauss, S. J.
Danø, K. See Lund, L. R.
Darcy, P. J. See Bartholomew, B. A.
Darden, T. A. See Iwasaki, M.
Darley-Usmar, V. See Torres, J.
Das, D.
——De, P. K.; Banerjee, R. K.
Thiocyanate, a plausible physiological electron donor of gastric peroxidase, 305: 59
Das, K. P.
——Surewicz, W. K.
On the substrate specificity of α-crystallin as a molecular chaperone, 311: 367
Dash, D.
——Rao, K.
Effect of propranolol on platelet signal transduction, 309: 99
da Silva, A. M. See Peranovich, T. M. S.
David, G. See Romarís, M.
Davidson, K. See Millward-Sadler, S. J.
Davidson, V. L.
——Graichen, M. E.; Jones, L. H.
Mechanism of reaction of allylamine with the quinoprotein methylamine dehydrogenase, 308: 487
Davies, M. J.
——Fu, S.; Dean, R. T.
Protein hydroperoxides can give rise to reactive free radicals, 305: 643
Daviet, L.
——Buckland, R.; Puente Navazo, M. D.; McGregor, J. L.
Identification of an immunodominant functional domain on human CD36 antigen using human-mouse chimaeric proteins and homologue-replacement mutagenesis, 305: 221
Davis, D. G. See Iwasaki, M.
Davis, D. R.
——Brion, J.-P.; Couck, A.-M.; Gallo, J.-M.; Hanger, D. P.; Ladhani, K.; Lewis, C.; Miller, C. C. J.; Rupniak, T.; Smith, C.; Anderton, B. H.
The phosphorylation state of the microtubule-associated protein tau as affected by glutamate, colchicine and β-amyloid in primary rat cortical neuronal cultures, 309: 941
Dawson, A. P. See Cullen, P. J.; Rich, G. T.
——Rich, G. T.; Loomis-Husselbee, J. W.
Estimation of the free Ca^{2+} gradient across endoplasmic reticulum membranes by a null-point method, 310: 371
Day, E. P. See Peterson, J.
Day, S. H. See Kovacevic, Z.
Dbaibo, G. S.
——Wolff, R. A.; Obeid, L. M.; Hannun, Y. A.
Activation of a retinoblastoma-protein-dependent pathway by sphingosine, 310: 453
Dąbrowska, R. See Kolakowski, J.
De, P. K. See Das, D.
Dean, R. T. See Davies, M. J.; Fu, S.
Debailleul, V. See Guyonnet Duperat, V.
de Beer, F. C. See Pruzanski, W.
de Beer, M. C. See Pruzanski, W.
de Boer, H. A. See Rijnkels, M.; van Berkel, P. H. C.
de Bruijn, M. A. C.
——Goldhoorn, B. G.; Zijlstra, A. I. M.; Tytgat, G. N. J.; Groen, A. K.
Interaction of cholesterol-crystallization-promoting proteins with vesicles, 305: 93
De Candia, E. See De Cristofaro, R.
De Cárcer, G.
——Lallena, M.-J.; Correas, I.
Protein 4.1 is a component of the nuclear matrix of mammalian cells, 312: 871
De Ceuster, P.
——Mannaerts, G. P.; Van Veldhoven, P. P.
Identification and subcellular localization of sphinganine-phosphatases in rat liver, 311: 139
De Chaffoy De Courcelles, D. See Roevens, P.
Decker, K. See Zhang, F.
De Cloedt, M. See Rider, M. H.
De Cristofaro, R.
——Picozzi, M.; De Candia, E.; Rocca, B.; Landolfi, R.
Thrombin-thrombomodulin interaction: energetics and potential role of water as an allosteric effector, 310: 49
de Crombrugghe, B. See Ala-Kokko, L.
Dedhar, S. See Coppolino, M.
Degand, P. See Guyonnet Duperat, V.
De Greef, C.
——Sehrer, J.; Viana, F.; Van Acker, K.; Eggermont, J.; Mertens, L.; Raeymaekers, L.; Droogmans, G.; Nilius, B.
Volume-activated chloride currents are not correlated with P-glycoprotein expression, 307: 713
Deigner, H. P.
——Mato, J. M.; Pajares, M. A.
Study of the rat liver *S*-adenosylmethionine synthetase active site with 8-azido ATP, 308: 565
DeJong, J. See Weinander, R.
Dekker, J. See Tytgat, K. M. A. J.; Van Beers, E. H.
de Laaf, R. T. M. See Donath, M.-J. S. H.
de la Monte, S. M. See Xu, Y.-Y.
Del Arco, A. See Martinez, C.
de Launoit, Y. See Adamski, J.
Delaval, E. See Prieur, B.
Delcros, J.-G. See Clément, S.
——Schwartz, B.; Clément, S.; Basu, H. S.; Marton, L. J.; Feuerstein, B. G.
Spermine induces haemoglobin synthesis in murine erythroleukaemia cells, 309: 781
Del Duca, S.
——Beninati, S.; Serafini-Fracassini, D.
Polyamines in chloroplasts: identification of their glutamyl and acetyl derivatives, 305: 233
de Lederkremer, R. M. See Bertello, L. E.
Delezoide, A.-L. See Bonaventure, J.
Della Corte, A. See Morrone, G.
Del Nery, E.
——Chagas, J. R.; Juliano, M. A.; Prado, E. S.; Juliano, L.
Evaluation of the extent of the binding site in human tissue kallikrein by synthetic substrates with sequences of human kinogen fragments, 312: 233
De Los Reyes-Gavilan, C. G. See Cal, S.
Del Senno, L. See Villalba, M.
Delzenne, N. See Foufelle, F.
de Matteis, F. See Bellingham, R. M. A.
Demeester, J. M. See Vercruysse, K. P.
de Meis, L. See Benech, J. C.; Galina, A.; Mitidieri, F.
de Moor, C. H.
——Jansen, M.; Bonte, E. J.; Thomas, A. A. M.; Sussenbach, J. S.; van den Brande, J. L.
Proteins binding to the leader of the 6.0 kb mRNA of human insulin-like growth factor 2 influence translation, 307: 225
Denaro, M. See Brigotti, M.
Denef, J.-F. See Eggerickx, D.
den Hertog, A. See van der Zee, L.
Dennehy, U. See Benzakour, O.
Dennis, M. See Boudin, H.
Denton, R. M. See Diggle, T. A.; Moule, S. K.; Nichols, B. J.
De Pont, J. J. H. H. M. See Sistermans, E. A.
Derks, M. W. M. See Drayer, A. L.
D'Erme, M. See Santoro, R.
Der Terrossian, E. See Trabelsi-Terzidis, H.
de Saizieu, A.
——Vankan, P.; van Loon, A. P. G. M.
Enzymic characterization of *Bacillus subtillis* GTP cyclohydrolase I. Evidence for a chemical dephosphorylation of dihydroneopterin triphosphate, 306: 371
De Smedt, H. See Bootman, M. D.
de Souza, W. See Benaim, G.
Dessi, F. See Trabelsi-Terzidis, H.
De Stefanis, D. See Houri, J.-J.

De Tullio, R. See Di Lisa, F.
de Vries, K. J.
——Heinrichs, A. A. J.; Cunningham, E.; Brunink, F.; Westerman, J.; Somerharju, P. J.; Cockcroft, S.; Wirtz, K. W. A.; Snoek, G. T.
An isoform of the phosphatidylinositol-transfer protein transfers sphigomyelin and is associated with the Golgi system, 310: 643
de Waal, A.
——Meijer, A. H.; Verpoorte, R.
Strictosidine synthase from *Catharanthus roseus:* purification and characterization of multiple forms, 306: 571
de Wit, E. C. M. See Twisk, J.
D'Haese, J. See Lück, A.
Dhanasekaran, N. See Vaillancourt, R. R.
Dias, P. S. See Inskip, A.
Díaz-Nido, J. See Sánchez, C.
Dickson, A. J. See Yang, S.-H.
Dieplinger, H. See Kostner, G. M.
Dieter, P. See Ambs, P.
Diggle, T. A. See Moule, S. K.
——Bloomberg, G. B.; Denton, R. M.
Further characterization of the acid-soluble phosphoprotein (SDS/PAGE apparent molecular mass of 22 kDa) in rat fat-cells by peptide sequencing and immuno-analysis: effects of insulin and isoprenaline, 306: 135
Dijkhuizen, L. See Euverink, G. J. W.
Di Lisa, F.
——De Tullio, R.; Salamino, F.; Barbato, R.; Melloni, E.; Siliprandi, N.; Schiaffino, S.; Pontremoli, S.
Specific degradation of troponin T and I by μ-calpain and its modulation by substrate phosphorylation, 308: 57
Dilsiz, N.
——Crabbe, M. J. C.
Heterologous expression in *Escherichia coli* of native and mutant forms of the major intrinsic protein of rat eye lens (MIP26), 305: 753
DiMaio, J. See Jean, F.
Ding, A. See Zia-Amirhosseini, P.
Ding, J. See Heyworth, P. G.
Ding, S.
——Lake, B. G.; Friedberg, T.; Wolf, C. R.
Expression and alternative splicing of the cytochrome *P*-450 CYP2A7, 306: 161
Dion, N.
——Le Moual, H.; Fournié-Zaluski, M.-C.; Roques, B. P.; Crine, P.; Boileau, G.
Evidence that Asn^{542} of neprilysin (EC 3.4.24.11) is involved in binding of the P'_2 residue of substrates and inhibitors, 311: 623
Diot-Dupuy, F. See Charon, C.
Dissing, S. See Jørgensen, T. D.
Dittié, A. S.
——Tooze, S. A.
Characterization of the endopeptidase PC2 activity towards secretogranin II in stably transfected PC12 cells, 310: 777
Divecha, N.
——Letcher, A. J.; Banfic, H. H.; Rhee, S.-G.; Irvine, R. F.
Changes in the components of a nuclear inositide cycle during differentiation in murine erythroleukaemia cells, 312: 63
——Truong, O.; Hsuan, J. J.; Hinchliffe, K. A.; Irvine, R. F.
The cloning and sequence of the C isoform of PtdIIns4*P* 5-kinase, 309: 715
Di Virgilio, F. See Foresta, C.; Villalba, M.
Dixon, C. J. See Green, A. K.
——Cobbold, P. H.; Green, A. K.
Oscillations in cytosolic free Ca^{2+} induced by ADP and ATP in single rat hepatocytes display differential sensitivity to application of phorbol ester, 309: 145
Dixon, H. B. F. See Chawla, S.; Mutenda, E. K.; Zographos, S. E.
Docampo, R. See Benaim, G.; Scott, D. A.
——Scott, D. A.; Vercesi, A. E.; Moreno, S. N. J.
Intracellular Ca^{2+} storage in acidocalcisomes of *Trypanosoma cruzi,* 310: 1005
Docherty, A. J. P. See Allan, J. A.; Hill, P. A.
Docherty, K. See Bailyes, E. M.; Clark, A. R.; Read, M. L.
Dodgson, S. See Lynch, C. J.
Doege, K. See Watanabe, H.
Doige, C. A. See Sharom, F. J.
Dolan, J. W. See Ella, K. M.
Dolci, W. See Widmann, C.
Domdey, B. See von Besser, H.
Donath, M.-J. S. H.
——de Laaf, T. R. M.; Biessels, P. T. M.; Lenting, P. J.; van de Loo, J.-W.; van Mourik, J. A.; Voorberg, J.; Mertens, K.
Characterization of des-(741–1668)-factor VIII, a single-chain factor VIII variant with a fusion site susceptible to proteolysis by thrombin and factor Xa, 312: 49
Donini, M. See Dusi, S.
Donner, D. B. See Song, H. Y.
Donner, P. See Haendler, B.
Donnez, J. See Marbaix, E.
Dorahy, D. J.
——Berndt, M. C.; Burns, G. F.
Capture by chemical crosslinkers provides evidence that integrin αIIbβ3 forms a complex with protein tyrosine kinases in intact platelets, 309: 481
Doris, R. See Vernon, R. G.
Douce, R. See Lenne, C.
Dousa, T. P. See Perezzic, C. M.
Drabble, K. See White, A. J.
Dragland, C. J. See Johnson, T. M.
Drake, A. F. See van Veen, M.
Drayer, A. L.
——Meima, M. E.; Derks, M. W. M.; Tuik, R.; van Haastert, P. J. M.
Mutation of an EF-hand Ca^{2+}-binding motif in phospholipase C of *Dictyostelium discoideum:* inhibition of activity but no effect on Ca^{2+}-dependence, 311: 505
Dreef-Tromp, M. C. See Ouwerkerk-Mahadevan, S.
Dresel, A. See Brandau, S.
Droogmans, G. See De Greef, C.
D'Santos, C. S. See Vanweyenberg, V.
Døskeland, A. P. See Martinez, A.
Dubois, T.
——Oudinet, J.-P.; Russo-Marie, F.; Rothhut, B.
In vivo and *in vitro* phosphorylation of annexin II in T cells: potential regulation by annexin V, 310: 243
Dubus, A. See Damblon, C.
Ducote, J. See Bollag, W. B.
Duden, R. See Ali, N.
Dumas, F. See Labrecque, J.
Dumont, J. E. See Lecocq, R.
Dumontet, C. See Quash, G.
Duncan, J. S. See Trayhurn, P.
Duncan, R. F. See Chen, F.
Dundas, M. See Mayo, K. H.
Dunn, M. J. See Thomas, C. P.
Durand, I. See Aguilar, J. S.
Durante, W.
——Cheng, K.; Sunahara, R. K.; Schafer, A. I.
Ethanol potentiates interleukin-1β-stimulated inducible nitric oxide synthase expression in cultured vascular smooth muscle cells, 308: 231
Duronio, V. See Scheid, M. P.
Durrant, H. J. See Chen, C.
Dusart, J. See Magdalena, J.
Dusetti, N. J.
——Frigerio, J.-M.; Szpirer, C.; Dagorn, J.-C.; Iovanna, J. L.
Cloning, expression and chromosomal localization of the rat pancreatitis-associated protein III gene, 307: 9
——Ortiz, E. M.; Dagorn, J.-C.; Iovanna, J. L.
Identification of a transcriptional regulatory region of the rat pancreatitis-associated protein I (PAP 1) gene that confers tissue specificity, 311: 643
Dusi, S.
——Donini, M.; Rossi, F.
Mechanisms of NADPH oxidase activation in human neutrophils: $p67^{phox}$ is required for the translocation of rac 1 but not of rac 2 from cytosol to the membranes, 308: 991
Duszenko, M. See Pingel, S.
Dyer, J. A. See Bermano, G.
Dypbukt, J. See Weinander, R.
Dzugaj, A. See Skalecki, K.

Earley, K. See Lin, S.-H.
East, J. M. See Baker, K. J.; Hughes, G.; Lee, A. G.; Starling, A. P.; Wictome, M.
East, J M. See Poulsen, J.-C. J.
Ebara, S. See Valhmu, W. B.
Ebina, Y. See Ishii, K.
Eckel, J. See Uphues, I.
Edgell, N. J. See Moule, S. K.
Edgington, T. S. See Stone, M. J.
Edlund, H. See Serup, P.
Edwards, G. See Koblan, K. S.
Edwards, L. C. See Muraoka, A.
Edwards, L. S. See Hawkes, T. R.
Edwards, Y. See Sowden, J.
Edwards, Y. S.
——Murray, A. W.
Accumulation of phosphatidylalcohol in cultured cells: use of subcellular fractionation to investigate phospholipase D activity during signal transduction, 308: 473
Edwardson, J. M.
——Measurement of fusion between pancreatic zymogen granules and plasma membrane *in vitro,* 307: 876
Eeckhout, Y. See Marbaix, E.
Egan, R. W. See Anthes, J. C.; Holtsberg, F. W.
Eggerickx, D.
——Denef, J.-F.; Labbe, O.; Hayashi, Y.; Refetoff, S.; Vassart, G.; Parmentier, M.; Libert, F.
Molecular cloning of an organ G-protein-coupled receptor that constitutively activates adenylate cyclase, 309: 837
Eggermont, J. See De Greef, C.
Eggo, M. C. See Grafton, G.
Ehnholm, C. See Kostner, G. M.
Ehrlich, Y.-H. See Wang, F.
Ehrlich, Y. H. See Naik, U. P.
Eidne, K. A. See Anderson, L.; Lee, T. W.
Eiken, H. G. See Martinez, A.
Einerhand, A. W. C. See Tytgat, K. M. A. J.; Van Beers, E. H.

Eisenlohr, L. M. See Buhl, W.-J.
Eisenthal, R. See Hubble, J.
Eiserich, J. P.
——Butler, J.; Van Der Vliet, A.; Cross, C. E.; Halliwell, B.
Nitric oxide rapidly scavenges tyrosine and tryptophan radicals, 310: 745
Elass-Rochard, E.
——Roseanu, A.; Legrand, D.; Trif, M.; Salmon, V.; Motas, C.; Montreuil, J.; Spik, G.
Lactoferrin–lipopolysaccharide interaction: involvement of the 28–34 loop region of human lactoferrin in the high-affinity binding to *Escherichia coli* 055B5 lipopolysaccharide, 312: 839
El Bawab, S.
——Macovschi, O.; Lagarde, M.; Prigent, A.-F.
Time-course changes in content and fatty acid composition of phosphatidic acid from rat thymocytes during concanavalin A stimulation, 308: 113
El-Daher, S. S. See Bokkala, S.
Eldar, H. See Slack, B. E.
Eldin, P.
——Le Cunff, M.; Mornet, D.; Léger, J. J.
The cardiac myosin heavy chain Arg-403 → Gln mutation that causes hypertrophic cardiomyopathy does not affect the actin- or ATP-binding capacities of two size-limited recombinant myosin heavy chain fragments, 306: 345
Elexperu-Camiruaga, J. See Inskip, A.
Elford, B. C.
——Cowan, G. M.; Ferguson, D. J. P.
Parasite-regulated membrane transport processes and metabolic control in malaria-infected erythrocytes, 308: 361
Ella, K. M.
——Dolan, J. W.; Meier, K. E.
Characterization of a regulated form of phospholipase D in the yeast *Saccharomyces cerevisiae,* 307: 799
Elliott, S. J., 312: 485
Ellis, E. M.
——Hayes, J. D.
Substrate specificity of an aflatoxin-metabolizing aldehyde reductase, 312: 535
Ellis, M. V. See Paterson, H. F.
——Katan, S. U.; Katan, M.
Mutations within a highly conserved sequence present in the X region of phosphoinositide-specific phospholipase C-δ_1, 307: 69
Ellis, V. See Lund, L. R.
El-Mansi, E. M. T. See Mitchell, C. G.
El-Mansoury, A. See Cable, H. C.
Elsing, C.
——Hirlinger, A.; Renner, E. L.; Lauterburg, B. H.; Meier, P. J.; Reichen, J.
Solvent isotope effect on bile formation in the rat, 307: 175
Emanuelli, M. See Balducci, E.
Emiliani, C.
——Martino, S.; Stirling, J. L.; Maras, B.; Orlacchio, A.
Partial sequence of the purified protein confirms the identity of cDNA coding for human lysosomal α-mannosidase B, 305: 363
Emorine, L. J. See Charon, C.
Engel, J. See Mörgelin, M.
Engel, P. C. See Aghajanian, S. A.
Engelbrecht, J. See Hansen, J. E.
Enghild, J. See Brouwer, M.
Enghild, J. J., 307: 867. See Potempa, J.
Enouf, J. See Magnier, C.
Erickson, R. H. See Böhm, S. K.
Erickson, R. W. See Heyworth, P. G.
Eriksson, I. See Lidholt, K.
Eriksson, L. See Lindahl, B.
Erneux, C. See Communi, D.; Lecocq, R.; Vanweyenberg, V.
Ersdal-Badju, E.
——Lu, A.; Peng, X.; Picard, V.; Zendehrouth, P.; Turk, B.; Björk, I.; Olson, S. T.; Bock, S. E.
Elimination of glycosylation heterogeneity affecting heparin affinity of recombinant human antithrombin III by expression of a β-like variant in baculovirus-infected insect cells, 310: 323
Escrivá, H.
——Pierce, A.; Coddeville, B.; González, F.; Benaissa, M.; Léger, D.; Wieruszeski, J.-M.; Spik, G.; Pamblanco, M.
Rat mammary-gland transferrin: nucleotide sequence, phylogenetic analysis and glycan structure, 307: 47, 308: 1040
Eskild, W. See Smeland, S.
Essler, M. See Aepfelbacher, M.
Esterbauer, H. See Kostner, G. M.
Estrada, S. See Pol, E.
Eto, I. See Baggott, J. E.
Euverink, G. J. W.
——Wolters, D. J.; Dijkhuizen, L.
Prephenate dehydratase of the actinomycete *Amycolatopsis methanolica:* purification and characterization of wild-type and deregulated mutant proteins, 308: 313
Evans, I. G. See Moore, P. S.
Ewing, D. F. See Sharman, G. J.
Ezekowitz, R. A. B. See Matsushita, M.

Fabbrizio, E.
——Latouche, J.; Rivier, F.; Hugon, G.; Mornet, D.
Re-evaluation of the distributions of dystrophin and utrophin in sciatic nerve, 312: 309
Fabbro, D. See Huwiler, A.
Faccenda, E. See Anderson, L.
Faerman, C. See Ponasik, J. A.
Fairlamb, A. H. See Smith, K.
Fairlie, W. D.
——Stanton, P. G.; Hearn, M. T. W.
Immunochemical characterization of two thyroid-stimulating hormone β-subunit epitopes, 308: 203
Falasca, P. See Saiardi, A.
Fang, X.J. See Xu, Y.
Faniello, M. C. See Bevilacqua, M. A.
Faraoni, P. See Meacci, E.
Farese, R. V. See Yamada, K.
Farese,R. V. See Avignon, A.
Farnararo, M. See Meacci, E.
Farndale, R. W. See Morton, L. F.
Farrar, J. A. See Breton, J. L.
Farrar, W. L. See Howard, O. M. Z.
Fato, R. See Genova, M. L.
Fattoum, A. See Trabelsi-Terzidis, H.
Faure, M.-P. See Boudin, H.
Favre, G. See Tazi, K. A.
Fayos, B. E. See Nehme, C. L.
Feelisch, M. See Zamora, R.
Feghali, C. A.
——Wright, T. M.
Ligand-dependent and -independent activation of the transcription factor γRF-1 in a cell-free system, 310: 461
Feinstein, M. B. See O'Rourke, F.
Felde, R. See Loidl-Stahlhofen, A.
Feldmann, G. See Racine, L.
Feldwisch, J.
——Zettl, R.; Campos, N.; Palme, K.
Identification of a 23 kDa protein from maize photoaffinity-labelled with 5-azido-[7-^{3}H]indol-3-ylacetic acid, 305: 853
Felipe, A. See Ferrer-Martinez, A.
Fell, D. A.
——Thomas, S.
Physiological control of metabolic flux: the requirement for multisite modulation, 311: 35
Felsenstein, K. M. See Webster, M.-T.
Fengsrud, M. See Holen, I.
Fenyö, D. See Stam, K.
Ferbus, D. See Rabilloud, T.
Ferguson, D. J. P. See Elford, B. C.
Ferguson, M. A. J., 307: 791. See Pingel, S.; Proudfoot, L.; Redman, C. A.; Schneider, P.
Ferguson, S. J. See Berks, B. C.; Chan, C.
Feriotto, G. See Passadore, M.
Fernandez, J. A. See Greengard, J. S.
Fernandez-Belda, F. See Martinez-Azorin, F.
Ferrante, A. See Hardy, S. J.
Ferrari, D. See Villalba, M.
Ferré, P. See Foufelle, F.
Ferre, P. See Hocquette, J.-F.; Maury, J.
Ferreira, L. M. A. See Hall, J.
Ferrer-Martinez, A.
——Felipe, A.; Nicholson, B.; Casado, J.; Pastor-Anglada, M.; McGiven, J.
Induction of the high-affinity Na^+-dependent glutamate transport system X_{AG}^- by hypertonic stress in the renal epithelial cell line NBL-1, 310: 689
Ferrero, M. A. See Rodríguez-Aparicio, L. B.
Ferwerda, W. See Pels Rijcken, W. R.
Feuerstein, B. G. See Clément, S.; Delcros, J.-G.; Schwartz, B.
Fex, G. See Berggren Söderlund, M.
Feyzi, E. See Razi, N.
Fiaschi, T. See Chiarugi, P.
Field, R. A., 307: 791. See Pingel, S.
Figler, N. L. See Webb, D. J.
Filie, J. D. See Shekels, L. L.
Filmus, J.
——Shi, W.; Wong, Z. M.; Wong, M. J.
Identification of a new membrane-bound heparan sulphate proteoglycan, 311: 561
Finbow, M. E. See Jones, P. C.
Findlay, D. M. See Southey, M. C.
Findlay, J. B. C. See Jones, P. C.
Finley, E. See Vernon, R. G.
Finney, M. See Turnell, A. S.
Fischer, G. See Zarnt, T.
Fischer, S. See Möhn, H.; Valhmu, W. B.
Fischer, T.
——Zumbihl, R.; Armand, J.; Casellas, P.; Rouot, B.
Prolonged elevation of intracellular cyclic AMP levels in U937 cells increases the number of receptors for and the responses to formyl-methionyl-leucylphenylalanine, independently of the differentiation process, 311: 995
Fischer, Y.
——Thomas, J.; Kamp, J.; Jüngling, E.; Rose, H.; Carpéné, C, Kammermeier, H.
5-Hydroxytryptamine stimulates glucose transport in cardiomyocytes via a monoamine oxidase-dependent reaction, 311: 575
Fischer-Colbrie, R. See Kirchmair, R.
Fisher, J.
——Tilorone-induced lysosomal storage of glycosaminoglycans in cultured corneal fibroblasts: biochemical and physicochemical investigations, 312: 214
Fisher, L. M. See Li, M.-S.

Fisher, M. J. See Shergill, J. K.
Fitscher, B. A. See Riedel, H.-D.
Fitzke, E. See Ambs, P.
Fitzpatrick, P. J.
——Krag, T. O. B.; Højrup, P.; Sheehan, D.
Characterization of a glutathione *S*-transferase and a related glutathione-binding protein from gill of the blue mussel, *Mytilus edulis*, 305: 145
Fitzsimmons, C.
——Bush, R.; Hele, D.; Godliman, C.; Gherardi, E.; Bowyer, D. E.
Measurement of the absolute number of functioning low-density lipoprotein receptors *in vivo* using a monoclonal antibody, 305: 897
Flatmark, T. See Martinez, A.
Fleet, G. W. J. See Board, M.
Fleit, H. B. See Ghazizadeh, S.
Fleming, I. N.
——Yeaman, S. J.
Purification and characterization of *N*-ethylmaleimide-insensitive phosphatidic acid phosphohydrolase (PAP2) from rat liver, 308: 983
Fleming, L. M.
——Johnson, G. V. W.
Modulation of the phosphorylation state of tau *in situ*: the roles of calcium and cyclic AMP, 309: 41
Fleming, R. H. See Knott, L.
Fletcher, M. C.
——Olsen, R. K.; Fox, K. R.
Dissociation of the AT-specific bifunctional intercalator [*N*-MeCys^3, *N*-MeCys^7]TANDEM from TpA sites in DNA, 306: 15
Flitsch, S. L. See Wilson, I. B. H.
Flordellis, C. See Handy, D. E.
Floros, J. See Karinch, A. M.
——Veletza, S. V.; Kotikalapudi, P.; Krizkova, L.; Karinch, A. M.; Friedman, C.; Buchter, S.; Marks, K.
Dinucleotide repeats in the human surfactant protein-B gene and respiratory-distress syndrome, 305: 583
Flynn, N. E. See Wu, G.
Fogo, P. See Sumegi, B.
Fontenay-Roupie, M. See Berrou, E.
Fontes, C. M. G. A.
——Hazlewood, G. P.; Morag, E.; Hall, J.; Hirst, B. H.; Gilbert, H. J.
Evidence for a general role for non-catalytic thermostabilizing domains in xylanases from thermophilic bacteria, 307: 151
Foot, E. A. See Leighton, B.
Ford, K. G.
——Hornby, D. P.; Al Harrasy, W. S.
Identification of direct-repeat-binding protein 1 (DRP-1), a DNA-binding protein that binds specifically to the 'malic' enzyme gene promoter direct repeat element, 311: 901
Forest, C. See Franckhauser, S.
Foresta, C.
——Rossato, M.; Bordon, P.; Di Virgilio, F.
Extracellular ATP activates different signalling pathways in rat Sertoli cells, 311: 269
Forgez, P. See Boudin, H.
Formiggini, G. See Genova, M. L.
Formstone, C. See Benzakour, O.
Forstner, G. G. See McCool, D. J.
Forstner, J. F. See McCool, D. J.
Fosang, A. J. See Hughes, C. E.
——Last, K.; Gardiner, P.; Jackson, D. C.; Brown, L.
Development of a cleavage-site-specific monoclonal antibody for detecting metalloproteinase-derived aggrecan fragments: detection of fragments in human synovial fluids, 310: 337
Fossett, N. G. See Chenevert, S. W.
Fostan, P. See Mehlen, P.
Foster, D. B. See Tsuruda, T. S.
Fothergill-Gilmore, L. A. See Collins, R. A.; Cronshaw, A. D.
Fouda, S. I.
——Molski, T. F. P.; Ashour, M. S.-E.; Sha'afi, R. I.
Effect of lipopolysaccharide on mitogen-activated protein kinases and cytosolic phospholipase A_2, 308: 815
Foufelle, F.
——Lepetit, N.; Bosc, D.; Delzenne, N.; Morin, J.; Raymondjean, M.; Ferré, P.
DNase I hypersensitivity sites and nuclear protein binding on the fatty acid synthase gene: identification of an element with properties similar to known glucose-responsive elements, 308: 521
Foulstone, E. J. See Moule, S. K.
Fournet, G. See Quash, G.
Fournier, H. See Lanctôt, C.
Fournié-Zaluski, M.-C. See Dion, N.
Fox, D. A. See Srivastava, D.
Fox, H. See Lynch, C. J.
Fox, J. W. IV. See Tan, E. M. L.
Fox, K. R. See Fletcher, M. C.
Frade, R. See Jean, D.
Fragoso, Y. D.
——Skinner, E. R.
Uptake of apolipoprotein E-rich and apolipoprotein E-poor subfractions of high-density lipoprotein by liver membranes and HepG2 cells, 311: 611
Franchi, J. See Quiec, D.
Francis, G. L. See Milner, S. J.
Francis, P. T. See Webster, M.-T.
Franckhauser, S.
——Antras-Ferry, J.; Robin, P.; Robin, D.; Granner, D. K.; Forest, C.
Expression of the phosphoenolpyruvate carboxykinase gene in 3T3-F442A adipose cells: opposite effects of dexamethasone and isoprenaline on transcription, 305: 65
Francois, A. See Claeyssens, S.
Francon, J. See Beslin, A.
Frangione, B. See Castaño, E. M.
Frank, M. B.
——McCubbin, V. R.; Heldermon, C.
Expression and DNA binding of the human 52 kDa Ro/SSA autoantigen, 305: 359
Franklin, C. C.
——McCulloch, A. V.; Kraft, A. S.
In vitro association between the Jun protein family and the general transcription factors, TBP and TFIIB, 305: 967
Frants, R. R. See van Ree, J. H.
Fraser, I. D. C. See Huber, P. A. J.
Fraternale, A. See Magnani, M.
Frearson, J. A.
——Harrison, P.; Scrutton, M. C.; Pearson, J. D.
Differential regulation of von Willebrand factor exocytosis and prostacyclin synthesis in electropermeabilized endothelial cell monolayers, 309: 473
Freedman, R. B. See McClelland, D. A.
Freeman, S. See Chawla, S.
French, C. E.
——Bruce, N. C.
Bacterial morphinone reductase is related to Old Yellow Enzyme, 312: 671
French, P. J. See Barker, C. J.
Frenkel, M. J. See Macaulay, S. L.
Frère, J.-M. See Damblon, C.; Grandchamps, J.; Vanhove, M.
Frere, J.-M. See Lepage, S.
Freyria, A.-M.
——Ronzière, M.-C.; Boutillon, M.-M.; Herbage, D.
Effect of retinoic acid on protein synthesis by foetal bovine chondrocytes in high-density culture: down-regulation of the glucose-regulated protein, GRP-78, and typeII collagen, 305: 391
Friedberg, T. See Ding, S.; Honscha, W.
Friedlander, G. See Perrichot, R.
Friedman, C. See Floros, J.
Friedmann, P. S. See Carsberg, C. J.
Fries, D. M. See Peranovich, T. M. S.
Fries, E. See Sjöberg, E. M.
Frigerio, J.-M. See Dusetti, N. J.
Froissart, R.
——Millat, G.; Mathieu, M.; Bozon, D.; Maire, I.
Processing of iduronate 2-sulphatase in human fibroblasts, 309: 425
Fryer, A. A. See Inskip, A.
Fu, S. See Davies, M. J.
——Gebicki, S.; Jessup, W.; Gebicki, J. M.; Dean, R. T.
Biological fate of amino acid, peptide and protein hydroperoxides, 311: 821
Fujii,S.
——Tahara, Y.; Toyomoto, M.; Hada, S.; Nishimura, H.; Inoue, S.; Ikeda, K.; Inagaki, Y.; Katsumura, S.; Samejima, Y.; Omori-Satoh, T.; Takasaki, C.; Hayashi, K.
Chemical modification and inactivation of phospholipases A_2 by a manoalide analogue, 308: 297
Fujimoto, R. See Nagao, T.
Fujimura, Y. See Kawasaki, T.
Fujita, J. See Furutani, M.
Fujita, S. See Watanabe, I.
Fujita, T. See Matsushita, M.
Fujiwara, K. See Sato, H.
Fujiwara, S.
——Noguchi, T.
Degradation of purines: only ureidoglycollate lyase out of four allantoin-degrading enzymes is present in mammals, 312: 315
Fukamizo, T.
——Honda, Y.; Goto, S.; Boucher, I.; Brzezinski, R.
Reaction mechanism of chitosanase from *Streptomyces* sp. N174, 311: 377
Fukuda, K. See Takahashi, M.
Fukui, Y. See Yano, H.
Fukumoto, M. See Furutani, M.
Fukumoto, S. See Heath, J. K.
Fukushima, Y.
——Oka, Y.; Saitoh, T.; Katagiri, H.; Asano, T.; Matsuhashi, N.; Takata, K.; van Breda, E.; Yazaki, Y.; Sugano, K.
Structural and functional analysis of the canine histamine H2 receptor by site-directed mutagenesis: N-glycosylation is not vital for its action, 310: 553
Fulceri, R.
——Gamberucci, A.; Scott, H. M.; Giunti, R.; Burchell, A.; Benedetti, A.
Fatty acyl-CoA esters inhibit glucose-6-phosphatase in rat liver microsomes, 307: 391
Fuller, M. See Bielicki, J.

Fulton, A. M. See Wilson, I. A.
Funk, V. See Jardim, A.
Furriols, M. See Castelló, A.
Fürstenberger, G. See Scholz, K.
Furuichi, T. See Yamada, M.
Furukawa, K. See Haraguchi, M.
Furukawa, T.
——Kohno, H.; Tokunaga, R.; Taketani, S.
Nitric oxide-mediated inactivation of mammalian ferrochelatase *in vivo* and *in vitro:* possible involvement of the iron-sulphur cluster of the enzyme, 310: 533
Furuno, T. See Okamoto, Y.
Furutani, M.
——Arii, S.; Higashitsuji, H.; Mise, M.; Fukumoto, M.; Takano, S.; Nakayama, H.; Imamura, M.; Fujita, J.
Reduced expression of *kan-1* (encoding putative bile acid-CoA-amino acid *N*=acyltransferase) mRNA in livers of rats after partial hepatectomy and during sepsis, 311: 203
Furutsuka, D. See Zhou, Z.-H. L.
Futatsugi, A.
——Kuwajima, G.; Mikoshiba, K.
Tissue-specific and developmentally regulated alternative splicing in mouse skeletal muscle ryanodine receptor mRNA, 305: 373
Fyrst, H.
——Knudsen, J.; Schott, M. A.; Lubin, B. H.; Kuypers, F. A.
Detection of acyl-CoA-binding protein in human red blood cells and investigation of its role in membrane phospholipid renewal, 306: 793

Gabbara, S.
——Bhagwat, A. S.
The mechanism of inhibition of DNA (cytosine-5-)-methyltransferases by 5-azacytosine is likely to involve methyl transfer to the inhibitor, 307: 87
Gašperík, J. See Reiser, V.
Gachet, C. See Ohlmann, P.
Gack, S. See Schorpp, M.
Gaits, F.
——Li, R. Y.; Ragab, A.; Ragab-Thomas, J. M. F.; Chap, H.
Increase in receptor-like protein tyrosine phosphatase activity and expression level on density-dependent growth arrest of endothelial cells, 311: 97
Galanopoulou, A. S.
——Seidah, N. G.; Patel, Y. C.
Direct role of furin in mammalian prosomatostatin processing, 309: 33
Heterologous processing of rat prosomatostatin to somatostatin-14 by PC2: requirement for secretory cell but not the secretion granule, 311: 111
Gali, R. R.
——Board, P. G.
Sequencing and expression of a cDNA for human glutathione synthetase, 310: 353
Galiègue-Zouitina, S. See Guyonnet Duperat, V.
Galina, A.
——Reis, M.; Albuquerque, M. C.; Puyou, A. F.; Puyou, M. T. G.; de Meis, L.
Different properties of the mitochondrial and cytosolic hexokinases in maize roots, 309: 105
Galleni, M. See Lepage, S.
Galletti, P.
——Ingrosso, D.; Manna, C.; Clemente, G.; Zappia, V.
Protein damage and methylation-mediated repair in the erythrocyte, 306: 313
Gallimore, P. H. See Turnell, A. S.
Gallina, A.
——Rossi, F.; Milanesi, G.; Rossi, R.; Montecucco, A.; Ciarrocchi, G.
Characterization of human DNA ligase I expressed in a baculovirus–insect cell system, 312: 593
Gallo, J.-M. See Davis, D. R.
Galuska, D. See Zierath, J. R.
Gambari, R. See Passadore, M.
Gamberucci, A. See Fulceri, R.
Gan, L. See Wang, K.
Ganem, B. See Ponasik, J. A.
Ganzhorn, A. J. See Strasser, F.
Gao, C.-L. See Katz, M. L.
Gao, L. See Watanabe, H.
Garattini, E. See Kurosaki, M.
Garcá-Carmona, F. See López-Nicolás, J. M.
Garcia, A. See Bas, N.
Garcia, G. G. See Howard, O. M. Z.
García-Carmona, F. See Bru, R.; Valero, E.
García de Frutos, P. See Härdig, Y.
Garcia-Ocaña, A. See Perrichot, R.
García-Palmer, F. J. See Bonet, M. L.
García-Sáinz, J. A. See Robles-Flores, M.
Garcia-Sancho, J. See Montero, M.
Gardette, J. See Quiec, D.
Gardiner, P. See Fosang, A. J.
Garesse, R. See Peña, P.
Garin, J. See Lenne, C.
Garofalo-Hannan, J. See Bacchi, C. J.
Garred, Ø. See Lanzrein, M.
Garrison, P. N. See Huang, Y.
Garsetti, D. E. See Holtsberg, F. W.
Gasperini, S. See Cassatella, M. A.
Gasset, M. See Lacadena, J.
Gavilanes, J. G. See Lacadena, J.
Gavras, H. See Handy, D. E.
Gawdi, G. See Misra, U. K.
Gawler, D. J.
——Zhang, L.-J. W.; Moran, M. F.
Mutation-deletion analysis of a Ca^{2+}-dependent phospholipid binding (CaLB) domain within p120 GAP, a GTPase-activating protein for p21 *ras,* 307: 487
Gebicki, J. M. See Fu, S.
Gebicki, S. See Fu, S.
Gebuhrer, V.
——Murphy, J. F.; Bordet, J.-C.; Reck, M.-P.; McGregor, J. L.
Oxidized low-density lipoprotein induces the expression of P-selectin (GMP140/PADGEM/CD62) on human endothelial cells, 306: 293
Gedye, C. A. See Kettle, A. J.
Geelen, M. J. H. See Guzmán, M.
Geerts, M. E. J. See van Berkel, P. H. C.
Gehring, U. See Buhl, W.-J.
Geilen, C. C. See Wieder, T.
Geisow, M. M. See Kachurin, A. M.
Geiszt, M.
——Káldi, K.; Szeberényi, J. B.; Ligeti, E.
Thapsigargin inhibits Ca^{2+} entry into human neutrophil granulocytes, 305: 525
Geloso, J.-P. See Prieur, B.
Gelvan, D. See Treffry, A.
Gennis, R. B. See Spinner, F.
Genova, M. L.
——Castelluccio, C.; Fato, R.; Castelli, P.; Pich, M. M.; Formiggini, G.; Bovina, C.; Marchetti, M.; Lenaz, G.
Major changes in Complex I activity in mitochondria from aged rats may not be detected by direct assay of NADH:coenzyme Q reductase, 311: 105
George, J. N. See Moore, M. L.
George, P. M. See Ledgerwood, E. C.
Georgiou, G. N. See van Veen, M.
Georgoussi, Z.
——Milligan, G.; Zioudrou, C.
Immunoprecipitation of opioid receptor-G_o-protein complexes using specific GTP-binding-protein antisera, 306: 71
Gerber, G. E. See Trigatti, B. L.
Gerok, W. See vom Dahl, S.
Getts, L. A. See Patton, W. A., II
Gewert, K.
——Sundler, R.
Dexamethasone down-regulates the 85 kDa phospholipase A_2 in mouse macrophages and suppresses its activation, 307: 499
Ghazizadeh, S.
——Bolen, J. B.; Fleit, H. B.
Tyrosine phosphorylation and association of Syk with FcγRII in monocytic THP-1 cells, 305: 669
Gherardi, E. See Fitzsimmons, C.
Ghuysen, J.-M. See Grandchamps, J.
Giacomini, P. See Passadore, M.
Giartosio, A. See Agostinelli, E.
Gibbon, G. F. See Brett, D. J.
Gibbons, W. A. See Tsvetnitsky, V.
Gibbs, A. H. See Bellingham, R. M. A.
Gibbs, J. B. See Koblan, K. S.
Gichuhi, P. M. See Perry, A. C. F.
Giembycz, M. A. See Perkins, R. S.
Gierse, J. K.
——Hauser, S. D.; Creely, D. P.; Koboldt, C.; Rangwala, S. H.; Isakson, P. C.; Seibert, K.
Expression and selective inhibition of the constitutive and inducible forms of human cyclo-oxygenase, 305: 479
Giesberts, A. N.
——van Willigen, G.; Lapetina, E. F.; Akkerman, J.-W. N.
Regulation of platelet glycoprotein IIb/IIIa (integrin $\alpha_{IIB}\beta_3$) function via the thrombin receptor, 309: 613
Giesen, P. L. A. See Spaargaren, J.
Gijón, M. A.
——Pérez, C.; Méndez, E.; Sánchez Crespo, S.
Phospholipase A_2 from plasma of patients with septic shock is associated with high-density lipoproteins and C3 anaphylatoxin: some implications for its functional role, 306: 167
Gil, J. See Rosa, J. L.
Gilardi, R. See Strugnell, S.
Gilbert, H. J. See Black, G. W.; Braithwaite, K. L.; Fontes, C. M. G. A.; Hall, J.; Millward-Sadler, S. J.
Gilchrest, H. See Anthes, J. C.
Giles, I. G. See Cozier, G. E.
Gilkes, N. R. See Shen, H.
Gillery, P. See Wegrowski, Y.
Gillespie, M. T. See Heath, J. K.
Gilmore, M. S. See Shankar, V.
Gilon, P.
——Nenquin, M.; Henquin, J.-C.
Muscarinic stimulation exerts both stimulatory and inhibitory effects on the concentration of cytoplasmic Ca^{2+} in the electrically excitable pancreatic B-cell, 311: 259
——Obie, J. F.; Bian, X.; Bird, G. St. J.; Putney, J. W., Jr.
Role of cyclic GMP in the control of capacitative Ca^{2+} entry in rat pancreatic acinar cells, 311: 649
Giné, E. See Alcázar, O.
Giovannini, E. See Talesa, V.
Giralt, M. See Martin, I.

Girard, J. See Maury, J.
Girbig, F. See Kramer, W.
Giroud, Y. See Urien, S.
Gitlin, J. D. See Bingle, C. D.
Giunti, R. See Fulceri, R.
Glaser, E. See Knorpp, C.
Gliemann, J. See Jensen, P. H.
Glowinski, J. See Marin, P.
Goad, L. J. See Haughan, P. A.
Goddard, J. P. See Johnson, C. A.
Godliman, C. See Fitzsimmons, C.
Goebeler, M. .
——Roth, J.; van den Bos, C.; Ader, G.; Sorg, C.
Increase of calcium levels in epithelial cells induces translocation of calcium-binding proteins migration inhibitory factor-related protein 8 (MRP8) and MRP14 to keratin intermediate filaments, 309: 419
Goff, M. See Moore, P. S.
Golabek, A. See Castaño, E. M.
Golan, D. E. See Brady, K. D.
Goldberg, A. L. See Medina, R.; Wing, S. S.
Goldberg, B. See Bacchi, C. J.
Goldhoorn, B. G. See de Bruijn, M. A. C.
Goldspink, D. F. See Osbaldeston, N. J.
Golstein, P. E.
——Sener, A.; Beauwens, R.
Methodology for assaying iodine conductance in proteoliposomes: specific induction by thyroid membrane protein, 312: 543
Golubev, A. M. See Kachurin, A. M.
Gomez-Fernandez, J. C. See Martinez-Azorin, F.
Gomm, J. J. See Johnston, C. L.
Gonçalvez, M. F. See Bertello, L. E.
Gonias, S. L. See Webb, D. J.
González, F. See Escrivá, H.
Goodwin, C. A.
——Wheeler-Jones, C. P. D.; Namiranian, S.; Bokkala, S.; Kakkar, V. V.; Authi, K. S.; Scully, M. F.
Increased expression of procoagulant activity on the surface of human platelets exposed to heavy-metal compounds, 308: 15
Goodwin, M. G. See Avezoux, A.
Gordon, P. B. See Holen, I.
Gordon, R. D. See Creaney, A.
Gore, M. G. See Walker, K. N.
Goto, S. See Fukamizo, T.
Goubin, G. See Rabilloud, T.
Goud, B. See Uphues, I.
Gould, G. W. See McLees, A.
——Cuenda, A.; Thomson, F. J.; Cohen, P.
The activation of distinct mitogen-activated protein kinase cascades is required for the stimulation of 2-deoxyglucose uptake by interleukin-1 and insulin-like growth factor-1 in KB cells 311: 735
Grab, D. J. See Lonsdale-Eccles, J. D.
Grady, J. K.
——Mason, A. B.; Woodworth, R. C.; Chasteen, N. D.
The effect of salt and site-directed mutations on the iron(III)-binding site of human serum transferrin as probed by EPR spectroscopy, 309: 403
Grafton, G.
——Baxter, M. A.; Sheppard, M. C.; Eggo, M. C.
Regulation of *myo*-inositol transport during the growth and differentiation of thyrocytes: a link with thyroid-stimulating hormone-induced phospholipase A_2 activity, 309: 667
Graham, A. See Malarkey, K.; McLees, A.
Graham, S. See Rich, G. T.
Graichen, M. E. See Davidson, V. L.
Grainger, D. J. See Kemp, P. R.
Grand, R. J. A. See Turnell, A. S.
Grandchamps, J.
——Nguyen-Distèche, M.; Damblon, C.; Frère, J.-M.; Ghuysen, J.-M.
Streptomyces K15 active-site serine DD-transpeptidase: specificity profile for peptide, thiol ester and ester carbonyl donors and pathways of the transfer reactions, 307: 335
Granner, D. K. See Franckhauser, S.; O'Brien, R. M.; Scott, D. K.
Granzow, C. A. See Patton, W. A., II
Grassie, M. A. See McCallum, J. F.
——Milligan, G.
Analysis of the relative interactions between the α2C10 adrenoceptor and the guanine-nucleotide-binding proteins $G_o1\alpha$ and $G_i2\alpha$ following co-expression of these polypeptides in Rat 1 fibroblasts, 306: 525
Grau, M. See Quintana, I.
Grauso, M. See Talesa, V.
Gray, A.
——Tait, A.; Bulfield, G.
Differential transcription and expression of ornithine decarboxylase in embryos of replicated mouse lines divergently selected for lean body mass, 308: 161
Grebenkämper, Y.
——Tosi, P.-F.; Lazarte, J. E.; Sneed, L.; Brüggemann, U.; Kubitscheck, U.; Nicolau, C.; Peters, R.
Modulation of CD4 lateral mobility in intact cells by an intracellularly applied antibody, 312: 251
Green, A. K. See Dixon, C. J.
——Cobbold, P. H.; Dixon, C. J.
Cytosolic free Ca^{2+} oscillations induced by diadenosine t,'5"'-P^1,P^3-triphosphate and diadenosine 5,'5"'-iP^1,P^4-tetraphosphate in single rat hepatocytes are indistinguishable from those induced by ADP and ATP respectively, 310: 629
Green, D. E.
——Morris, T. W.; Green, J.; Cronan, J. E. Jr.; Guest, J. R.
Purification and properties of the lipoate protein ligase of *Escherichia coli,* 309: 853
Green, J. See Green, D. E.
Green, R. D. See Aguilar, J. S.
Green, S. See Aldridge, T. C.
Greengard, J. S.
——Fernandez, J. A.; Radtke, K.-P.; Griffin, J. H.
Identification of candidate residues for interaction of protein S with C4b binding protein and activated protein C, 305: 397
Greenspan, D. S. See Lee, S.
Gregoriou, M. See Timms, J. F.
——Jones, P. F.; Timms, J. F.; Yang, J. J.; Radford, S. E.; Rees, A. R.
Physicochemical characterization of the cytoplasmic domain of the epidermal growth factor receptor and evidence for conformational changes associated with its activation by ammonium sulphate, 306: 667
Greinacher, A. See Martinson, E. A.
Griffey, R. See Crooke, S. T.
Griffin, J. H. See Greengard, J. S.
Griffin, W. G. See Zographos, S. E.
Griffiths, E. J.
——Halestrap, A. P.
Mitochondrial non-specific pores remain closed during cardiac ischaemia, but open upon reperfusion, 307: 93
Griffiths, S. L. See Shakur, Y.
Griffiths, W. T. See Rowe, J. D.
Grimaud, J.-A. See Lortat-Jacob, H.
Grimbergen, J. See Arts, J.
Grimm, B. See Tyacke, R. J.
Grinnell, F.
——Ho, C.-H.
Non-muscle myosin II heavy chain has a cryptic cell-adhesion domain, 309: 569
Grivell, A. R.
——Korpelainen, E. I.; Williams, C. J.; Berry, M. N.
Substrate-dependent utilization of the glycerol 3-phosphate or malate/aspartate redox shuttles by Ehrlich ascites cells, 310: 665
Grizard, J. See Hocquette, J.-F.
Groen, A. K. See de Bruijn, M. A. C.
Gromada, J. See Jørgensen, T. D.
Groome, N. See Webster, M.-T.
Groot, P. H. E. See Meyer, D. F.
Groscolas, R. See Raclot, T.
Gross, M.
——Oertel, M.; Köhrle, J.
Differential selenium-dependent expression of type I 5'-deiodinase and glutathione peroxidase in the procine epithelial kidney cell line LLC-PK_1 306: 851
Grossman, M. H. See Zhou, Q.
Grötzinger, J. See Krüttgen, A.
Grover, J.
——Roughley, P. J.
Expression of cell-surface proteoglycan mRNA by human articular chondrocytes, 309: 963
Groves, M. J. See Wang, R.
Gruaz-Guyon, A. See Boudin, H.
Gründel, S. See Soboll, S.
Grzesiok, A. See Zamora, R.
Gu, K. See Gu, K.
——Linhardt, R. J.; Laliberté, M.; Gu, K.; Zimmermann, J.
Purification, characterization and specificity of chondroitin lyases and glycuronidase from *Flavobacterium heparinum,* 312: 569
Guan, K.-L. See Pang, L.
Guerriero, V. Jr. See Gutierrez, J. A.
Guesdon, F.
——Ikebe, T.; Stylianou, E.; Warwick-Davies, J.; Haskill, S.; Saklatvala, J.
Interleukin 1-induced phosphorylation of MAD3, the major inhibitor of nuclear factor κB of HeLa cells., 307: 287
Guest, J. R. See Green, D. E.; Le Brun, N. E.
Guest, P. C. See Bailyes, E. M.
Guh, J. H. See Yu, S. M.
Guignard, F.
——Mauel, J.; Markert, M.
Identification and characterization of a novel human neutrophil protein related to the S100 family, 309: 395
Guillemette, G. See Servant, M.
Guillin, M.-C. See Bouton, M.-C.
Guimarães, J. A. See Ribeiro, J. M. C.
Gum, J. R., Jr. See Böhm, S. K.
Gumá, A. See Castelló, A.
Gunnia, U. B. See Thomas, T. J.
Gunzel, K. A. See Patton, W. A., II
Guo, X.-H. See Bielicki, J.
Gupta, S. See Kumar, G.
Güther, M. L. S. See Pingel, S.
Gutierrez, J. A.
——Guerriero, V. Jr.
Chemical modifications of a recombinant bovine stress-inducible 70 kDa heat-shock protein (Hsp70)

mimics Hsp70 isoforms from tissues, 305: 197
Gutjahr, U. See Kramer, W.
Guyonnet Duperat, V.
——Audie, J.-P.; Debailleul, V.; Laine, A.; Buisine, M.-P.; Galiegue-Zouitina, S.; Pigny, P.; Degand, P.; Aubert, J.-P.; Porchet, N.
Characterization of the human mucin gene MUC5AC: a consensus cysteine-rich domain for 11p15 mucin genes?, 305: 211
Guzmán, M.
——Bijleveld, C.; Geelen, M. J. H.
Flexibility of zonation of fatty acid oxidation in rat liver, 311: 853
Guzzi, F. See McCallum, J. F.
Gvozdev, R. I. See Averbakh, A. Z.

Haas, A. L. See Wing, S. S.
Haass, C. See Munger, J. S.
Habib, A. See Blanco, A.
Hach, M. See Kristensen, C.
Hackett, B. P. See Bingle, C. D.
Hackett, R. H. See Howard, O. M. Z.
Hada, S. See Fujii, S.
Hadfield, K. M. See Corps, A. N.
Hadzopoulou-Cladaras, M. See Turner, B. S.
Haendler, B. See Schwidetzky, U.
——Becker, A.; Noeske-Jungblut, C.; Krätzschmar, J.; Donner, P.; Schleuning, W.-D.
Expression of active recombinant pallidipin, a novel platelet aggregation inhibitor, in the periplasm of *Escherichia coli,* 307: 465
Hagenbuch, B. See Berardi, S.
Haguenauer-Tsapis, R. See Urban-Grimal, D.
Hahn, M. E.
——Karchner, S. I.
Evolutionary conservation of the vertebrate Ah (dioxin) receptor: amplification and sequencing of the PAS domain of a teleost Ah receptor cDNA, 310: 383
Haire, M. F. See Mykles, D. L.
Hakeda, Y. See Saneshige, S.
Halban, P. A. See Kaufmann, J. E.
Halestrap, A. P. See Griffiths, E. J.
Haley, J. D. See Stam, K.
Halifa, I. See Zor, T.
Hall, B. G. See Calugaru, S. V.312: 281; Krishnan, S.
Hall, J. See Fontes, C. M. G. A.
——Black, G. W.; Ferreira, L. M. A.; Millward-Sadler, S. J.; Ali, B. R. S.; Hazlewood, G. P.; Gilbert, H. J.
The non-catalytic cellulose-binding domain of a novel cellulase from *Pseudomonas fluorescens* subsp. *cellulosa* is important for the efficient hydrolysis of Avicel, 309: 749
Hall, L. See Nichols, B. J.; Perry, A. C. F.
Hall, R. K. See Scott, D. K.
Hallett, M. B. See Lloyds, D.; Pettit, E. J.
Halligan, E. P. See Bailey, A. J.
Halliwell, B. See Eiserich, J. P.
Halmi, N. See O'Brien, R. M.
Halsall, D. M. See Alldread, R. M.
Halvorson, L. See Schauss, S. J.
Hamano, T. See Okamoto, Y.
Hammond, T. G. See Bose, S.
Hamprecht, B. See Boöer, S.
Hampton, M. B. See Kettle, A. J.
Handa, M. See Kawasaki, T.
Handschumacher, R. E. See Hoffmann, K.
Handy, D. E.
——nella, M. T.; Kanemaru, A.; Tavares, A.; Flordellis, C.; Gavras, H.
A negative regulatory element in the promoter region of the rat α_2A-adrenergic receptor gene overlaps an SP1 consensus binding site, 311: 541
Hanger, D. P. See Davis, D. R.
Hanke, D. E. See Brearley, C. A.
Hankin, S. See Thorne, N. M. H.
Hanlon, S. P.
——Carpenter, K.; Hassan, A.; Cooper, R. A.
Formation *in vitro* of the 3,4,6-trihydroxyphenylalanine quinone cofactor, 306: 627
Hannemann, K. See Loidl-Stahlhofen, A.
Hannun, Y. A. See Dbaibo, G. S.
Hansen, J. E.
——Lund, O.; Engelbrecht, J.; Bohr, H.; Nielsen, J. O.; Hansen, J.-E. S.; Brunak, S.
Prediction of O-glycosylation of mammalian proteins: specificity patterns of UDP-GalNAc:polypeptide *N*-acetylgalactosaminyltransferase, 308: 801
Hansen, J.-E. S. See Hansen, J. E.
Hanson, S. See Jardim, A.
Hansson, G. C. See Asker, N.
Hara, S.
——Yamakawa, M.
A novel antibacterial peptide family isolated from the silkworm, *Bombyx mori,* 310: 651
Harada, S.
——Smith, R. M.; Smith, J. A.; Shah, N.; Jarett, L.
Demonstration of specific insulin binding to cytosolic proteins in H35 hepatoma cells, rat liver and skeletal muscle, 306: 21
Haraguchi, M.
——Yamashiro, S.; Furukawa, K.; Takamiya, K.; Shiku, H.; Furukawa, K.
The effects of the site-directed removal of N-glycosylation sites from β-1,4-*N*-acetylgalactosaminyltransferase on its function, 312: 273
Härdig, Y.
——García de Frutos, P.; Dahlbäck, B.
Expression and characterization of a recombinant C4b-binding protein lacking the β-chain, 308: 795
Harding, V. J. See Kaderbhai, M. A.
Hardy, S. J.
——Robinson, B. S.; Ferrante, A.; Hii, C. S. T.; Johnson, D. W.; Poulos, A.; Murray, A. W.
Polyenoic very-long-chain fatty acids mobilize intracellular calcium from a thapsigargin-insensitive pool in human neutrophils. The relationship between Ca^{2+} mobilization and superoxide production induced by long- and very-long-chain fatty acids, 311: 689
Hargreaves, P. G. See Morton, L. F.
Harmon, C. S. See Bollag, W. B.
Harney, J. P. See Buhi, W. C.
Härönen, R. See Wick, M.
Harper, C. F. See Lark, M. W.
Harris, C. L.
——Kolanko, C. J.
Aminoacyl-tRNA synthetase complex in *Saccharomyces cerevisiae,* 309: 321
Harris, J. See Soboll, S.
Harris, L. R.
——Macey, D. J.; Potter, I. C.; Cake, M. H.
Hepatic molecular conversion and detoxification of ferritin iron in adult lampreys *(Geotria australis),* following natural and induced iron loading, 305: 975
Harris, P. M. See Hocking Edwards, J. E.
Harrison, M. A. See Jones, P. C.
Harrison, P. See Frearson, J. A.
Harrison, P. M. See Le Brun, N. E.; Treffry, A.
Haruta, T.
——Sawa, T.; Takata, Y.; Imamura, T.; Takada, Y.; Morioka, H.; Yang, G. H.; Kobayashi, M.
An extracellular domain of the β subunit is essential for processing, transport and kinase activity of insulin receptor, 305: 599
Harwood, J. L. See Avery, S. V.; Pugh, C. E.; Tyacke, R. J.
Hashiramoto, M. See Muraoka, A.
Haskill, S. See Guesdon, F.
Hassan, A. See Hanlon, S. P.
Hata, F. See Nagao, T.
Hatch, G. M.
——Cao, S. G.; Angel, A.
Decrease in cardiac phosphatidylglycerol in streptozotocin-induced diabetic rats does not affect cardiolipin biosynthesis: evidence for distinct pools of phosphatidylglycerol in the heart, 306: 759
Hattori, A. See Sohma, H.
Hauer, C. R. See Berger, B.
Haugg, M. See Schein, C. H.
Haughan, P. A.
——Chance, M. L.; Goad, L. J.
Effects of an azasterol inhibitor of sterol 24-transmethylation on sterol biosynthesis and growth of *Leishmania donovani* promastigotes, 308: 31
Hauguel-De-Mouzon, S.
——Mrejen, C.; Alengrin, F.; Van Obberghen, E.
Glucose-induced stimulation of human insulin-receptor mRNA and tyrosine kinase activity in cultured cells, 305: 119
Haupt, H. See Kertesz, Z.
Hauser, S. D. See Gierse, J. K.
Häussinger, D. See Schliess, F.; Schreiber, R.; vom Dahl, S.; Zhang, F.
Havekes, L. M. See van Ree, J. H.
Havelund, S. See Kurtzhals, P.
Hawkes, T. See Pugh, C. E.
Hawkes, T. R.
——Thomas, P. G.; Edwards, L. S.; Rayner, S. J.; Wilkinson, K. W.; Rice, D. W.
Purification and characterization of the imidazoleglycerol-phosphate dehydratase of *Saccharomyces cerevisiae* from recombinant *Escherichia coli,* 306: 385
Hawrot, E. See McLaughlin, J. T.
Hay, A. J. See Moore, P. S.
Hay, S. M. See Rees, W. D.
Hayakawa, T. See Hoshino, M.
Hayashi, H. See Ishii, K.
Hayashi, J. See Liu, P.
Hayashi, K. See Fujii, S.; Singh, A.
Hayashi, S.-i.
——Murakami, Y.
Rapid and regulated degradation of ornithine decarboxylase, 306: 1
Hayashi, Y. See Eggerickx, D.
Hayes, J. D. See Ellis, E. M.
Hazeki, K. See Sasaki, T.
Hazeki, O. See Sasaki, T.
Hazen, S. A. See Lynch, C. J.

Hazlewood, G. P. See Black, G. W.; Braithwaite, K. L.; Fontes, C. M. G. A.; Hall, J.; Millward-Sadler, S. J.
He, R.-Q.
——Yang, M-D.; Zheng, X.; Zhou, J.-X.
Isolation and some properties of glycated D-glyceraldehyde-3-phosphate dehydrogenase from rabbit muscle, 309: 133
Heagerty, A. M. See Ward, D. T.
Hearn, M. T. W. See Fairlie, W. D.
Heath, J. K.
——Southby, J.; Fukumoto, S.; O'Keeffe, L. M.; Martin, T. J.; Gillespie, M. T.
Epidermal growth factor-stimulated parathyroid hormone-related protein expression involves increased gene transcription and mRNA stability, 307: 159
Heesom, K. J. See Moule, S. K.
Hegardt, F. G. See Asins, G.
Heifeng, R. See Yang, C.
Heinegård, D. See Mörgelin, M.
Heinrich, P. See Krüttgen, A.
Heinrichs, A. A. J. See de Vries, K. J.
Heldermon, C. See Frank, M. B.
Heldin, C.-H. See Suzuki, M.
Heldin, P. See Suzuki, M.
Hele, D. See Fitzsimmons, C.
Hemingway, J. See Vaughan, A.
Hemmings, B. A. See Wera, S.
Henderson, P. J. F. See Martin, G. E. M.
Hendil, K. B.
——Kristensen, P.; Uerkvitz, W.
Human proteasomes analysed with monoclonal antibodies, 305: 245
Hendriks, W.
——Neuronal nitric oxide synthase contains a discs-large homologous region (DHR) sequence motif. Letter, 305: 687
——Schepens, J.; Brugman, C.; Zeeuwen, P.; Wieringa, B.
A novel receptor-type protein tyrosine phosphatase with a single catalytic domain is specifically expressed in mouse brain, 305: 499
Hendrickson, B. A. See Bush, K. T.
Hengeveld, T. See Jalink, K.
Henkle-Dührsen, K.
——Tawe, W.; Warnecke, C.; Walter, R. D.
Characterization of the manganese superoxide dismutase cDNA and gene from the human parasite *Onchocerca volvulus*, 308: 441
Henley, J. M. See Seal, A. J.
Henning, W.
——Vo, L.; Albanese, J.; Hill, B. C.
High-yield purification of cytochrome aa_3 and cytochrome caa_3 oxidases from *Bacillus subtilis* plasma membranes, 309: 279
Henninger, H.-P. See Zhang, F.
Henquin, J.-C. See Gilon, P.
Henriet, P. See Marbaix, E.
Henrissat, B.
——Romeu, A.
Families, superfamilies and subfamilies of glycosyl hydrolases, 311: 350
Henry, T. See Schauss, S. J.
Henschke, P. N.
——Elliott, S. J.
Oxidized glutathione decreases luminal Ca^{2+} content of the endothelial cell Ins(1,4,5)P_3-sensitive Ca^{2+} store, 312: 485
Herbage, D. See Freyria, A.-M.
Herman, B. See Nieminen, A.-L.
Hermann, J. See Jean, D.
Hermoso, T. See Benaim, G.
Hernandez, L.
——Arrieta, J.; Menendez, C.; Vazquez, R.; Coego, A.; Suarez, V.; Selman, G.; Petit-Glatron, M.-F.; Chambert,
Isolation and enzymic properties of levansucrase secreted by *Acetobacter diazotrophicus* SRT4, a bacterium associated with sugar cane, 309: 113
Hernandez-Arana, A. See Tello-Solis, S. R.
Herr, I. See Schorpp, M.
Herrmann-Frank, A. See Hohenegger, M.
Herwald, H. See Ben Nasr, A.
Hesketh, J. See Hovland, R.
Hesketh, J. E. See Bermano, G.; Osbaldeston, N. J.
Hess, E. V. See Thomas, T. J.
Hewish, D. R. See Macaulay, S. L.
Heyworth, P. G.
——Erickson, R. W.; Ding, J.; Curnutte, J. T.; Badwey, J. A.
Naphthalenesulphonamides block neutrophil superoxide production by intact cells and in a cell-free system: is myosin light chain kinase responsible for these effects?, 311:81
Hickman, S. See Uriarte, M.
Hicks, J. W. See Böhm, S. K.
Hidaka, H. See Okazaki, K.
Hidari, K. I.-P. J. See Nomura, K.
Higa, A. See Tomita, M.
Higashitsuji, H. See Furutani, M.
Higgins, J. A. See Cartwright, I. J.
Higgins, P. J.
——Staiano-Coico, L.; Ryan, M. P.
Cell-shape-dependent modulation of p52(PAI-1) gene expression involves a secondary response pathway, 306: 497
High, S. See Wilson, R.
Highsmith, R. F. See Hubel, C. A.
Higuchi, Y. See Nasu, K.
Hii, C. S. T. See Hardy, S. J.
Hilal-Dandan, R. See Post, S. R.
Hill, B. C. See Henning, W.
Hill, P. A.
——Docherty, A. J. P.; Bottomley, K. M. K.; O'Connell, J. P.; Morphy, J. R.; Reynolds, J. J.; Meikle, M. C.
Inhibition of bone resorption *in vitro* by selective inhibitors of gelatinase and collagenase, 308: 167
Hinchliffe, K. A. See Divecha, N.
Hinson, J. P. See Kapas, S.
Hinssen, H. See Lück, A.
Hirabayashi, Y. See Nomura, K.
Hirano, S. See Hoshino, M.
Hirata, I. Y. See Chagas, J. R.
Hirlinger, A. See Elsing, C.
Hirose, M. See Shin, W.-S.
Hirst, B. H. See Fontes, C. M. G. A.
Hisamichi, N. See Kawasaki, T.
Hitraya, E. G.
——Varga, J.; Jimenez, S. A.
Heat shock of human synovial and dermal fibroblasts induces delayed up-regulation of collagenase-gene expression, 308: 743
Hittelman, A. See Schwartz, B.
Hixson, D. C. See Lin, S.-H.
Ho, C.-H. See Grinnell, F.
Ho, C.-L. See Tsai, I.-H.
Ho, S. B. See Shekels, L. L.
Hoa, T. T. See Singh, A.
Hocking Edwards, J. E.
——Khalaf, S. K.; Sinclair, B. R.; Lee, J.; Prosser, C. G.; Harris, P. M.
Metabolic response of sheep skin to a chronic infusion of a variant of insulin-like growth factor I, 308: 411
Hocquette, J.-F.
——Bornes, F.; Balage, M.; Ferre, P.; Grizard, J.; Vermorel, M.
Glucose-transporter (GLUT4) protein content in oxidative and glycolytic skeletal muscles from calf and goat, 305: 465
Hoekstra, D. See Kok, J. W.
Hoernner, L. A. See Lark, M. W.
Hoexum-Brouwer, T. See Brouwer, M.
Hoffmann, K.
——Handschumacher, R. E.
Cyclophilin-40: evidence for a dimeric complex with hsp90, 307: 5
Hofker, M. H. See van Ree, J. H.
Hofmann, O. See Scheepens, A.
——Carrucan, G.; Robson, N.; Brittain, T.
The chloride effect in the human embryonic haemoglobins, 309: 959
——Mould, R.; Brittain, T.
Allosteric modulation of oxygen binding to the three human embryonic haemoglobins, 306: 367
Hoggett, J. G.
——Kellett, G. L.
Kinetics of the cooperative binding of glucose to dimeric yeast hexokinase P-I, 305: 405
Hogue-Angeletti, R. See Kirchmair, R.
Hohenegger, M.
——Herrmann-Frank, A.; Richter, M.; Lehmann-Horn, F.
Activation and labelling of the purified skeletal muscle ryanodine receptor by an oxidized ATP analogue, 308: 119
Hokin, L. E. See Los, G. V.
Holen, I.
——Gordon, P. B.; Strømhaug, P. E.; Berg, T. O.; Fengsrud, M.; Brech, A.; Roos, N.; Berg, T.; Seglen, P. O.
Inhibition of asialoglycoprotein endocytosis and degradation in rat hepatocytes by protein phosphatase inhibitors, 311: 317
Holman, G. D. See Muraoka, A.
Holmskov, U.
——Laursen, S. B.; Malhotra, R.; Wiedemann, H.; Timpl, R.; Stuart, G. R.; Tornøe, I.; Madsen, P. S.; Reid, K. B. M.; Jensenius, J. C.
Comparative study of the structural and functional properties of a bovine plasma C-type lectin, collectin-43, with other collectins, 305: 889
Holthuis, J. C. M.
——van Riel, M. C. H. M.; Martens, G. J. M.
Translocon-associated protein TRAPδ and a novel TRAP-like protein are coordinately expressed with pro-opiomelanocortin in *Xenopus* intermediate pituitary, 312: 205
Holtsberg, F. W.
——Ozgur, L. E.; Garsetti, D. E.; Myers, J.; Egan, R. W.; Clark, M. A.
Presence in human eosinophils of a lysophospholipase similar to that found in the pancreas, 309: 141
Honda, Y. See Fukamizo, T.; Saneshige, S.
Honscha, W.
——Platte, H.-D.; Oesch, F.; Friedberg, T.
Relationship between the microsomal epoxide hydrolase and the hepatocellular transport of bile acids and xenobiotics, 311: 975
Hood, D. A. See Ornatsky, O. I.
Hood, L. See Wang, K.
Höög, J.-O. See Weinander, R.
Hoon, M. A.
——Northup, J. K.; Margolskee, R. F.; Ryba, N. J. P.
Functional expression of the taste specific G-protein, α-gustducin, 309: 629
Hopper, D. J. See Bartholomew, B. A.

Hopwood, B. See Schulz, T. C.
Hopwood, J. J. See Bielicki, J.; Brooks, D. A.; Meikle, P. J.
Horiuchi, T. See Watanabe, I.
Hornby, D. P. See Ford, K. G.
Horner, A. A.
——Effects of aging on the synthesis of antithrombin-binding sites on heparin chains and heparan sulphate chains in the rat, 312: 245
Horner, H. A. See Kirk, K.
Horri, Y. See Murakumo, Y.
Horton, Y. M.
——Sullivan, M.; Houslay, M. D.
Molecular cloning of a novel splice variant of human type IV_A (PDE-IV_A) cyclic AMP phosphodiesterase and localization of the gene to the p13.1-q12 region of human chromosome 19, 308: 683, 312: 991
Hoshino, M.
——Hirano, A.; Hayakawa, T.; Kamiya, Y.; Ohiwa, T.; Tanaka, A.; Kumai, T.; Katagiri, K.; Miyaji, M.; Takeuchi, T.
Comparative studies on bile flow and biliary lipid excretion after bile-acid loading in normal and partially hepatectomized rats, 305: 367
Houba, S. See Vanhove, M.
Houri, J.-J.
——Ogier-Denis, E.; De Stefanis, D.; Bauvy, C.; Baccino, F. M.; Isidoro, C.; Codogno, P., 309: 521
Houslay, M. D. See Horton, Y. M.; McPhee, I.; Morris, N. J.; Savage, A.; Scotland, G.; Shakur, Y.; Spence, S.; Vernon, R. G.; Zeng, L.
Houweling, M. See Cui, Z.
Hovland, R.
——Campbell, G.; Pryme, I.; Hesketh, J.
The mRNAs for cyclin, c-*myc* and ribosomal proteins L4 and S6 are associated with cytoskeletal-bound polysomes in HepG2 cells, 310: 193
Howard, O. M. Z.
——Kirken, R. A.; Garcia, G. G.; Hackett, R. H.; Farrar, W. L.
Structural domains of interleukin-2 receptor β critical for signal transduction: kinase association and nuclear complex-formation, 306: 217
Howell, S. See Lanctôt, C.; Robinson, K.
Howie, A. F.
——Walker, S. W.; Åkesson, B.; Arthur, J. R.; Beckett, G. J.
Thyroidal extracellular glutathione peroxidase: a potential regulator of thyroid-hormone synthesis, 308: 713
Howland, J. L. See Bangur, C. S.
Hoylaerts, M. F.
——Nuyts, K.; Peerlinck, K.; Deckmyn, H.; Vermylen, J.
Promotion of binding of von Willebrand factor to platelet glycoprotein Ib by dimers of ristocetin, 306: 453
Hsiao, C.-D.
——Martsen, E. O.; Lee, J.-Y.; Tsai, S.-P.; Tam, M. F.
Amino acid sequencing, molecular cloning and modelling of the chick liver class-Theta glutathione S-transferase CL1, 312: 91
Hsieh, C.-H. See Yeh, H.-I.
Hsu, H.-Y. See Yeh, H.-I.
Hsu, L.-S.
——Chou, W.-Y.; Chueh, S.-H.
Evidence for a Na^+/Ca^{2+} exchanger in neuroblastoma x glioma hybrid NG108–15 cells, 309: 445
Hsu, P. See Zeng, Y.
Hsu, Y.-R. See Lu, H. S.
Hsuan, J. J. See Divecha, N.
Højrup, P. See Fitzpatrick, P. J.
Hu, Y.
——Schilling, W. P.
Receptor-mediated activation of recombinant TrpI expressed in Sf9 insect cells, 305: 605
Huang, C.
——Tai, H.-H.
Expression and site-directed mutagenesis of mouse prostaglandin E_2 receptor EP_3 subtype in insect cells, 307: 493
Huang, C.-K. See Liang, L.
Huang, J. See Zeng, Y.
Huang, L. E.
——Caruccio, L.; Liu, A. Y.-C.; Chen, K. Y.
Rapid activation of the heat shock transcription factor, HSF1, by hypo-osmotic stress in mammalian cells, 307: 347
Huang, Q.
——Liu, S.; Tang, Y.; Jin, S.; Wang, Y.
Studies on crystal structures, active-centre geometry and depurinating mechanism of two ribosome-inactivating proteins, 309: 285
Huang, R. T. C. See Wieder, T.
Huang, S.
——Maher, V. M.; McCormick, J. J.
Extracellular Ca^{2+} stimulates the activation of mitogen-activated protein kinase and cell growth in human fibroblasts, 310: 881
Huang, T.-F. See Chen, Y.-L.
——Liu, C.-Z.; Yang, S.-H.
Aegretin, a novel platelet-aggregation inducer from snake *(Calloselasma rhodostoma)* venom activates phospholipase C by acting as a glycoprotein Ib/IIa agonist, 309: 1021
Huang, T.-S. See King, L.
Huang, Y.
——Garrison, P. N.; Barnes, L. D.
Cloning of the *Schizosaccharomyces pombe* gene encoding diadenosine 5,5‴-P^1,P^4-tetraphosphate (Ap_4A) asymmetrical hydrolase: sequence similarity with the histidine triad (HIT) protein family, 312: 925
Huang, Y.-M. See Tang, S.-Y.
Hubble, J.
——Eisenthal, R.; Whish, L. J. D.
A model for the initial phase of cell/surface interactions based on ligand binding phenomena, 311: 917
Hubel, C. A.
——Highsmith, R. F.
Endothelin-induced changes in intracellular pH and Ca^{2+} in coronary smooth muscle: role of Na^+-H^+ exchange, 310: 1013
Huber, P. A. J.
——Fraser, I. D. C.; Marston, S. B.
Location of smooth muscle myosin and tropomyosin binding sites in the C-terminal 288 residues of human caldesmon, 312: 617
Hue, L. See Rider, M. H.
Hufton, S. E.
——Jennings, I. G.; Cotton, R. G. H.
Structure and function of the aromatic amino acid hydroxylases, 311: 353
Hughes, C. E.
——Caterson, B.; Fosang, A. J.; Roughley, P. J.; Mort, J. S.
Monoclonal antibodies that specifically recognize neoepitope sequences generated by "aggrecanase" and matrix metalloproteinase cleavage of aggrecan: application to catabolism *in situ* and *in vitro*, 305: 799
Hughes, G.
——Khan, Y. M.; East, J. M.; Lee, A. G.
Effects of polycations on Ca^{2+} binding to the Ca^{2+}-ATPase, 308: 493
Hugon, G. See Fabbrizio, E.
Huh, T.-L. See Kim, Y.-O.
Hui, D. Y. See Brodt-Eppley, J.
Huimes, D. J. S. See Cronshaw, A. D.
Hundal, H. S. See Blakemore, S. J.
Hung, C.-Y. See Ko, Y.-G.
——Ko, Y.-G.; Thompson, G. A. Jr.
Temperature-induced alteration of inositolphosphorylceramides in the putative glycosylated lipid precursors of *Tetrahymena mimbres* glycosylphosphatidylinositol-anchored proteins, 307: 107
Hunziker, P. E. See Berger, B.
——Kaur, P.; Wan, M.; Känzig, A.
Primary structures of seven metallothioneins from rabbit tissue, 306: 265
Hurwitz, R. L. See Srivastava, D.
Huskisson, N. S. See Allan, J. A.
Hutchinson, G. See Benaim, G.
Hüttermann, J. See Meier, B.
Hutton, J. C. See Bailyes, E. M.
Huwiler, A. See Plüss, K. M. A.
——Stabel, S.; Fabbro, D.; Pfeilschifter, J.
Platelet-derived growth factor and angiotensin II stimulate the mitogen-activated protein kinase cascade in renal mesangial cells: comparison of hypertrophic and hyperplastic agonists, 305: 777

Ichishima, T. See Chiba, Y.
Idahl, L.-Å. See Lembert, N.
——Lembert, N.
Glycerol 3-phosphate-induced ATP production in intact mitochondria from pancreatic B-cells, 312: 287
Ide, H. See Murakumo, Y.; Tomita, M.
——Itoh, H.; Tomita, M.; Murakumo, Y.; Kobayashi, T.; Maruyama, H.; Osada, Y.; Nawa, Y.
Cloning of the cDNA encoding a novel rat mast-cell proteinase, rMCP-3, and its expression in comparison with other rat mast-cell proteinases, 311: 675
Iglesias, R. See Martin, I.
Ikebe, M. See Zhou, Z.-H. L.
Ikebe, T. See Guesdon, F.
Ikeda, K. See Fujii, S.
Ikeda, M. See Takahashi, M.
Ikemoto, S.
——Umenishi, F.; Iwamoto, S.; Tsuchida, S.; Oyamada, T.; Kajii, E.
Present situation of the analysis of Rh genes. Letter, 309: 695
Ikezawa, H. See Tamura, H.
Ilic, V. See Da Costa, T. H. M.
Ilvonen, E. See Westermarck, J.
Ilyina, E. See Mayo, K. H.
——Mayo, K. H.
Multiple native-like conformations trapped via self-association-induced hydrophobic collapse of the 33-residue β-sheet domain from platelet factor 4, 306: 407
Imamura, M. See Furutani, M.
Imamura, T. See Haruta, T.
Inagaki, Y. See Fujii, S.
Inagami, T. See Kambayashi, Y.
Inazu, T. See Qin, S.
Ingrosso, D. See Galletti, P.
Inoue, K. See Arita, M.
Inoue, S. See Fujii, S.; Okazaki, K.
Insel, P. A. See Post, S. R.
Inskip, A.
——Elexperu-Camiruaga, J.; Buxton, N.; Dias, P. S.; MacIntosh, J.; Campbell, D.; Jones, P. W.; Yengi, L.; Talbot, J. A.; Strange, R. C.; Fryer, A. A.
Identification of polymorphism at the glutathione S-transferase, GSTM3

locus: evidence for linkage with *GSTM1*A*, 312: 713
Iovanna, J. L. See Dusetti, N. J.
Irminger, J.-C. See Kaufmann, J. E.
Irvine, R. F. See Cullen, P. J.; Divecha, N.
Iszeva-Ivanova, L. S. See Kachurin, A. M.
Isakson, P. C. See Gierse, J. K.
Ishida, T. See Nasu, K.
Ishii, A. See Kumazawa, T.
Ishii, J. See Saneshige, S.
Ishii, K.
——Hayashi, H.; Todaka, M.; Kamohara, S.; Kanai, F.; Jinnouchi, H.; Wang, L.; Ebina, Y.
Possible domains responsible for intracellular targeting and insulin-dependent translocation of glucose transporter type 4, 309: 813
Ishikawa, N. See Tomita, M.
Isidoro, C. See Houri, J.-J.
Islam, Md. S.
——Larsson, O.; Nilsson, T.; Berggren, P.-O.
Effects of caffeine on cytoplasmic free Ca^{2+} concentration in pancreatic β-cells are mediated by interaction with ATP-sensitive K^+ channels and L-type voltage-gated Ca^{2+} channels but not the ryanodine receptor, 306: 679
Isobe, M. See Takai, A.
Isono, K. See Takai, A.
Itabashi, A. See Saneshige, S.
Ito, M. See Tomita, M.
Itoh, H. See Ide, H.; Murakumo, Y.; Tomita, M.
Itoh, Y.
——Binner, S.; Nagase, H.
Steps involved in activation of the complex of pro-matrix metalloproteinase 2 (progelatinase A) and tissue inhibitor of metalloproteinases (TIMP)-2 by 4-aminophenylmercuric acetate, 308: 645
Itonori, S.
——Shirai, T.; Kiso, Y.; Ohashi, Y.; Shiota, K.; Ogawa, T.
Glycosphingolipid composition of rat placenta: changes associated with stage of pregnancy, 307: 399
Iversen, L. L.
——Mortishire-Smith, R. J.; Pollack, S. J.; Shearman, M. S.
The toxicity *in vitro* of β-amyloid protein, 311: 1
Iwamoto, S. See Ikemoto, S.
Iwasaki, M.
——Davis, D. G.; Darden, T. A.; Pedersen, L. G.; Negishi, M.
Multiple steroid-binding orientations: alteration of regiospecificity of dehydroepiandrosterone 2- and 7-hydroxylase activities of cytochrome *P*-450 2a-5 by mutation of residue 209, 306: 29
Iwata, K. K. See Stam, K.
Izumi, T.
——Kishimoto, S.; Takano, T.; Nakamura, M.; Miyabe, Y.; Nakata, M.; Sakanaka, C.; Shimizu, T.
Expression of human platelet-activating factor receptor gene in EoL-1 cells following butyrate-induced differentiation, 305: 829

Jackson, D. C. See Fosang, A. J.
Jacob, S. T.
——Regulation of ribosomal gene transcription, 306: 617
Jacobowitz, D. M. See Kuźnicki, J.
Jaffe, C. See McConville, M. J.
Jahn, R. See Piiper, A.
Jain, P. See Wing, S. S.
Jakus, J. See Beninati, S.
Jalink, K.
——Hengeveld, T.; Mulder, S.; Postma, F. R.; Simon, M.-F.; Chap, H.; van der Marel, G. A.; van Boom, J. H.; van Blitterswijk, W. J.; Moolenaar, W. H.
Lysophosphatidic acid-induced Ca^{2+} mobilization in human A431 cells: structure-activity analysis, 307: 609
James, J. See Blakemore, S. J.
James, R. F. L. See Clark, A. R.
Jamieson, G. P. See Wiley, J. S.
Jamieson, J. D. See Stegmann, T.
Jamin, M. See Damblon, C.
Jandrot-Perrus, M. See Bouton, M.-C.
Janeček, Š.
——MacGregor, E. A.; Svensson, B.
Characteristic differences in the primary structure allow discrimination of cyclodextrin glucanotransferases from α-amylases. Letter, 305: 685
Janero, D. R.
——Yarwood, C.
Oxidative modulation and inactivation of rabbit cardiac adenylate deaminase, 306: 421
Jänne, J. See Wahlfors, J.
Jans, D. A.
——The regulation of protein transport to the nucleus by phosphorylation, 311: 705
Jansen, M. See de Moor, C. H.
Janssen, D.
——Barrett, J.
A novel lipid-binding protein from the cestode *Moniezia expansa*, 311: 49
Janssen, M. P. See Spaargaren, J.
Jap, P. H. K. See Sistermans, E. A.
Jaquinod, M. See Wouters-Tyrou, D.
Jardim, A.
——Funk, V.; Caprioli, R. M.; Olafson, R. W.
Isolation and structural characterization of the *Leishmania donovani* kinetoplastid membrane protein-11, a major immunoreactive membrane glycoprotein, 305: 307
——Hanson, S.; Ullman, B.; McCubbin, W. D.; Kay, C. M.; Olafson, R. W.
Cloning and structure-function analysis of the *Leishmania donovani* kinetoplastid membrane protein-11, 305: 315
Jarett, L. See Harada, S.
Jauhiainen, M. See Kostner, G. M.
Javaux, L.
——Vincent, M. F.; Wagner, D. R.; Van Den Berghe, G.
Cell-type specificity of inhibition of glycolysis by 5-amino-4-imidazolecarboxamide riboside, 305: 913
Jean, D.
——Hermann, J.; Rodrigues-Lima, F.; Barel, M.; Balbo, M.; Frade, R.
Identification on melanoma cells of p38, a cysteine proteinase that cleaves C3, the third component of complement: amino-acid-sequence identities with procathepsin L, 312: 961
Jean, F.
——Basak, A.; DiMaio, J.; Seidah, N. G.; Lazure, C.
An internally quenched gluorogenic substrate of prohormone convertase 1 and furin leads to a potent prohormone convertase inhibitor, 307: 689
Jeckel, D. See Ansorge, I.
Jeng, J. See Kim, Y.-O.
Jenkins, N. A. See Tsuji, K.
Jennings, I. G. See Hufton, S. E.
Jensen, P. H.
——Sørensen, E. S.; Petersen, T. E.; Gliemann, J.; Rasmussen, L. K.
Residues in the synuclein consensus motif of the α-synuclein fragment, NAC, participate in transglutaminase-catalysed cross-linking to Alzheimer-disease amyloid βA4 peptide, 310: 91
Jensenius, J. C. See Holmskov, U.
Jerden, D. C. See Park, E. A.
Jessup, W. See Fu, S.
Jetté, L.
——Pouliot, J.-F.; Murphy, G. F.; Béliveau, R.
Isoform I (mdr3) is the major form of P-glycoprotein expressed in mouse brain capillaries. Evidence for cross-reactivity of antibody C219 with an unrelated protein, 305: 761
Jeyaseelan, K. See Liu, Y.
Jiang, M. J. See King, L.
Jiang, S. See Slater, A. F. G.; Zhang, D.
Jimenez, S. A. See Hitraya, E. G.
Jin, S. See Huang, Q.
Jin, S.-J. See Tserng, K.-Y.
Jinnouchi, H. See Ishii, K.
Johannesson, G. See Berggren Söderlund, M.
Johanning, G. L. See Baggott, J. E.
Johansson, J.
——Nilsson, G.; Strömberg, R.; Robertson, B.; Jörnvall, H.; Curstedt, T.
Secondary structure and biophysical activity of synthetic analogues of the pulmonary surfactant polypeptide SP-C, 307: 535
John, P. See Zhang, Z.
John, R. A. See Tyacke, R. J.
Johnsen, L. B.
——Rasmussen, L. K.; Petersen, T. E.; Berglund, L.
Characterization of three types of human α_{s1}-casein mRNA transcripts, 309: 237
Johnson, C. A.
——Goddard, J. P.; Adams, L. P.
The effect of histone H1 and DNA methylation on transcription, 305: 791
Johnson, C. G. See Johnson, C. L.
Johnson, C. L.
——Kuntzweiler, T. A.; Lingrel, J. B.; Johnson, C. G.; Wallick, E. T.
Glutamic acid 327 in the sheep α1 isoform of Na^+-K^+-ATPase is a pivotal residue for cation-induced conformational changes, 309: 187
Johnson, D. A. See Little, S. S.
Johnson, D. W. See Hardy, S. J.
Johnson, G. L. See Mitchell, F. M.
Johnson, G. V. W. See Fleming, L. M.
Johnson, L. N. See Board, M.; Zographos, S. E.
Johnson, M. A. See Cornell, R. B.
Johnson, M. E. See Li, M.
Johnson, T. M.
——Kocher, H. P.; Anderson, R. C.; Nemecek, G. M.
Cloning, sequencing and heterologous expression of a cDNA encoding pigeon liver carnitine acetyltransferase, 305: 439
——Mann, W. R.; Dragland, C. J.; Anderson, R. C.; Nemecek, G. M.; Bell, P. A.
Over-expression and characterization of active recombinant rat liver carnitine palmitoyltransferase II using baculovirus, 309: 689
Johnston, C. L.
——Cox, H. C.; Gomm, J. J.; Coombes, R. C.

bFGF and aFGF induce membrane ruffling in breast cancer cells but not in normal breast epithelial cells: FGFR-4 involvement, 306: 609
Johnstone, R. M. See Mathew, A.; McCormick, J. I.
Jokhadze, G. G.
——Oleinikov, A. V.; Kanalas, J. J.; Makker, S. P.
Different molecular forms of rat kidney gp330, the dominant autoantigen of active Heymann nephritis, 305: 711
Jonassen, I. See Kurtzhals, P.
Jones, A. T.
——Clague, M. J.
Phosphatidylinositol 3-kinase activity is required for early endosome fusion, 311: 31
Jones, C. J. See Moore, P. S.
Jones, D. See Robinson, K.
Jones, G. See Strugnell, S.
Jones, L. H. See Davidson, V. L.
Jones, P. C.
——Harrison, M. A.; Kim, Y.-I.; Finbow, M. E.; Findlay, J. B. C.
The first putative transmembrane helix of the 61 kDa proteolipid lines a pore in the V_0 sector of the vacuolar H^+-ATPase, 312: 739
Jones, P. F. See Gregoriou, M.
Jones, P. W. See Inskip, A.
Jones, R. See Perry, A. C. F.
Jordan, N. J.
——Watson, M. L., Westwick, J.
The protein phosphatase inhibitor calyculin A stimulates chemokine production by human synovial cells, 311: 89
Jordan, P. M. See Spencer, P.
Joris, B. See Lepage, S.; Magdalena, J.
Jornot, L.
——Junod, A. F.
Differential regulation of glutathione peroxidase by selenomethionine and hyperoxia in endothelial cells, 306: 581
Jörnvall, H. See Johansson, J.
Joseph, J. See Mayo, K. H.
Joseph, S. K. See Renard-Rooney D. C.
——Pierson, S.; Samanta, S.
Trypsin digestion of the inositol trisphosphate receptor: implications for the conformation and domain organization of the protein, 307: 859
Jost, J.-P. See Reale, A.
Joyal, J. L. See Sacks, D. B.
Jørgensen, T. D.
——Gromada, J.; Tritsaris, K.; Nauntofte, B.; Dissing, S.
Activation of P_{2Z} purinoceptors diminishes the muscarinic cholinergic-induced release of inositol 1,4,5-trisphosphate and stored calcium in rat parotid acini. ATP as a co-transmitter in the stimulus-secretion coupling, 312: 457
Juliano, K. See Carmona, A. K.
Juliano, L. See Chagas, J. R.; Del Nery, E.
Juliano, M. A. See Chagas, J. R.; Del Nery, E.
Julkunen, I. See Sareneva, T.
Jungblut, P. W. See Adamski, J.
Jüngling, E. See Fischer, Y.
Junod, A. F. See Jornot, L.

Kachurin, A. M.
——Golubev, A. M.; Geisow, M. M.; Veselkina, O. S.; Isaeva-Ivanova, L. S.; Neustroev, K. N., 308: 955
Kacser, H. See Cascante, M.
Kaderbhai, M. A.
——Harding, V. J.; Karim, A.; Austen, B. M.; Kaderbhai, N. N.
Sheep pancreatic microsomes as an alternative to the dog source for studying protein translocation, 306: 57
Kaderbhai, N. N. See Kaderbhai, M. A.
Kadhom, N. See Bonaventure, J.
Kadler, K. E. See Culbert, A. A.
Kadowaki, T. See Muraoka, A.
Kagawa, S. See Miyamoto, K.-I.
Kähäri, V.-M. See Westermarck, J.
Kahn, B. B. See Zierath, J. R.
Kajii, E. See Ikemoto, S.
Kajiyama, G. See Miura, H.
Kakalis, L. T. See Okar, D. A.
Kake, T.
——Kimura, S.; Takahashi, K.; Maruyama, K.
Calponin induces actin polymerization at low ionic strength and inhibits depolymerization of actin filaments, 312: 587
Kakkar, V. See Rahman, S.
Kakkar, V. V. See Benzakour, O.; Bokkala, S.; Goodwin, C. A.; Namiranian, S.
Kaku, S. See Kawasaki, T.
Kakudo, S. See Saneshige, S.
Káldi, K. See Geiszt, M.
Kaldis, P.
——Wallimann, T.
Functional differences between dimeric and octameric mitochondrial creatine kinase, 308: 623
Kaliman, P. See Mora, S.
——Viñals, F.; Testar, X.; Palacín, M.; Zorzano, A.
Disruption of GLUT1 glucose carrier trafficking in L6E9 and Sol8 myoblasts by the phosphatidylinositol 3-kinase inhibitor wortmannin, 312: 471
Kalis, B. See Wegrowski, Y.
Kalmar, G. B. See Cornell, R. B.
Kamata, T.
——Puzon, W.; Takada, Y.
Identification of putative ligand-binding sites of the integrin $\alpha 4\beta 1$ (VLA-4, CD49d/CD29), 305: 945
Kambayashi, J. See Yano, Y.
Kambayashi, Y.
——Takahashi, K.; Bardhan, S.; Inagami, T.
Cloning and expression of protein tyrosine phosphatase-like protein derived from a rat pheochromocytoma cell line, 306: 331
Kamiya, Y. See Hoshino, M.
Kammermeier, H. See Fischer, Y.
Kamohara, S. See Ishii, K.
Kamp, J. See Fischer, Y.
Kanai, F. See Ishii, K.
Kanalas, J. J. See Jokhadze, G. G.
Kanamori, K.
——Ross, B. D.
In vivo activity of glutaminase in the brain of hyperammonaemic rats measured by ^{15}N nuclear magnetic resonance, 305: 329
——Ross, B. D.; Kuo, E. L.
Dependence of *in vivo* glutamine synthetase activity on ammonia concentration in rat brain studied by ^1H-^{15}N heteronuclear mutiple-quantum coherence-transfer NMR, 311: 681
Kanayama, H. See Miyamoto, K.-I.
Kandror, K. V.
——Coderre, L.; Pushkin, A. V.; Pilch, P. F.
Comparison of glucose-transporter-containing vesicles from rat fat and muscle tissues: evidence for a unique endosomal compartment, 307: 383
Kanemaru, A. See Handy, D. E.
Kanthou, C. See Benzakour, O.
Känzig, A. See Hunziker, P. E.
Kapas, S.
——Purbrick, A.; Hinson, J. P.
Role of tyrosine kinase and protein kinase C in the steroidogenic actions of angiotensin II, α-melanocyte-stimulating hormone and corticotropin in the rat adrenal cortex, 305: 433
Karbowska, J. See Kochan, Z.
Karchner, S. I. See Hahn, M. E.
Karim, A. See Kaderbhai, M. A.
Karinch, A. M. See Floros, J.
——Floros, J.
Translation *in vivo* of 5' untranslated-region splice variants of human surfactant protein-A, 307: 327
Karlsson, A. See Dahlgren, C.
Karplus, P. A. See Ponasik, J. A.
Kashfi, K. See Park, E. A.
Kashiwagi, Y. See Singh, A.
Kasuga, M. See Muraoka, A.
Katada, T. See Sasaki, T.
Katagiri, H. See Fukushima, Y.
Katagiri, K. See Hoshino, M.
Katai, K. See Miyamoto, K.-I.
Katan, M. See Ellis, M. V.; Paterson, H. F.
Katan, S. U. See Ellis, M. V.
Kather, H. See Kreiger-Brauer, H. I.; Krieger-Brauer, H. I.
Kato, T. See Tomita, M.
Katsumura, S. See Fujii, S.
Katyare, S. S. See Bangur, C. S.; Khandkar, M. A.
Katz, M. L.
——Gao, C.-L.; Tompkins, J. A.; Bronson, R. T.; Chin, D. T.
Mitochondrial ATP synthase subunit c stored in hereditary ceroid-lipofuscinosis contains trimethyl-lysine, 310: 887
Kaufmann, J. E.
——Irminger, J.-C.; Halban, P. A.
Sequence requirements for proinsulin processing at the B-chain/C-peptide junction, 310: 869
Kaur, P. See Hunziker, P. E.
Kawasaki, T. See Yano, Y.
——Taniuchi, Y.; Hisamichi, N.; Fujimura, Y.; Suzuki, M.; Titani, K.; Sakai, Y.; Kaku, S.; Satoh, N.; Takenaka, T.; Handa, M.; Sawai, Y.
Tokaracetin, a new platelet antagonist that binds to platelet glycoprotein Ib and inhibits von Willebrand factor-dependent shear-induced platelet aggregation, 308: 947
Kay, C. M. See Jardim, A.
Kay, R. J. See Cornell, R. B.
Kay, R. R. See Morandini, P.
Kayden, H. J. See Arita, M.
Kaye, A. M. See Sömjen, D.
Kaysser, T. See Spinner, F.
Keates, A. C. See Nunes, D. P.
Keeton, T. P.
——Shull, G. E.
Primary structure of rat plasma membrane Ca^{2+}-ATPase isoform 4 and analysis of alternative splicing patterns at splice site A, 306: 779
Kellett, G. L. See Hoggett, J. G.
Kelly, S. M. See Renwick, S. B.; West, S. M.
Kemp, B. E. See Southey, M. C.
Kemp, P. R.
——Osbourn, J. K.; Grainger, D. J.; Metcalfe, J. C.
Cloning and analysis of the promoter region of the rat SM22α gene, 310: 1037

Kemp, R. G. See Wessberg, K. L.
Kennedy, M. C. See Breton, J. L.
Kennedy, S. H. See Tan, E. M. L.
Kenney, W. C. See Lu, K. V.
Kerbey, A. L. See Maury, J.
Kerr, M. A. See Mackenzie, S. J.
Kersters-Hilderson, H. L. M. See van Bastelaere, P. B. M.
Kertesz, Z.
——Yu, B.-B.; Steinkasserer, A.; Haupt, H.; Benham, A.; Sim, R. B.
Characterization of binding of human β_2-glycoprotein I to cardiolipin, 310: 315
Kesavan, P. See Liang, Y.
Ketterer, B. See Meyer, D. J.; Soboll, S.
Kettle, A. J.
——Gedye, C. A.; Hampton, M. B.; Winterbourn, C. C.
Inhibition of myeloperoxidase by benzoic acid hydrazides, 308: 559
Khalaf, S. K. See Hocking Edwards, J. E.
Khan, Y. M. See Hughes, G.; Lee, A. G.; Wictome, M.
Khandkar, M. A.
——Mukherjee, E.; Parmar, D. V.; Katyare, S. S.
Alloxan-diabetes alters kinetic properties of the membrane-bound form, but not of the soluble form, of acetylcholinesterase in rat brain, 307: 647
Kholodenko, B. See Cascante, M.
Khoo, U. Y. See Mayall, T. P.
Khoury, H. See St-Denis, J.-F.
Kiehr, B. See Kurtzhals, P.
Kieliszewski, M. See Shekels, L. L.
Kilburn, D. G. See Shen, H.
Kilby, P. M.
——Primrose, W. U.; Roberts, G. C. K.
Changes in the structure of bovine phospholipase A_2 upon micelle binding, 305: 935
Kilgour, E. See Vernon, R. G.
Kim, D. K.
——Rordorf, G.; Nemenoff, R. A.; Koroshetz, W. J.; Bonventre, J. V.
Glutamate stably enhances the activity of two cytosolic forms of phospholipase A_2 in brain cortical cultures, 310: 83
Kim, G.-D.
——Carr, I. C.; Milligan, G.
Detection and analysis of agonist-induced formation of the complex of the stimulatory guanine nucleotide-binding protein with adenylate cyclase in intact wild-type and β2-adrenoceptor-expressing NG108–15 cells, 308: 275
Kim, J.-S.
——Souček, J.; Matoušek, J.; Raines, R. T.
Catalytic activity of bovine seminal ribonuclease is essential for its immunosuppressive and other biological activities, 308: 547
Kim, K.
——Lecordier, A.; Bowman, L. H.
Both nuclear and mitochondrial cytochrome *c* oxidase mRNA levels increase dramatically during mouse postnatal development, 306: 353
Kim, R. H. See Li, J. J.
Kim, Y. See Board, M.
Kim, Y.-C.
——Zemel, M. B.
Insulin stimulation of intracellular free Ca^{2+}-ATPase gene expression in cultured vascular smooth-muscle cells: role of glucose 6-phosphate, 311: 555
Kim, Y.-I. See Jones, P. C.
Kim, Y.-O.
——Oh, I.-U.; Park, H.-S.; Jeng, J.; Song, B. J.; Huh, T.-L.
Characterization of a cDNA clone for human NAD^+-specific isocitrate dehydrogenase α-subunit and structural comparison with its isoenzymes from different species, 308: 63
Kim, Y. S. See Böhm, S. K.
Kimata, K. See Watanabe, H.
Kimland, M. See Slater, A. F. G.
Kimura, M. See Nakamura, K.
Kimura, S. See Kake, T.
King, L.
——Jiang, M. J.; Huang, T.-S.; Sheu, G.-C.
Protease-susceptible sites and properties of fragments of aortic smooth-muscle myosin, 312: 511
Kinkaid, A. R.
——Wilton, D. C.
Enhanced hydrolysis of phosphatidylcholine by human Group II non-pancreatic secreted phospholipase A_2 as a result of interfacial activation by specific anions. Potential role of cholesterol sulphate, 308:507
Kirchmair, R.
——Leitner, B.; Fischer-Colbrie, R.; Marksteiner, J.; Hogue-Angeletti, R.; Winkler, H.
Large variations in the proteolytic formation of a chromogranin A-derived peptide (GE-25) in neuroendocrine tissues, 310: 331
Kirk, C. J. See Turnell, A. S.
Kirk, K.
——Horner, H. A.
In search of a selective inhibitor of the induced transport of small solutes in *Plasmodium falciparum*-infected erythrocytes: effects of arylaminobenzoates, 311: 761
Kirk, C. J. See Barker, C. J.
Kirken, R. A. See Howard, O. M. Z.
Kirkland, J. B. See Bhatia, M.
Kirkpatrick, A. See Underwood, P. A.
Kishi, T. See Takahashi, T.S
Kishimoto, S. See Izumi, T.
Kiso, Y. See Itonori, S.
Kissmehl, R. See Treptau, T.
Kitagawa, M.
——Mukai, H.; Shibata, H.; Ono, Y.
Purification and characterization of a fatty acid-activated protein kinase (PKN) from rat testis, 310: 657
Kitajima, T. See Tomita, M.
Kitchen, J. R.
——Cysyk, R. L.
Synthesis and release of hyaluronic acid by Swiss 3T3 fibroblasts, 309: 649
Kivirikko, K. I. See Ala-Kokko, L.
Kjeldsen, T. See Kristensen, C.
Kjellén, L. See Lidholt, K.
Klaassen, C. H. W. See Sistermans, E. A.
Klappe, K. See Kok, J. W.
Klegerman, M. E. See Wang, R.
Klein, C. See Pauly, P. C.
Kleinhaus, S. See Zor, T.
Kling, P. See Olsson, P.-E.
Klip, A. See Tsakiridis, T.
Klomp, L. W. J.
——Van Rens, L.; Strous, G. J.
Cloning and analysis of human gastric mucin cDNA reveals two types of conserved cysteine-rich domains, 308: 831
Knappskog, P. M. See Martinez, A.
Knight, C. G.
——Dando, P. M.; Barrett, A. J.
Thimet oligopeptidase specificity: evidence of preferential cleavage near the C-terminus and product inhibition from kinetic analysis of peptide hydrolysis, 308: 145
Knight, M. R. See Watkins, N. J.
Knorpp, C.
——Szigyarto, C.; Glaser, E.
Evidence for a novel ATP-dependent membrane-associated protease in spinach leaf mitochondria, 310: 527
Knotek, M. See Višnjić, D.
Knott, L.
——Whitehead, C. C.; Fleming, R. H.; Bailey, A. J.
Biochemical changes in the collagenous matrix of osteoporotic avian bone, 310: 1045
Knudsen, J. See Fyrst, H.
Knutson, J. C. See Strugnell, S.
Ko, Y.-G. See Hung, C.-Y.
——Hung, C.-Y.; Thompson, G. A. Jr.
Temperature regulation of the *Tetrahymena mimbres* glycosylphosphatidylinositol-anchored protein lipid composition, 307: 115
Kobayashi, M. See Haruta, T.
Kobayashi, T. See Ide, H.; Murakumo, Y.
Koblan, K. S.
——Schaber, M. D.; Edwards, G.p Gibbs, J. B.; Pompliano, D. L.
src-Homology 2 (SH2) domain ligation as an allosteric regulator: modulation of phosphoinositide-specific phospholipase Cγ1 structure and activity, 305: 745
Koboldt, C. See Gierse, J. K.
Kochan, Z.
——Karbowska, J.; Bukato, G.; Żydowo, M. M.; Bertoli, E.; Tanfani, F.; Świerczyński, J.
A comparison of the secondary structure of human brain mitochondrial and cytosolic 'malic' enzyme investigated by Fourier-transform infrared spectroscopy, 309: 607
Kocher, H. P. See Johnson, T. M.
Kodama, Y. See Kono, Y.
Koga, Y. See Tomita, M.
Kohno, H. See Furukawa, T.
Köhrle, J. See Gross, M.
Koike, H. See Takahashi, M.
Kok, J. W.
——Babia, T.; Klappe, K.; Hoekstra, D.
Fluorescent, short-chain C_6-NBD-sphingomyelin, but not C_6-NBD-glucosylceramide, is subject to extensive degradation in the plasma membrane: implications for signal transduction related to cell differentiation, 309: 905
Kokorine, I. See Marbaix, E.
Kolakowski, J.
——Makuch, R.; Stępkowski, D.; Dąbrowska, R.
Interaction of calponin with actin and its functional implications, 306: 199
Kolanko, C. J. See Harris, C. L.
Kolb-Bachofen, V. See Soboll, S.
Kole, H. K.
——Smyth, M. S.; Russ, P. L.; Burke, T. R., Jr.
Phosphonate inhibitors of protein-tyrosine and serine/threonine phosphatases, 311: 1025
Kolm, R. H.
——Danielson, U. H.; Zhang, Y.; Talalay, P.; Mannervik, B.
Isothiocyanates as substrates for human glutathione transferases: structure-activity studies, 311: 453
Kolmer, M.
——Rovio, A.; Alho, H.

The characterization of two diazepam binding inhibitor (DBI) transcripts in humans, 306: 327
Kolset, S. O. See Svennevig, K.
Kolter, T. See Uphues, I.
Komori, N. See Oka, T.
Kondo, Y. See Okajima, F.
Kong, D. See Moughal, N.
Kong, R. Y. C. See Lui, V. C. H.
Konijn, A. M. See Treffry, A.
Kono, Y.
——Shibata, H.; Kodama, Y.; Sawa, Y.
The suppression of the N-nitrosating reaction by chlorogenic acid, 312: 947
Konteatis, Z. See Lark, M. W.
Kooiman, P. M. See Rijnkels, M.; van Berkel, P. H. C.
Kooistra, T. See Arts, J.
Kordula, T.
——Travis, J.
Activation of the rat serine proteinase inhibitor 3 gene by interferon γ via the interleukin 6-responsive element, 309: 63
Korhonen, V. P. See Wahlfors, J.
Kornecki, E. See Naik, U. P.; Wang, F.
Koroshetz, W. J. See Kim, D. K.
Korpelainen, E. I. See Grivell, A. R.
Kostner, G. M.
——Oettl, K.; Jauhiainen, M.; Ehnholm, C.; Esterbauer, H.; Dieplinger, H.
Human plasma phospholipid transfer protein accelerates exchange/transfer of α-tocopherol between lipoproteins and cells, 305: 659
Koszelak, M. See Srinivasan, J.
Kotikalapudi, P. See Floros, J.
Kouach, M. See Wouters-Tyrou, D.
Kovacevic, Z.
——Day, S. H.; Collett, V.; Brosnan, J. T.; Brosnan, M. E.
Activation of hepatic glutaminase by spermine, 305: 837
Kover, K. E. See Sumegi, B.
Kowalewski, S. See Kramer, W.
Kozak, C. A. See Shekels, L. L.
Kraft, A. S. See Franklin, C. C.
Krag, T. O. B. See Fitzpatrick, P. J.
Krähenbühl, S. See Berardi, S.; Stieger, B.
Kramer, W.
——Girbig, F.; Gutjahr, U.; Kowalewski, S.
Radiation-inactivation analysis of the Na^+/bile acid co-transport system from rabbit ileum, 306: 241
Krätzschmar, J. See Haendler, B.
Kreiger-Brauer, H. I.
——Kather, H.
Antagonistic effects of different members of the fibroblast and platelet-derived growth factor families on adipose conversion and NADPH-dependent H_2O_2 generation in 3T3 L1-cells, 307: 549
Kreitman, R. J.
——Pastan, I.
Importance of the glutamate residue of KDEL in increasing the cytotoxicity of *Pseudomonas* exotoxin derivatives and for increased binding to the KDEL receptor, 307: 29
Kretz-Remy, C. See Mehlen, P.
Krief, S. See Charon, C.
Krieger-Brauer, H. I.
——Kather, H.
The stimulus-sensitive H_2O_2-generating system present in human fat-cell plasma membranes is multireceptor-linked and under antagonistic control by hormones and cytokines, 307: 543
Krimpenfort, P. J. A. See Rijnkels, M.
Krishnan, S.
——Hall, B. G.; Sinnott, M. L.
Catalytic consequences of experimental evolution: catalysis by a 'third-generation' evolvant of the second β-galactosidase of *Escherichia coli*, ebg^{abcde}, and by ebg^{abcd}, a ebg^{abcd}, a second-generation' evolvant containing two supposedly 'kinetically silent' mutations, 312: 971
Kristensen, C.
——Andersen, A. S.; Hach, M.; Wiberg, F. C.; Schäffer, L.; Kjeldsen, T.
A single-chain insulin-like growth factor I/insulin hybrid binds with high affinity to the insulin receptor, 305: 981
Kristensen, P. See Hendil, K. B.
Krizkova, L. See Floros, J.
Kronman, C.
——Velan, B.; Marcus, D.; Ordentlich, A.; Reuveny, S.; Shaffermann, A.
Involvement of oligomerization, N-glycosylation and sialylation in the clearance of cholinesterases from the circulation, 311: 959
Kroos, M. J. See van Dijk, H. P.
Krueger, M. J. See Murphy, M. P.
Krump, E.
——Pouliot, M.; Naccache, P. H.; Borgeat, P.
Leukotriene synthesis in calcium-depleted human neutrophils: arachidonic acid release correlates with calcium influx, 310: 681
Krupenko, S. A.
——Wagner, C.; Cook, R. J.
Recombinant 10-formyltetrahydrofolate dehydrogenase catalyses both dehydrogenase and hydrolase reactions utilizing the synthetic substrate 10-formyl-5,8-dideazafolate, 306: 651
Krüttgen, A.
——Grötzinger, J.; Kurapkat, G.; Weis, J.; Simon, R.; Thier, M.; Schröder, M.; Heinrich, P.; Wollmer, A.; Comeau, M.; Müllberg, J.; Rose-John, S.
Human ciliary neurotrophic factor: a structure-function analysis, 309: 215
Kuźnicki, J.
——Wang, T.-C. L.; Martin, B. M.; Winsky, L.; Jacobowitz, D. M.
Localization of Ca^{2+}-dependent conformational changes of calretinin by limited tryptic proteolysis, 308: 607
Kubitscheck, U. See Grebenkämper, K.
Kubo, T. See Nagao, T.
Kuchler-Bopp, S. See Zanetta, J.-P.
Kuehn, L. See Dahlmann, B.
Kuiper, J. See Van Berkel, T. J. C.
Kukielka, E.
——Cederbaum, A. I.
Stimulation of NADH-dependent microsomal DNA strand cleavage by rifamycin SV, 307: 361
Kulikov, A. V. See Averbakh, A. Z.
Kumai, T. See Hoshino, M.
Kumar, G.
——Wang, S.; Gupta, S.; Nel, A.
The membrane immunoglobulin receptor utilizes a Shc/Grb2/hSOS complex for activation of the mitogen-activated protein kinase cascade in a B-cell line, 307: 215
Kumar, R. A. See Castaño, E. M.
Kumazawa, T.
——Sato, K.; Seno, H.; Ishii, A.; Suzuki, O.
Levels of pyrroloquinoline quinone in various foods, 307: 331
Kumegawa, M. See Saneshige, S.
Kuntzweiler, T. A. See Johnson, C. L.
Kuo, E. L. See Kanamori, K.
Kuo, S. C. See Yu, S. M.
Kuo, S.-W. See Tsao, Y.-P.
Kurapkat, G. See Krüttgen, A.
Kuroki, Y. See Sohma, H.
Kurosaki, M.
——Li Calzi, M.; Scanziani, E.; Garattini, E.; Terao, M.
Tissue- and cell-specific expression of mouse xanthine oxidoreductase gene *in vivo*: regulation by bacterial lipopolysaccharide, 306: 225
Kurtzhals, P.
——Havelund, S.; Jonassen, I.; Kiehr, B.; Larsen, U. D.; Ribel, U.; Markussen, J.
Albumin binding of insulins acylated with fatty acids: characterization of the ligand–protein interaction and correlation between binding affinity and timing of the insulin effect *in vivo*, 312: 725
Kushner, I. See Zhang, D.
Kuwahata, M. See Oka, T.
Kuwajima, G. See Futatsugi, A.
Kuwana, T.
——Mullock, B. M.; Luzio, J. P.
Identification of a lysosomal protein causing lipid transfer, using a fluorescence assay designed to monitor membrane fusion between rat liver endosomes and lysosomes, 308: 937
Kuypers, F. A. See Fyrst, H.
Kvist, A.-P. See Ala-Kokko, L.
Kwon, Y.-G. See Srinivasan, J.

Laban, O. P. See Python, C. P.
Labbe, O. See Eggerickx, D.
Labia, R. See Petit, A.
Labrecque, J.
——Dumas, F.; Lacroix, A.; Bhat, P. V.
A novel isoenzyme of aldehyde dehydrogenase specifically involved in the biosynthesis of 9-*cis* and all-*trans* retinoic acid, 305: 681
Lacadena, J.
——Mancheño, J. M.; Martinez-Ruiz, Martinez Del Pozo, A.; Gasset, M.; Oñaderra, M.; Gavilanes, J. G.
Substitution of histidine-137 by glutamine abolishes the catalytic activity of the ribosome-inactivating protein α-sarcin, 309: 581
Lacroix, A. See Labrecque, J.
Ladhani, K. See Davis, D. R.
Lagarde, M. See El Bawab, S.
Lai, C. K. See Mayo, K. H.
Lai, F. A. See Poulsen, J.-C. J.
Lai, H. W. L. See Tsu, R. C.
Laine, A. See Guyonnet Duperat, V.
Lakaye, B. See Lepage, S.
Lake, B. G. See Ding, S.
Laliberté, M. See Gu, K.
Lallena, M.-J. See De Cárcer, G.
Lam, C.-Y. See Wu, M.-H.
Lamarre, J. See Webb, D. J.
Lambeir, A.-M. See van Bastelaere, P. B. M.
Lambert, D. G. See Smart, D.
Lambert, M. S.
——Botham, K. M.; Mayes, P. A.
Variations in composition of dietary fats affect hepatic uptake and metabolism of chylomicron remnants, 310: 845
Lammers, A. A. See Van Dijken, P.
LaMont, J. T. See Turner, B. S.
Lamotte-Brasseur, J. See Vanhove, M.
Lamy, F. See Lecocq, R.
Lanctôt, C.

——Fournier, H.; Howell, S.; Boileau, G.; Crine, P.
Direct targeting of neutral endopeptidase (EC 3.4.24.11) to the apical cell surface of transfected LLC-PK$_1$ cells and unpolarized secretion of its soluble form, 305: 165
Landolfi, R. See De Cristofaro, R.
Lane, W. S. See Perides, G.
Lang, K. See Zarnt, T.
Langley, K. E. See Lu, H. S.
LaNoue, K. F. See Lynch, C. J.
Lansink, M. See Arts, J.
Lanza, F. See Bouton, M.-C.
Lanzrein, M.
——Garred, Ø.; Olsnes, S.; Sandvig, K.
Diphtheria toxin endocytosis and membrane translocation are dependent on the intact membrane-anchored receptor (HB-EGF precursor): studies on the cell-associated receptor cleaved by a metalloprotease in phorbol-ester-treated cells, 310: 285
Lapetina, E. G. See Giesberts, A. N.
Lark, M. W. See Perides, G.
——Williams, H.; Hoernner, L. A.; Weidner, J.; Ayala, J. M.; Harper, C. F.; Christen, A.; Olszewski, J.; Konteatis, Z.; Webber, R.; Mumford, R. A.
Quantification of a matrix metalloproteinase-generated aggrecan G1 fragment using monospecific anti-peptide serum, 307: 245
Larnkjær, A.
——Nykjær, A.; Olivecrona, G.; Thøgersen, H.; Østergaard, P. B.
Structure of heparin fragments with high affinity for lipoprotein lipase and inhibition of lipoprotein lipase binding to α_2-macroglobulin-receptor/low-density-lipoprotein-receptor-related protein by heparin fragments, 307: 205
Larsen, U. D. See Kurtzhals, P.
Larsson, B. S. See Sjöberg, E. M.
Larsson, L.-I. See Serup, P.
Larsson, O. See Islam, Md. S.
Lasić, Z. See Višnjić, D.
Last, K. See Fosang, A. J.
Latchman, D. S. See Lillycrop, K. A.
Latouche, J. See Fabbrizio, E.
Lau, E. T.
——Cao, D.; Lin, C.; Chung, S. K.; Chung, S. S.
Tissue-specific expression of two aldose reductase-like genes in mice: abundant expression of mouse vas deferens protein and fibroblast growth factor-regulated protein in the adrenal gland, 312: 609
Lauener, R. W. See Scheid, M. P.
Laugwitz, K.-L. See Ohlmann, P.
Laulhère, J.-P. See Caris, C.
Laurent, G. J. See McAnulty, R. J.
Laurie, J. I. See Black, G. W.
Laursen, S. B. See Holmskov, U.
Lauterburg, B. H. See Elsing, C.
Lauwers, A. R. See Vercruysse, K. P.
Lavoinne, A. See Claeyssens, S.
Law, C.-L. See Yanaga, F.
Law, R. D.
——Plaxton, W. C.
Purification and characterization of a novel phosphoenolpyruvate carboxylase from banana fruit, 307: 807
Lawrence, D. S. See Srinivasan, J.
Lawrence, F. See Phelouzat, M.-A.
Lawrence, J.-J. See Rabilloud, T.
Lawson, C. B. See Bennett, A. J.
Lazar, D. F. See Milarski, K. L.
Lazard, D. See Nahmias, C.
Lazarte, J. E. See Grebenkämper, K.
Lazure, C. See Jean, F.
Le Brun, N. E.
——Andrews, S. C.; Guest, J. R.; Harrison, P. N.; Moore, G. R.; Thomson, A. J.
Identification of the ferroxidase centre of *Escherichia coli* bacterioferritin, 312: 385
Le Cabec, V. See Möhn, H.
Lecocq, R. See Communi, D.
——Lamy, F.; Erneux, C.; Dumont, J. E.
Rapid purification and identification of calcyphosine, a Ca^{2+}-binding protein phosphorylated by protein kinase A, 306: 147
Leconte, I.
——Clauser, E.
Two sequences flanking the major autophosphorylation site of the insulin receptor are essential for tyrosine kinase activation, 306: 465
Lecordier, A. See Kim, K.
Le Cunff, M. See Eldin, P.
Ledent, P. See Damblon, C.
Ledgerwood, E. C.
——George, P. M.; Peach, R. J.; Brennan, S. O.
Endoproteolytic processing of recombinant proalbumin variants by the yeast Kex2 protease, 308: 321
Ledoux-Andula, N. See Wouters-Tyrou, D.
Lee, A. G. See Baker, K. J.; Hughes, G.; Starling, A. P.; Wictome, M.
——Baker, K.; Khan, Y. M.; East, J. M.
Effects of K^+ on the binding of Ca^{2+} to the Ca^{2+}-ATPase of sarcoplasmic reticulum, 305: 225
Lee, D. M. See Osbaldeston, N. J.
Lee, E.
——Tardi, P. G.; Man, R. Y. K.; Choy, P. C.
The modulation of phosphatidylinositol biosynthesis in hamster hearts by methyl lidocaine, 309: 871
Lee, F. Y. See Yu, S. M.
Lee, H.-J. See Chiou, S.-H.
Lee, I. See Wang, K.
Lee, J. See Hocking Edwards, J. E.
Lee, J.-Y. See Hsiao, C.-D.
Lee, S.
——Greenspan, D. S.
Transcriptional promoter of the human α1(V) collagen gene *(COL5A1)*, 310: 15
Lee, T. W.
——Anderson, L. A.; Eidne, K. A.; Milligan, G.
Comparison of the signalling properties of the long and short isoforms of the rat thyrotropin-releasing-hormone receptor following expression in Rat 1 fibroblasts, 310: 291
Lee, W. R. See Chenevert, S. W.
Leenders, F. See Adamski, J.
Lee-Robichaud, P.
——Wright, J. N.; Akhtar, M. E.; Akhtar, M.
Modulation of the activity of human 17α-hydroxylase-17,20-lyase (CYP17) by cytochrome b_5: endocrinological and mechanistic implications, 308: 901
Lees, M. See Suzuki, K.
Le Fur, G. See Bouaboula, M.
Le Gaillard, F. See Tazi, K. A.
Léger, D. See Escrivá, H.
Léger, J. J. See Eldin, P.
Legrand, D. See Elass-Rochard, E.
Lehmann-Horn, F. See Hohenegger, M.
Leighton, B.
——Foot, E. A.
The role of the sensory peptide calcitonin-gene-related peptide(s) in skeletal muscle carbohydrate metabolism: effects of capsaicin and resiniferatoxin, 307: 707
Leitner, B. See Kirchmair, R.
Le Jemtel, T. H. See Magnier, C.
Lemasters, J. J. See Nieminen, A.-L.
Lembert, N. See Idahl, L.-Å.
——Idahl, L.-Å.
Regulatory effects of ATP and luciferin on firefly luciferase activity, 305: 929
Lemere, C. A. See Munger, J. S.
Lemonidis, K. M. See Crooke, S. T.
Le Mousal, H. See Dion, N.
Lenaz, G. See Genova, M. L.
Lenfant, F. See Petit, A.
Lenne, C.
——Block, M. A.; Garin, J.; Douce, R.
Sequence and expression of the mRNA encoding HSP22, the mitochondrial small heat-shock protein in pea leaves, 311: 805
Lenting, P. J. See Donath, M.-J. S. H.
Lenton, L. M.
——Behm, C. A.; Bygrave, F. L.
Aberrant mitochondrial respiration in the livers of rats infected with *Fasciola hepatica:* the role of elevated non-esterfied fatty acids and altered phospholipid composition, 307: 425
Lenzen, S. See Tiedge, M.
Leonard, J. See Serup, P.
Leonard, J. V. See Bodnar, A. B.
Leonidas, D. D. See Zographos, S. E.
Lepage, S.
——Galleni, M.; Lakaye, B.; Joris, B.; Thamm, I.; Frere, J.-M.
Kinetic properties of the *Bacillus licheniformis* penicillin-binding proteins, 309: 49
Lepetit, N. See Foufelle, F.
Lepetit-Thévenin, J. See Somma-Delpéro, C.
Leray, D. See Raclot, T.
Lesnik, E. A. See Crooke, S. T.
Lessard, I. A. D.
——Perham, R. N.
Interaction of component enzymes with the peripheral subunit-binding domain of the pyruvate dehydrogenase multienzyme complex of *Bacillus stearothermophilus:* stoichiometry and specificity in self-assembly, 306: 727
Letcher, A. J. See Divecha, N.
LeVan, L. W. See Strugnell, S.
Le Van Kim, C. See Cartron, J.-P.
Levistre, R.
——Berguerand, M.; Bereziat, G.; Masliah, J.
The cross-regulation of G_i-protein by cholera toxin involves a phosphorylation by protein kinase A, 306: 765
Lévy-Toledano, S. See Berrou, E.
Levy-Toledano, S. See Blanco, A.
Lewis, C. See Davis, D. R.
Lhiaubet, A.-M. See Boudin, H.
Li, J. J.
——Kim, R. H.; Sodek, J.
An inverted TATA box directs downstream transcription of the bone sialoprotein gene, 310: 33
Li, M.
——Lin, Z.; Johnson, M. E.
Photoaffinity labelling of cyanomethaemoglobin with derivatives of tryptophan and 5-bromotryptophan, 308: 251
Li, M.-S.

——Sun, L.; Satoh, T.; Fisher, L. M.; Spry, C. J. F.
Human eosinophil major basic protein, a mediator of allergic inflammation, is expressed by alternative splicing from two promoters, 305: 921
Li, R. Y. See Gaits, F.
Li, S.-F. See Tsao, Y.-P.
Lian, L.-Y. See Bellingham, R. M. A.; Mondi, S.
Liang, L.
——Huang, C.-K.
Tyrosine phosphorylation induced by cross-linking of Fc γ-receptor type II in human neutrophils, 306: 489
Liang, Y.
——Kesavan, P.; Wang, L.; Niswender, K.; Tanizawa, Y.; Permutt, M. A.; Magnuson, M. A.; Matschinsky, F. M.
Variable effects of maturity-onset-diabetes-of-youth (MODY)-associated glucokinase mutations on substrate interactions and stability of the enzyme, 309: 167
Liao, W.
——β-Migrating very-low-density lipoprotein, chylomicron remnants and their receptors, 310: 359
Liaw, L.-L. See Tsai, I.-H.
Libert, F. See Eggerickx, D.
Li Calzi, M. See Kurosaki, M.
Lidholt, K.
——Eriksson, I.; Kjellén, L.
Heparin proteoglycans synthesized by mouse mastocytoma contain chondroitin sulphate, 311: 233
Ligeti, E. See Geiszt, M.
Lillycrop, K. A.
——Liu, Y.-Z.; Theil, T.; Möröy, T.; Latchman, D. S.
Activity of the herpes simplex virus immediate-early gene promoters by neuronally expressed POU family transcription factors, 307: 581
Lim, R. W.
——Yang, W.-L., Yu, H.
Signal-transduction-pathway-specific desensitization of expression of orphan nuclear receptor TIS1, 308: 785
Lim, S. C. See Liu, Y.
Lin, C. See Lau, E. T.
Lin, C.-W. See Chiou, S.-H.
Lin, J. J. J.-C. See Tsuruda, T. S.
Lin, M. See Yu, L.-C.
Lin, P. See Smith, J. B.
Lin, S.-H.
——Luo, W.; Earley, K.; Cheung, P.; Hixson, D. C.
Structure and function of C-CAM1: effects of the cytoplasmic domain on cell aggregation, 311: 239
Lin, S.-Z. See Tsao, Y.-P.
Lin, Z. See Li, M.
Lindahl, B.
——Eriksson, L.; Lindahl, U.
Structure of heparan sulphate from human brain, with special regard to Alzheimer's disease, 306: 177
Lindahl, U. See Lindahl, B.; Razi, N.
Linder, M. E. See Moyers, J. S.
Lindros, K. O. See Oinonen, T.
Lindsay, H. See Reale, A.
Lindsay, J. G. See West, S. M.
Lindsay, M. A. See Perkins, R. S.
Lindsay-Watt, S. See Vernon, R. G.
Lingelbach, K. See Ansorge, I.
Lingrel, J. B. See Johnson, C. L.
Linhardt, R. J. See Gu, K.
Lipson, K. E. See Chesters, J. K.
Litjens, T. See Brooks, D. A.
Little, K. M. See Yassin, R. R.
Little, S. S.
——Johnson, D. A.
Human mast cell tryptase isoforms: separation and examination of substrate-specificity differences, 307: 341
Liu, A. Y.-C. See Huang, L. E.
Liu, B.
——Mortrud, M.; Low, M. J.
DNA elements with AT-rich core sequences direct pituitary cell-specific expression of the pro-opiomelanocortin gene in transgenic mice, 312: 827
Liu, C.
——Cheng, J.; Mountz, J. D.
Differential expression of human Fas mRNA species upon peripheral blood mononuclear cell activation, 310: 957
Liu, C.-Z. See Huang, T.-F.
Liu, J.-C. See Tsao, Y.-P.
Liu, L. See Carroll, R.
Liu, M.-C. See Sakakibara, Y.
Liu, P.
——Wen, M.; Hayashi, J.
Characterization of ATP receptor responsible for the activation of phospholipase A_2 and stimulation of prostaglandin E_2 production in thymic epithelial cells, 308: 399
Liu, S. See Huang, Q.
Liu, V. C. H.
——Kong, R. Y. C.; Nicholls, J.; Cheung, A. N. Y.; Cheah, K. S. E.
The mRNAs for the three chains of human collagen type XI are widely distributed but not necessarily co-expressed: implications for homotrimeric, heterotrimeric and heterotypic collagen molecules, 311: 511
Liu, Y.
——Woon, P. Y.; Lim, S. C.; Jeyaseelan, K.; Thiyagarajah, P.
Cholinergic regulation of amylase gene expression in the rat parotid gland. Inhibition by two distinct post-transcriptional mechanisms, 306: 637
Liu, Y.-Z. See Lillycrop, K. A.
Liu, Z.
——Towle, H. C.
Functional synergism in the carbohydrate-induced activation of liver-type pyruvate kinase gene expression, 308: 105
Livneh, E. See Slack, B. E.
Lloyd, D. See Avery, S. V.
Lloyds, D.
——Hallett, M. B.
Is raf-2 the 74 kDa signalling molecule in neutrophils? (letter), 308: 1037
Lobban, M. See McPhee, I.; Shakur, Y.
Loetscher, M. See Barella, L.
Logsdon, C. See van de Westerlo, E.
Loidl-Stahlhofen, A.
——Hannemann, K.; Felde, R.; Spiteller, G.
Epoxidation of plasmalogens: source from long-chain α-hydroxyaldehydes in subcellular fractions of bovine liver, 309: 807
Lombès, M. See Binart, N.
London, N. J. M. See Clark, A. R.
Long, G. S.
——Bryant, J. M.; Taylor, P. W.; Luzio, J. P.
Complete nucleotide sequence of the gene encoding bacteriophage E endosialidase: implications for K1E endosialidase structure and function, 309: 543
Long, M. T. See Bartholomew, B. A.
Longmore, W. See Bingle, C. D.
Lonsdale-Eccles, J. D.
——Mpimbaza, G. W. N.; Nkhungulu, Z. R. M.; Olobo, J.; Smith, L.; Tosomba, O. M.; Grab, D. J.
Trypanosomatid cysteine protease activity may be enhanced by a kininogen-like moiety from host serum, 305: 549
Loomis-Husselbee, J. W. See Dawson, A. P.
López-Nicolás, J. M.
——Bru, R.; Sánchez-Ferrer, A.; García-Carmona, F.
Use of "soluble lipids" for biochemical processes: linoleic acid-cyclodextrin inclusion complexes in aqueous solutions, 308: 151, 309: 1031
Lorenzetti, R. See Brigotti, M.
Lorenzo, M. See Teruel, T.
Lortat-Jacob, H.
——Turnbull, J. E.; Grimaud, J.-A.
Molecular organization of the interferon γ-binding domain in heparan sulphate, 310: 497
Los, G. V.
——Artemenko, I. P.; Hokin, L. E.
Time-dependent effects of lithium on the agonist-stimulated accumulation of second messenger inositol 1,4,5-trisphosphate in SH-SY5Y human neuroblastoma cells, 311: 225
Low, M. G. See Xie, M.
Low, M. J. See Liu, B.
Lowe, D. J. See Bornemann, S.
Lowe, M. P. See Culbert, A. A.
Lowe-Krentz, L. J. See Patton, W. A., II
Lu, B.-B. See Ersdal-Badju, E.
Lu, H. S. See Lu, K. V.
——Chang, W.-C.; Mendiaz, E. A.; Mann, M. B.; Langley, K. E.; Hsu, Y.-R.
Spontaneous dissociation-association of monomers of the human-stem-cell-factor dimer, 305: 563
Lu, K. V.
——Rohde, M. F.; Thomason, A. R.; Kenney, W. C.; Lu, H. S.
Mistranslation of a TGA termination codon as tryptophan in recombinant platelet-derived growth factor expressed in *Escherichia coli,* 309: 411
Lu, P.-J. See Tsai, I.-H.
Lu, S.-F. See Chiou, S.-H.
Lu, X. See Rahman, S.
Luber de Quintana, K. See Aepfelbacher, M.
Lubin, B. H. See Fyrst, H.
Lucas, V. See Moutiez, M.
Lucius, R. W.
——Waddell, I. D.; Burchell, A.; Nordlie, R. C.
An altered $T_2\beta$ translocase of the glucose-6-phosphatase system in the membrane of the endoplasmic reticulum from livers of Ehrlich-ascites-tumour-bearing mice, 311: 537
Lück, A.
——D'Haese, J.; Hinssen, H.
A gelsolin-related protein from lobster muscle: cloning, sequence analysis and expression, 305: 767
Lucocq, J. M. See Blakemore, S. J.
Lund, J. See Mankowitz, L.
Lund, L. R.
——Ellis, V.; Rønne, E.; Pyke, C.; Danø, K.
Transcriptional and post-transcriptional regulation of the receptor for urokinase-type plasminogen activator by cytokines and tumour promoters in the human lung carcinoma cell line A549, 310: 345
Lund, O. See Hansen, J. E.

Lundqvist, H. See Dahlgren, C.
Luo, W. See Lin, S.-H.
Luvisetto, S. See Canton, M.
Luzio, J. P. See Kuwana, T.; Long, G. S.
Lyftogt, C. See Shekels, L. L.
Lynch, C. J.
——Fox, H.; Hazen, S. A.; Stanley, B. A.; Dodgson, S.; LaNoue, K. F.
Role of hepatic carbonic anhydrase in *de novo* lipogenesis, 310: 197
Lyons, J. G.
——Chambon, P.
Direct activation and anti-repression functions of GAL4—VP16 use distinct molecular mechanisms, 312: 899
Lyte, P. See Bacchi, C. J.

Maab, U. See Möhlmann, T.
Macaulay, S. L.
——Polites, M.; Frenkel, M. J.; Hewish, D. R.; Ward, C. W.
Mutagenic structure/function analysis of the cytoplasmic cysteines of the insulin receptor, 306: 811
MacDonald, J. I.
——Possmayer, F.
Stimulation of phosphatidylcholine biosynthesis in mouse MLE-12 type-II cells by conditioned medium from cortisol-treated rat fetal lung fibroblasts, 312: 425
Macey, D. J. See Harris, L. R.
MacGregor, E. A. See Janeček, Š.
Machado, A. See Alvarez, E.
MacIntosh, J. See Inskip, A.
Mackenzie, S. J.
——Kerr, M. A.
IgM monoclonal antibodies recognizing FcαR but not FcγRIII trigger a respiratory burst in neutrophils although both trigger an increase in intracellular calcium levels and degranulation, 306: 519
Maclouf, J. See Blanco, A.
Macovschi, O. See El Bawab, S.
MacPherson, A. J. S. See Mayall, T. P.
Macrae, T. H. See Zhang, J.
Madden, S. See Shergill, J. K.
Madsen, O. D. See Serup, P.
Madsen, P. S. See Holmskov, U.
Maeda, N. See Poulsen, J.-C. J.
Maellaro, E. See Slater, A. F. G.
Magdalena, J.
——Joris, B.; Van Beeumen, J.; Brasseur, R.; Dusart, J.
Regulation of the β-lactamase BlaL of *Streptomyces cacaoi:* the product of the *blaB* regulatory gene is an internal membrane-bound protein, 311: 155
Magee, A. I. See McCallum, J. F.; Soto-Cruz, I.
Magee, B. A. See Milner, S. J.
Magnani, M.
——Brandi, G.; Casabianca, A.; Fraternale, A.; Schiavano, G. F.; Rossi, L.; Chiarantini, L.
2,'3'-Dideoxycytidine metabolism in a new drug-resistant cell line, 312: 115
Magni, G. See Balducci, E.
Magnier, C.
——Corvazier, E.; Aumont, M.-C.; Le Jemtel, T. H.; Enouf, J.
Relationship between Rap1 protein phosphorylation and regulation of Ca^{2} transport in platelets: a new approach, 310: 469
Magnuson, M. A. See Liang, Y.
Magyar, A.
——Bakos, É.; Váradi, A.
Structure and tissue-specific expression of the *Drosophila melanogaster* organellar-type Ca^{2+}-ATPase gene, 310: 757
Mahaut-Smith, M. P. See Somasundaram, B.
Maher, V. M. See Huang, S.
Mahmood, N. See Moore, P. S.
Maione, T. See Mayo, K. H.
Maire, I. See Froissart, R.
Majid, M. A. See Okajima, F.
Mak, A. S. See Tsuruda, T. S.
Makin, H. H. J. See Strugnell, S.
Makker, S. P. See Jokhadze, G. G.
Makowski, L. See Batliwala, H.
Makuch, R. See Kolakowski, J.
Malaba, L. See Smeland, S.
Malarkey, K. See McLees, A.
——Belham, C. M.; Paul, A.; Graham, A.; McLees, A.; Scott, P. H.; Plevin, R.
The regulation of tyrosine kinase signalling pathways by growth factor and G-protein-coupled receptors, 309: 361
Malhotra, R. See Holmskov, U.
Malthouse, J. P. G. See Milne, J. J.; O'Connell, T. P.
——Phelan, P.
Effect of magnetic field strength on the linewidth and spin-lattice relaxation time of the thiocyanate carbon of cyanylated β-lactoglobulin B: optimization of the experimental parameters for observing thiocyanate carbons in proteins, 306: 531
Mampel, T. See Martin, I.
Man, T. Y. K. See Lee, E.
Mancheño, J. M. See Lacadena, J.
Mangiapane, E. H. See Bennett, A. J.
Mankowitz, L.
——Staffas, L.; Bakke, M.; Lund, J.
Adrenocorticotrophic-hormone-dependent regulation of a μ-class glutathione transferase in mouse adrenocortical cells, 305: 111
Mann, K. See Calvete, J. J.
Mann, M. B. See Lu, H. S.
Mann, W. R. See Johnson, T. M.
Manna, C. See Galletti, P.
Mannaerts, G. P. See De Ceuster, P.
Mannervik, B. See Kolm, R. H.
Mano, H. See Saneshige, S.
Maquart, F.-X. See Wegrowski, Y.
Maras, B. See Emiliani, C.
Marasco, O. See Morrone, G.
Marbaix, E.
——Kokorine, I.; Henriet, P.; Donnez, J.; Courtoy, P. J.; Eeckhout, Y.
The expression of interstitial collagenase in human endometrium is controlled by progesterone and by oestradiol and is related to menstruation, 305: 1027
Marchant, R. B. See Barros, L. F.
Marchetti, M. See Genova, M. L.
Marciano-Cabral, F. See Wessberg, K. L.
Marcus, D. See Kronman, C.
Marenah, C. B. See Bennett, A. J.
Marenzi, S. See Santoro, R.
Margolskee, R. F. See Hoon, M. A.
Marianne, T. See Mikogami, T.
Maridonneau-Parini, I. See Möhn, H.
Marin, E. P.
——Neubig, R. R.
Lack of association of G-protein β_2- and γ_2-subunit N-terminal fragments provides evidence against the coiled-coil model of subunit-βγ assembly, 309: 377
Marin, J. J. G. See Bravo, P.
Marin, P.
——Maus, M.; Bockaert, J.; Glowinski, J.; Prémont, J.
Oxygen free radicals enhance the nitric oxide-induced covalent NAD^{+}-linkage to neuronal glyceraldehyde-3-phosphate dehydrogenase, 309: 891
Markert, M. See Giugnard, F.
Marks, F. See Scholz, K.
Marks, K. See Floros, J.
Marksteiner, J. See Kirchmair, R.
Markussen, J. See Kurtzhals, P.
Maroteaux, P. See Bonaventure, J.
Márquez, J. See Molina, M.
Marsden, I. See Wang, R.
Marshak, D. R. See Stam, K.
Marston, S. B. See Huber, P. A. J.; Payne, A. M.
Martens, G. J. M. See Holthuis, J. C. M.
Martin, A. See Briscoe, C. P.
Martin, B. M. See Kuźnicki, J.
Martin, G. E. M.
——Rutherford, N. G.; Henderson, P. J. F.; Walmsley, A. R.
Kinetics and thermodynamics of the binding of forskolin to the galactose-H^{+} transport protein, GalP, of *Escherichia coli,* 308: 261
Martin, I.
——Giralt, M.; Viñas, O.; Iglesias, R.; Mampel, T.; Villarroya, F.
Co-ordinate decrease in the expression of the mitochondrial genome and nuclear genes for mitochondrial proteins in the lactation-induced mitochondrial hypotrophy of rat brown fat, 308: 749
Martín, M.
——Sanz, J. M.; Ros, M.; Cubero, A.
Metabotropic glutamate receptor analogues inhibit ppG-stimulated phospholipase C activity in bovine brain coated vesicles: involvement of a pertussis toxin-sensitive G-protein, 307: 851
Martin, S. See Robinson, K.
Martin, S. R. See Aghajanian, S. A.
Martin, T. J. See Heath, J. K.
Martinez, A.
——Knappskog, P. M.; Olafsdottir, S.; Døskeland, A. P.; Eiken, H. G.; Svebak, R. M.; Bozzini, M.; Apold, J.; Flatmark, T.
Expression of recombinant human phenylalanine hydroxylase as fusion protein in *Escherichia coli* circumvents proteolytic degradation by host cell proteases, 306:589
Martinez, C.
——Molero, J. C.; Ruiz, P.; Del Arco, A.; Andres, A.; Carrascosa, J. M.
Impairment of the liver insulin receptor autoactivation cascade at full-term pregnancy in the rat, 311: 523
Martinez-Azorin, F.
——Soler, F.; Gomez-Fernandez, J. C.; Fernandez-Belda, F.
Functional properties of a sacroplasmic reticulum Ca^{2+}-ATPase with an altered Ca^{2+}-binding mechanism, 309: 499
Martinez Del Pozo, A. See Lacadena, J.
Martinez-Ruiz, A. See Lacadena, J.
Martino, S. See Emiliani, C.
Martin-Ponthieu, A. See Wouters-Tyrou, D.
Martinson, E. A.
——Scheible, S.; Greinacher, A.; Presek, P.
Platelet phospholipase D is activated by protein kinase C via an integrin $\alpha_{IIb}\beta_3$-independent mechanism, 310: 623
Marton, L. J. See Clément, S.; Delcros, J.-G.; Schwartz, B.
Martsen, E. O. See Hsiao, C.-D.
Marty, I.
——Robert, M.; Ronjat, M.; Bally, I.; Arlaud, G.; Villaz, M.

Localization of the N-terminal and C-terminal ends of triadin with respect to the sarcoplasmic reticulum membrane of rabbit skeletal muscle, 307: 769
Marušić, M. See Višnjić, D.
Maruyama, H. See Ide, H.; Murakumo, Y.; Tomita, M.
Maruyama, K. See Kake, T.
Marynen, P. See Van Rompaey, L.
Marzocchini, R. See Chiarugi, P.
Masliah, J. See Levistre, R.
Mason, A. B. See Grady, J. K.
Massillon, D. See Barzilai, N.
Masson, J.-M. See Petit, A.
Masters, D. J. See Creaney, A.
Mastrantonio, S. See Santoro, R.
Matamanla, J. C. See Bonet, M. L.
Mathew, A.
——Bell, A.; Johnstone, R. M.
Hsp-70 is closely associated with the transferrin receptor in exosomes from maturing reticulocytes, 308: 823
Mathiasen, D. See Poulsen, J.-C. J.
Mathieu, M. See Froissart, R.
Mato, J. M. See Deigner, H. P.
Matosin, M. See Mesonero, J.
Matoušek, J. See Kim, J.-S.
Matschinsky, F. M. See Liang, Y.
Matsuda, Y. See Yano, H.
Matsuhashi, N. See Fukushima, Y.
Matsuo, Y. See Tamura, H.
Matsushima, N. See Sohma, H.
Matsushita, M.
——Ezekowitz, R. A. B.; Fujita, T.
The Gly-54→Asp allelic form of human mannose-binding protein (MBP) fails to bind MBP-associated serine protease, 311: 1021
Mattei, M.-G. See Schorpp, M.
Mattera, R. See Thomas, C. P.
Matthews, E. See O'Rourke, F.
Mattson, M. P. See Barger, S. W.
Mauel, J. See Giugnard, F.
Maughan, D. See Wyss, M.
Maury, J.
——Kerbey, A. L.; Priestman, D. A.; Patel, M. S.; Girard, J.; Ferre, P.
Pretranslational regulation of pyruvate dehydrogenase complex subunits in white adipose tissue during the suckling-weaning transition in the rat, 311: 531
Maus, M. See Marin, P.
Maveyraud, L. See Petit, A.
May, F. E. B. See Chadwick, M. P.
May, S. W. See Sirimanne, S. R.
Mayall, T. P.
——Bjarnason, I.; Khoo, U. Y.; Peters, T. J.; MacPherson, A. J. S.
Mitochondrial gene expression in small intestinal epithelial cells, 308: 665
Mayans, M. O. See Meyer, D. F.
——Coadwell, W. J.; Beale, D.; Symons, D. B. A.; Perkins, S. J.
Demonstration by pulsed neutron scattering that the arrangement of the Fab and Fc fragments in the overall structures of bovine IgG1 and IgG2 in solution is similar, 311: 283
Mayes, P. A. See Lambert, M. S.
Mayo, K. H. See Ilyina, E.
——Ilyina, E.; Roongta, V.; Dundas, M.; Joseph, J.; Lai, C. K.; Maione, T.; Daly, T. J.
Heparin binding to platelet factor-4. An NMR and site-directed mutagenesis study: arginine residues are crucial for binding, 312: 357
Mayorga, L. S. See Aballay, A.
Mazière, C. See Quiec, D.
Mazière, J.-C. See Quiec, D.
Mazus, B. See Sacks, D. B.
McAbee, D. D.
——Isolated rat hepatocytes acquire iron from lactoferrin by endocytosis, 311: 603
McAllister, J. See Paterson, J. M.
McAnulty, R. J.
——Chambers, R. C.; Laurent, G. J.
Regulation of fibroblast procollagen production. Transforming growth factor-β_1 induces prostaglandin E_2 but not procollagen synthesis via a pertussis toxin-sensitive G-protein, 307: 63
McCallum, J. F.
——Wise, A., Grassie, M. A.; Magee, A. I.; Guzzi, F.; Parenti, M.; Milligan, G.
The role of palmitoylation of the guanine nucleotide binding protein $G_{11}\alpha$ in defining interaction with the plasma membrane, 310: 1021
McClelland, D. A.
——McLaughlin, S. H.; Freedman, R. B.; Price, N. C.
The refolding of hen egg white riboflavin-binding protein: effect of protein disulphide isomerase on the reoxidation of the reduced protein, 311: 133
McClenaghan, M.
——Springbett, A.; Wallace, R. M.; Wilde, C. J.; Clark, A. J.
Secretory proteins compete for production in the mammary gland of transgenic mice, 310: 637
McConathy, W. J., 309: 899. See Trieu, V. N.
McConville, M. J. See Proudfoot, L.
——Schnur, L. F.; Jaffe, C.; Schneider, P.
Structure of *Leishmania* lipophosphoglycan: inter- and intra-specific polymorphism in Old World species, 310: 807
McCool, D. J.
——Forstner, J. F.; Forstner, G. G.
Regulated and unregulated pathways for MUC2 mucin secretion in human colonic LS180 adenocarcinoma cells are distinct, 312: 125
McCormack, B. A. See Robertson, D.
McCormick, J. I.
——Johnstone, R. M.
Identification of the integrin $\alpha_3\beta_1$ as a component of a partially purified A-system amino acid transporter from Ehrlich cell plasma membranes, 311: 743
McCormick, J. J. See Huang, S.
McCubbin, V. R. See Frank, M. B.
McCubbin, W. D. See Jardim, A.
McCulloch, A. V. See Franklin, C. C.
McDonagh, A. F. See Zia-Amirhosseini, P.
McDonald, F. J.
——Welsh, M. J.
Binding of the proline-rich region of the epithelial Na^+ channel to SH3 domains and its association with specific cellular proteins, 312: 491
McDonald, P. P. See Cassatella, M. A.
McDougall, B. M. See Pitson, S. M.
McGiven, J. See Ferrer-Martinez, A.
McGregor, J. L. See Daviet, L.; Gebuhrer, V.
McKie, N.
——Dando, P. M.; Brown, M. A.; Barrett, A. J.
Rat thimet oligopeptidase: large-scale expression in *Escherichia coli* and characterization of the recombinant enzyme, 309: 203
McLaughlin, J. T.
——Hawrot, E.; Yellen, G.
Covalent modification of engineered cysteines in the nicotinic acetylcholine receptor agonist-binding domain inhibits receptor activation, 310: 765
McLaughlin, S. H. See McClelland, D. A.
McLees, A. See Malarkey, K.
——Graham, A.; Malarkey, K.; Gould, G. W.; Plevin, R.
Regulation of lysophosphatidic acid-stiumlated tyrosine phosphorylation of mitogen-activated protein kinase by protein kinase C- and pertussis toxin-dependent pathways in the endothelial cell line EAhy 926, 307: 743
McLennan, A. G. See Thorne, N. M. H.
McNally, T. See Collins, R. A.
McPhee, I.
——Pooley, L.; Lobban, M.; Bolger, G.; Houslay, M. D.
Identification, characterization and regional distribution in brain of RPDE-6 (RNPDE4A5), a novel splice variant of the PDE4A cyclic AMP phosphodiesterase family, 310: 965
Meacci, E.
——Vasta, V.; Faraoni, P.; Farnararo, M.; Bruni, P.
Potentiated bradykinin-induced increase of 1,2-diacylglycerol generation and phospholipase D activity in human senescent fibroblasts, 312: 799
Meckling-Gill, K. A. See Bhatia, M.
Medina, M. A. See Molina, M.
Medina, R.
——Wing, S. S.; Goldberg, A. L.
Increase in levels of polyubiquitin and proteasome mRNA in skeletal muscle during starvation and denervation atrophy, 307: 631
Meghji, P.
——Pearson, J. D.; Slakey, L. L.
Kinetics of extracellular ATP hydrolysis by microvascular endothelial cells from rat heart, 308: 725
Mehlen, P.
——Kretz-Remy, C.; Briolay, J.; Fostan, P.; Mirault, M.-E.
Intracellular reactive oxygen species as apparent modulators of heat-shock protein 27 (hsp27) structural organization and phosphorylation in basal and tumour necrosis factor α-treated T47D human carcinoma cells, 312: 367
Mehlert, A. See Redman, C. A.
Mehra, R. K.
——Mulchandani, P.
Glutathione-mediated transfer of Cu(I) into phytochelatins, 307: 697
Meienreis-Sudau, V. See Stevens, P. A.
Meier, B.
——Michel, C.; Saran, M.; Hüttermann, J.; Parak, F.; Rotilio, G.
Kinetic and spectroscopic studies on a superoxide dismutase from *Propionibacterium shermanii* that is active with iron or manganese: pH-dependence, 310: 945
Meier, K. E. See Ella, K. M.
Meier, P. J. See Elsing, C.
Meighen, E. A. See Cao, J.-G.
Meijer, A. H. See de Waal, A.
Meijer, A. J.
——Inhibition of autophagic proteolysis by cell swelling in hepatocytes (letter), 312: 987
Meikle, M. C. See Hill, P. A.
Meikle, P. J.

——Whittle, A. M.; Hopwood, J. J.
Human acetyl-coenzyme A:α-glucosaminide *N*-acetyltransferase. Kinetic characterization and mechanistic interpretation, 308: 327
Meima, M. E. See Drayer, A. L.
Melançon, P. See Berger, S. J.
Meléndez-Hevia, E. See Cascante, M.
Mellon, P. L. See Ben-Menahem, D.
Melloni, E. See Di Lisa, F.; Pessino, A.; Sparatore, B.
Melmed, S. See Pei, L.
Meloni, A. See Sarti, P.
Mendelow, M. See Srinivasan, J.
Mendelson, S. C. See Paterson, J. M.
Mendiaz, E. A. See Lu, H. S.
Menendez, C. See Hernandez, L.
Mertens, K. See Donath, M.-J. S. H.
Mertens, L. See De Greef, C.
Mesonero, J.
——Matosin, M.; Cambier, D.; Rodriguez-Yoldi, M.-J.; Brot-Laroche, E.
Sugar-dependent expression of the fructose transporter GLUT5 in Caco-2 cells, 312: 757
Metcalfe, J. C. See Kemp, P. R.
Metsäranta, M. See Ala-Kokko, L.
Meyer, D. F.
——Mayans, M. O.; Groot, P. H. E.; Suckling, K. F.; Bruckdorfer, K. R.; Perkins, S. J.
Time-course studies by neutron solution scattering and biochemical assays of the aggregation of human low-density lipoprotein during Cu^{2+}-induced oxidation, 310: 417
——Nealis, A. S.; Bruckdorfer, K. R.; Perkins, S. J.
Characterization of the structure of polydisperse human low-density lipoprotein by neutron scattering, 310: 407
Meyer, D. J. See Ouwerkerk-Mahadevan, S.
——Crease, D. J.; Ketterer, B.
Forward and reverse catalysis and product sequestration by human glutathione S-transferases in the reaction of GSH with dietary aralkyl isothiocyanates, 306: 565
——Thomas, M.
Characterization of rat spleen prostaglandin H D-isomerase as a sigma-class GSH transferase, 311: 739
Meziane-Cherif, D. See Moutiez, M.
Michal, Y. See Quash, G.
Michalska, A. See Philcox, J. C.
Michel, C. See Meier, B.
Michell, R. H. See Barker, C. J.; Turnell, A. S.
Michels, P. A. M. See Wiemer, E. A. C.
Midorikawa, T. See Chiba, Y.
Mieskes, G. See Takai, A.
Migliorini, M. See Coppolino, M.
Mikogami, T.
——Marianne, T.; Spik, G.
Effect of intracellular iron depletion by picolinic acid on expression of the lactoferrin receptor in the human colon carcinoma cell subclone HT29–18-C_1, 308: 391
Mikoshiba, K. See Futatsugi, A.; Poulsen, J.-C. J.; Yamada, M.
Milanesi, G. See Gallina, A.
Milarski, K. L.
——Lazar, D. F.; Wiese, R. J.; Saltiel, A. R.
Detection of a 60 kDa tyrosine-phosphorylated protein in insulin-stimulated hepatoma cells that associates with the SH2 domain of phosphatidylinositol 3-kinase, 308: 579
Miles, D. J. See Stone, M. J.
Milhiet, P. E.
——Chevallier, S.; Corbeil, D.; Seidah, N. G.; Crine, P.; Boileau, G.
Proteolytic processing on the α-subunit of rat endopeptidase-24.18 by furin, 309: 683
Millat, G. See Froissart, R.
Miller, C. C. J. See Davis, D. R.
Miller, R. C., Jr. See Shen, H.
Milligan, G. See Georgoussi, Z.; Grassie, M. A.; Kim, G.-D.; Lee, T. W.; McCallum, J. F.
Mills, G. B. See Xu, Y.
Millward-Sadler, S. J. See Black, G. W.; Hall, J.
——Davidson, K.; Hazlewood, G. P.; Black, G. W.; Gilbert, H. J.; Clarke, J. H.
Novel cellulose-binding domains, NodB homologues and conserved modular architecture in xylanases from the aerobic soil bacteria *Pseudomonas fluorescens* subsp. *cellulosa* and *Cellvibrio mixtus,* 312: 39
Milne, J. J.
——Malthouse, J. P. G.
Factors affecting the seterospecificity and catalytic efficiency of the tryptophan synthase-catalysed exchange of the pro-2*R* and pro-2*S* protons of glycine, add; 1015
Milner, S. J.
——Francis, G. L.; Wallace, J. C.; Magee, B. A.; Ballard, F. J.
Mutations in the B-domain of insulin-like growth factor-I influence the oxidative folding to yield products with modified biological properties, 308: 865
Minami, H. See Miyamoto, K.-i.
Minchin, R. F.
——Acetylation of *p*-aminobenzoylglutamate, a folic acid catabolite, by recombinant human arylamine *N*-acetyltransferase and U937 cells, 307: 1
Mirault, M.-E. See Mehlen, P.
Mischak, H. See Avignon, A.
Mischiati, C. See Passadore, M.
Mise, M. See Furutani, M.
Misra, K.
——Banerjee, A. B.; Ray, S.; Ray, M.
Glyoxalase III from *Escherichia coli:* a single novel enzyme for the conversion of methylglyoxal into D-lactate without reduced gluthathione, 305: 999
Misra, U. K.
——Gawdi, G.; Pizzo, S. V.
Ligation of the α_2-macroglobulin signalling receptor on macrophages induces protein phosphorylation and an increase in cytosolic pH, 309: 151
Missiaen, L. See Bootman, M. D.
Mitchell, C. G.
——Anderson, S. C. K.; El-Mansi, E. M. T.
Purification and characterization of citrate synthase isoenzymes from *Pseudomonas aeruginosa,* 309: 507
Mitchell, F. M.
——Russell, M.; Johnson, G. L.
Differential calcium dependence in the activity of c-Jun kinase and mitogen-activated protein kinase by muscarinic acetylcholine receptors in rat 1a cells, 309: 381
Mitidieri, F.
——de Meis, L.
Ethanol has different effects on Ca^{2+}-transport ATPases of muscle, brain and blood platelets, 312: 733
Miura, H.
——Tazuma, S.; Kajiyama, G.
Partial characterization of regulation of biliary lecithin hydrophobicity: association with organic anion-induced solute cholestasis in rats, 312: 795
Miwa, J. See Tabuse, Y.
Miyabe, Y. See Izumi, T.
Miyaji, M. See Hoshino, M.
Miyamoto, K.-i.
——Katai, K.; Tatsumi, S.; Sone, K.; Segawa, H.; Yamamoto, H.; Taketani, Y.; Takada, K.; Morita, K.; Kanayama, H.; Kagawa, S.; Takeda, E.
Mutations of the basic amino acid transporter gene associated with cystinuria, 310: 951
Miyamoto, K.-i.
——Tatsumi, S.; Sonoda, T.; Yamamoto, H.; Minami, H.; Taketani, Y.; Takeda, E.
Cloning and functional expression of a Na^+-dependent phosphate co-transporter from human kidney: cDNA cloning and functional expression, 305: 81
Miyata, A. See Arita, M.
Miyata, K. See Saneshige, S.
Miyawaki, A. See Yamada, M.
Mizoguchi, T. See Nanjo, H.
Modi, S.
——Primrose, W. U.; Lian, L.-Y.; Roberts, G. C. K.
Effect of replacement of ferriprotoporphyrin IX in the haem domain of cytochrome *P*-450 BM-3 on substrate binding and catalytic activity, 310: 939
Möhlmann, T.
——Batz, O.; Maaβ, U.; Neuhaus, H.-E.
Analysis of carbohydrate transport across the envelope of isolated cauliflower-bud amyloplasts, 307: 521
Möhn, H.
——Le Cabec, V.; Fischer, S.; Maridonneau-Parini, I.
The *src*-family protein-tyrosine kinase $p59^{hck}$ is located on the secretory granules in human neutrophils and translocates towards the phagosome during cell activation, 309: 657
Moir, A. M. B.
——Park, B.-S.; Zammit, V. A.
Quantification *in vivo* of the effects of different types of dietary fat on the loci of control involved in hepatic triacylglycerol secretion, 308: 537
——Zammit, V. A.
Insulin-independent and extremely rapid switch in the partitioning of hepatic fatty acids from oxidation to esterification in starved-refed diabetic rats. Possible roles for changes in cell pH and volume, 305: 953
Molero, J. C. See Martinez, C.
Molina, M.
——Segura, J. A.; Aledo, J. C.; Medina, M. A.; Nuñez de Castro, I.; Márquez, J.
Glutamine transport by vesicles isolated from tumour-cell mitochondrial inner membrane, 308: 629
Molinari, A. See Sarti, P.
Molla, A.
——Berthier, R.; Chapel, A.; Schweitzer, A.; Andrieux, A.
β1 Integrins mediate adherent phenotype of human erythroblastic cells lines after phorbol 12-myristate 13-acetate induction, 309: 491
Molski, T. F. P. See Fouda, S. I.

Monia, B. P. See Crooke, S. T.
Montanaro, L. See Brigotti, M.
Monté, D. See Adamski, J.
Montecucco, A. See Gallina, A.
Montecucco, C. See Washbourne, P.
Monteiro, H. P. See Peranovich, T. M. S.
Montero, M.
——Garcia-Sancho, J.; Alvarez, J.
Biphasic and differential modulation of Ca^{2+} entry by ATP and UTP in promyelocytic leukaemia HL60 cells, 305: 879
Montreuil, J. See Elass-Rochard, E.
Moog, S. See Bouton, M.-C.
Moolenaar, W. H. See Jalink, K.
Moore, A. J. See Barker, C. J.
Moore, G. R. See Le Brun, N. E.
Moore, J. H. Jr. See Tan, E. M. L.
Moore, M. L.
——George, J. N.; Turner, R. J.
Anion dependence of bumetanide binding and ion transport by the rabbit parotid Na^+-K^+-$2Cl^-$ co-transporter: evidence for an intracellular anion modifier site, 309: 637
Moore, P. S.
——Jones, C. J.; Mahmood, N.; Evans, I. G.; Goff, M.; Cooper, R.; Hay, A. J.
Anti-(human immunodeficiency virus) activity of polyoxotungstates and their inhibition of human immunodeficiency virus reverse transcriptase, 307: 129
Mora, S.
——Kaliman, P.; Chillarón, J.; Testar, X.; Palacín, M.; Zorzano, A.
Insulin and insulin-like growth factor I (IGF-I) stimulate GLUT4 glucose transporter translocation in *Xenopus oocytes,* 311: 59
Moraczewska, J. See Strzelecka-Golaszewska, H.
Morag, E. See Fontes, C. M. G. A.
Moran, M. F. See Gawler, D. J.
Morandini, P.
——Offer, J.; Traynor, D.; Nayler, O.; Neuhaus, D.; Taylor, G. W.; Kay, R. R.
The proximal pathway of metabolism of the chlorinated signal molecule differentiation-inducing factor-1 (DIF-1) in the cellular slime mould *Dictyostelium,* 306: 735
More, N.
——Daniel, R. M.; Petach, H. H.
The effect of low temperatures on enzyme activity, 305: 17
Moreau, A. See Racine, L.
Moreno, F. See Quintana, I.
Moreno, S. M. J. See Benaim, G.
Moreno, S. N. J. See Docampo, R.; Scott, D. A.
Morgan, B. P., 307: 651
Morgan, N. G. See Cable, H. C.
Morgan, S. L. See Baggott, J. E.
Mörgelin, M.
——Paulsson, M.; Heinegård, D.; Aebi, U.; Engel, J.
Evidence of a defined spatial arrangement of hyaluronate in the central filament of cartilage proteoglycan aggregates, 307: 595
Morgenstern, R. See Weinander, R.
Mori, M. See Takiguchi, M.
Mori, Y. See Saneshige, S.
Moriarty, R. M. See Strugnell, S.
Morin, J. See Foufelle, F.
Morioka, H. See Haruta, T.
Morisset, J. See Servant, M.
Morita, K. See Miyamoto, K.-I.
Morley, S. J.
——Pain, V. M.
Translational regulation during activation of porcine peripheral blood lymphocytes: association and phosphorylation of the α and γ subunits of the initiation factor complex eIF-4F, 312: 627
Mornet, D. See Eldin, P.; Fabbrizio, E.
Möröy, T. See Lillycrop, K. A.
Morphy, J. R. See Hill, P. A.
Morpurgo, L. See Agostinelli, E.
Morris, C. P. See Bielicki, J.; Brooks, D. A.
Morris, G. E.
——Nguyen, C.; Nguyen thi Man
Specificity and V_H sequence of two monoclonal antibodies against the N-terminus of dystrophin, 309: 355
Morris, N. J.
——Young, P.; Houslay, M. D.
Insulin inhibits the phosphorylation of α-G_i-2 in intact hepatocytes, 308: 693
Morris, T. W. See Green, D. E.
Morrison, C. F. See Paterson, J. M.
Morrison, H. G.
——Oleksiak, M. F.; Cornell, N. W.; Sogin, M. L.; Stegeman, J. J.
Identification of cytochrome *P*-450 1A (CYP1A) genes from two teleost fish, toadfish *(Opsanus tau)* and scup *(Stenotomus chrysops),* and phylogenetic analysis of CYP1A genes, 308: 97
Morrison, J. F. J. See Osbaldeston, N. J.
Morrison, K. See Sowden, J.
Morrone, G.
——Bond, H. M.; Cuomo, C.; Agosti, V.; Petrella, A.; Pagnano, A. M.; Della Corte, A.; Marasco, O.; Venuta, S.
Differential regulation of the expression of interleukin-2 receptor γ-chain during the *in vitro* differentiation of human myeloid cells, 308: 909
Mort, J. S. See Hughes, C. E.
Mortishire-Smith, R. J. See Iversen, L. L.
Morton, L. F.
——Hargreaves, P. G.; Farndale, R. W.; Young, R. D.; Barnes, M. J.
Integrin $\alpha2\beta1$-independent activation of platelets by simple collagen-like peptides: collagen tertiary (triple-helical) and quaternary (polymeric) structures are sufficient alone for $\alpha2\beta1$-independent platelet reactivity, 306: 337
Mortrud, M. See Liu, B.
Moser, B. See Barella, L.
Moser, T. L.
——Enghild, J. J.; Pizzo, S. V.; Stack, M. S.
Specific binding of urinary-type plasminogen activator (u-PA) to vitronectin and its role in mediating u-PA-dependent adhesion of U937 cells, 307: 867
Mosialou, E. See Weinander, R.
Moss, B. A. See Underwood, P. A.
Moss, S. E. See Churcher, Y.
Mossakowska, M. See Strzelecka-Golaszewska, H.
Motas, C. See Elass-Rochard, E.
Mott, R. See Creaney, A.
Moughal, N.
——Stevens, P. A.; Kong, D.; Pyne, S.; Pyne, N. J.
Adenylate cyclase, cyclic AMP and extracellular-signal-regulated kinase-2 in airway smooth muscle: modulation by protein kinase C and growth serum, 306: 723
Mould, R. See Hofmann, O.; Scheepens, A.
Moule, S. K.
——Edgell, N. J.; Welsh, G. I.; Diggle, T. A.; Foulstone, E. J.; Heesom, K. J.; Proud, C. G.; Denton, R. M.
Multiple signalling pathways involved in the stimulation of fatty acid and glycogen synthesis by insulin in rat epididymal fat cells, 311: 595
Mountz, J. D. See Liu, C.
Mouro, I. See Cartron, J.-P.
Moutiez, M.
——Aumercier, M.; Schöneck, R.; Meziane-Cherif, D.; Lucas, V.; Aumercier, P.; Ouaissi, A.; Sergheraert, C.; Tartar, A.
Purification and characterization of a trypanothione-glutathione thioltransferase from *Trypanosoma cruzi,* 310: 433
Moxley, M. See Bingle, C. D.
Moyers, J. S.
——Linder, M. E.; Shannon, J. D.; Parsons, S. J.
Identification of the *in vitro* phosphorylation sites on G_{sex} mediated by pp60^{c}-*src,* 305: 411
Mpimbaza, G. W. N. See Lonsdale-Eccles, J. D.
Mrejen, C. See Hauguel-De-Mouzon, S.
Mühl, H. See Plüss, K. M. A.
Muirhead, H. See Collins, R. A.
Mukai, H. See Kitagawa, M.
Mukherjee, E. See Khandkar, M. A.
Mukuria, C. J.
——Mwangi, W. D.; Noguchi, A.; Waiyaki, G. P.; Asano, T.; Naiki, M.
Evidence for a free *N*-acetylneuraminic acid-hydroxylating enzyme in pig mandibular gland soluble fraction, 305: 459
Mularczyk, W. See Skalecki, K.
Mulchandani, P., 307: 697
Mulder, G. J. See Ouwerkerk-Mahadevan, S.
Mulder, S. See Jalink, K.
Müllberg, J. See Krüttgen, A.
Müller, P. K. See Yang, C.
Müller, R. See Wick, M.
Müller-Decker, K. See Scholz, K.
Muller-Eberhard, U. See van Dijk, H. P.
Müller-Esterl, W. See Ben Nasr, A.
Mullock, B. M.S. See Kuwana, T.
Mumberg, D. See Wick, M.
Mumford, R. A. See Lark, M. W.
Munger, J. S.
——Haass, C.; Lemere, C. A.; Shi, G.-P.; Wong, W. S. F.; Teplow, D. B.; Selkoe, D. J.; Chapman, H. A.
Lysosomal processing of amyloid precursor protein to Aβ peptides: a distinct role for cathepsin S, 311: 299
Muñoz, P.
——Rosemblatt, M.; Testar, X.; Palacín, M.; Thoidis, G.; Pilch, P. F.; Zorzano, A.
The T-tubule is a cell-surface target for insulin-regulated recycling of membrane proteins in skeletal muscle, 312: 393
——Rosemblatt, M.; Testar, X.; Palacín, M.; Zorzano, A.
Isolation and characterization of distinct domains of sarcolemma and T-tubules from rat skeletal muscle, 307: 273
Murakami, Y. See Hayashi, S.-i.
Murakumo, Y. See Ide, H.; Tomita, M.
——Ide, H.; Itoh, H.; Tomita, M.; Kobayashi, T.; Maruyama, H.; Horri, Y.; Nawa, Y.
Cloning of the cDNA encoding mast cell tryptase of Mongolian gerbil, *Meriones unguiculatus,* and its

preferential expression in the intestinal mucosa, 309: 921
Muraoka, A.
——Hashiramoto, M.; Clark, A. E.; Edwards, L. C.; Sakura, H.; Kadowaki, T.; Holman, G. D.; Kasuga, M.
Analysis of the structural features of the C-terminus of GLUT1 that are required for transport catalytic activitys, 311: 699
Murata, M. See Nomura, K.
Murata, N.
——Wada, H.
Acyl-lipid desaturases and their importance in the tolerance and acclimatization to cold of cyanobacteria, 308: 1
Murphy, C. See Costa Rosa, L.-F. B. P.
Murphy, G. See Allan, J. A.
Murphy, G. F. See Jetté, L.
Murphy, J. F. See Gebuhrer, V.
Murphy, M. P.
——Krueger, M. J.; Sablin, S. O.; Ramsay, R. R.; Singer, T. P.
Inhibition of Complex I by hydrophobic analogues of *N*-methyl-4-phenylpyridinium (MPP+) and the use of an ion-selective electrode to measure their accumulation by mitochondria and electron-transport particles, 306: 359
Murray, A. W. See Edwards, Y. S.; Hardy, S. J.
Murray, J. B.
——Adams, C. J.; Arnold, J. R. P.; Stockley, P. G.
The roles of the conserved pyrimidine bases in hammerhead ribozyme catalysis: evidence for a magnesium ion-binding site, 311: 487
Musto, S. See Rybicki, A. C.
Mutenda, E. K. See Chawla, S.
——Sparkes, M. J.; Dixon, H. B. F.
Arsenite release on enzymic transformation of arsonomethyl substrate analogues: a potentially lethal synthesis by glycerol-3-phosphate dehydrogenase, 310: 983
Muzykantov, V. R., 307: 651
Mwangi, W. D. See Mukuria, C. J.
Myers, J. See Holtsberg, F. W.
Mykles, D. L.
——Haire, M. F.
Branched-chain-amino-acid-preferring peptidase activity of the lobster multicatalytic proteinase (proteasome) and the degradation of myofibrillar proteins, add; 285
Mynatt, R. L. See Park, E. A.
Myöhänen, S. See Wahlfors, J.

Naccache, P. H. See Krump, E.
Nagai, H. See Takai, A.
Nagamachi, Y. See Sunaga, H.
Nagao, T.
——Kubo, T.; Fujimoto, R.; Nishio, H.; Takeuchi, T.; Hata, F.
Ca^{2+}-independent fusion of secretory granules with phospholipase A_2-treated plasma membranes *in vitro*, 307: 563
Nagase, H. See Itoh, Y.; Suzuki, K.
Nagayama, K. See Yang, D.
Naggi, A. See Razi, N.
Nahmias, C.
——Cazaubon, S. M.; Briend-Sutren, M. M.; Lazard, D.; Villageois, P.; Strosberg, A. D.
Angiotensin II AT2 receptors are functionally coupled to protein tyrosine dephosphorylation in N1E-115 neuroblastoma cells, 306: 87
Naik, U. P. See Wang, F.
——Ehrlich, Y. H.; Kornecki, E.
Mechanisms of platelet activation by a stimulatory antibody: cross-linking of a novel platelet receptor for monoclonal antibody F11 with the Fcγ-RII receptor, 310: 155
Naiki, M. See Mukuria, C. J.
Naito, Y. See Namiranian, S.
Nakajima, H. See Sakakibara, Y.
Nakajima, T. See Yamada, M.
Nakajo, N. See Nomura, K.
Nakamura, K.
——Kimura, M.; Aviv, A.
Role of cyclic nucleotides in store-mediated external Ca^{2+} entry in human platelets, 310: 263
Nakamura, M. See Izumi, T.
Nakanishi, M. See Okamoto, Y.
Nakanishi, S. See Yano, H.
Nakata, M. See Izumi, T.
Nakayama, H. See Furutani, M.; Strzelecka-Golaszewska, H.
Namiranian, S. See Goodwin, C. A.
——Naito, Y.; Kakkar, V. V.; Scully, M. F.
Bound plasminogen is rate-limiting for cell-surface-mediated activation of plasminogen by urokinase, 309: 977
Nanjo, H.
——Adachi, H.; Aketa, M.; Mizoguchi, T.; Nishihara, T.; Terada, T.
The role of cysteine in the alteration of bovine liver dihydrodiol dehydrogenase 3 activity, 310: 101
Naor, Z. See Ben-Menahem, D.
Narula, S. S. See Okar, D. A.
Naseem, K. M.
——Bruckdorfer, K. R.
Hydrogen peroxide at low concentrations strongly enhances the inhibitory effect of nitric oxide on platelets, 310: 149
Nasu, K.
——Ishida, T.; Setoguchi, M.; Higuchi, Y.; Akizuki, S.; Yamamoto, S.
Expression of wild-type and mutated rabbit osteopontin in *Escherichia coli*, and their effects on adhesion and migration of p388D1 cells, 307: 257
Natalini, P. See Balducci, E.
Natori, Y. See Oka, T.
Nauntofte, B. See Jørgensen, T. D.
Navé, B. T. See Shepherd, P. R.
Nawa, Y. See Ide, H.; Murakumo, Y.; Tomita, M.
Nayler, O. See Morandini, P.
Nealis, A. S. See Meyer, D. F.
Needham, M. B. See Creaney, A.
Negishi, M. See Iwasaki, M.
Nègre-Salvayre, A. See Augé, N.
Nehme, C. L.
——Fayos, B. E.; Bartles, J. R.
Distribution of the integral plasma membrane glycoprotein CE9 (MRC OX-47) among rat tissues and its induction by diverse stimuli of metabolic activation, 310: 693
Neilson, L. See Crooke, S. T.
Nel, A. See Kumar, G.
Nelemans, A. See van der Zee, L.
Nemecek, G. M. See Johnson, T. M.
Nemenoff, R. A. See Kim, D. K.
Néndez, E. See Gijón, M. A.
Nenquin, M. See Gilon, P.
Nessau, S. See Calvete, J. J.
Neubig, R. R. See Marin, E. P.
Neuhaus, D. See Morandini, P.
Neuhaus, H.-E. See Möhlmann, T.
Neustroev, K. N. See Kachurin, A. M.
Neville, D. C. A.
——Field, R. A.; Ferguson, M. A. J.
Hydrophobic glycosides of *N*-acetylglucosamine can act as primers for polylactosamine synthesis and can affect glycolipid synthesis *in vivo*, 307: 791
Newlands, G. F. J. See Suzuki, K.
Newsholme, P. See Costa Rosa, L.-F. B. P.
Newton, R. P. See Chen, C.
Nguyen, C. See Morris, G. E.
Nguyen-Distèche, M. See Grandchamps, J.
Nguyen thi Man. See Morris, G. E.
Nicholls, D. J. See Alldread, R. M.
Nicholls, J. See Lui, V. C. H.
Nichols, B. J.
——Perry, A. C. F.; Hall, L.; Denton, R. M.
Molecular cloning and deduced amino acid sequences of the α- and β-subunits of mammalian NAD^+-isocitrate dehydrogenase, 310: 917
Nicholson, B. See Ferrer-Martinez, A.
Nicieza, R. G. See Cal, S.
Nicol, F. See Bermano, G.
Nicolaou, A. See Tsvetnitsky, V.
Nicolau, C. See Grebenkämper, K.
Nicolini, L. See Beninati, S.
Niederman, R. A. See Wu, J.
Nielsen, J. O. See Hansen, J. E.
Niemann, G. See von Besser, H.
Nieminen, A.-L.
——Saylor, A. K.; Tesfai, S. A.; Herman, B.; Lemasters, J. J.
Contribution of the mitochondrial permeability transition to lethal injury after exposure of hepatocytes to *t*-butylhydroperoxide, 307: 99
Nigam, S. K. See Bush, K. T.
Nikolaev, A. See Schneider, P.
Nilius, B. See De Greef, C.
Nilsson, G. See Johansson, J.
Nilsson, T. See Barker, C. J.; Islam, Md. S.
Nimmo, H. G. See Robertson, A. G. S.
Nishihara, T. See Nanjo, H.
Nishikawa, K. See Tamura, H.
Nishimura, H. See Fujii, S.
Nishio, H. See Nagao, T.
Nishiwaki, K. See Tabuse, Y.
Niswender, K. See Liang, Y.
Nkhungulu, Z. R. M. See Lonsdale-Eccles, J. D.
Nobel, C. S. I. See Slater, A. F. G.
Nobili, O. See Somma-Delpéro, C.
Noble, M. E. M. See Timms, J. F.
Noeske-Jungblut, C. See Haendler, B.
Noguchi, A. See Mukuria, C. J.
Noguchi, T. See Fujiwara, S.
Nolte, L. A. See Zierath, J. R.
Nomura, H. See Nomura, K.
Nomura, K.
——Nakajo, N.; Hidari, K. I.-P. J.; Nomura, J.; Murata, M.; Suzuki, M.; Yamana, K.; Hirabayashi, Y.
Occurence of a novel fucose-containing pentaglycosylceramide with blood-group-B active determinant in *Xenopus* blastula cells: its possible involvement in cell-cell adhesion, 306:821
Nonomura, Y. See Yano, H.
Nordlie, R. C. See Lucius, R. W.
Norén, O. See Olsen, J.
Norman, J. C. See Somasundaram, B.
Normand, T. See Adamski, J.
Northup, J. K. See Hoon, M. A.
Norum, K. R. See Smeland, S.
Notbohm, H. See Yang, C.
Novak, D. A. See Bravo, P.
Nuijens, H. H. See van Berkel, P. H. C.
Nunes, D. P.
——Keates, A. C.; Afdhal, N. H.; Offner, G. D.
Bovine gall-bladder mucin contains two distinct tandem repeating sequences: evidence for scavenger

receptor cysteine-rich repeats, 310: 41
Nuñez, C. See Thorne, N. M. H.
Nuñez de Castro, I. See Molina, M.
Nürnberg, B. See Ohlmann, P.
Nuyts, K. See Hoylaerts, M. F.
Nykjær, A. See Larnkjær, A.

Obata, N. H. See Okazaki, K.
Obeid, L. M. See Dbaibo, G. S.
Obie, J. F. See Gilon, P.
Obinata, M. See Tsuji, K.
O'Brien, R. M.
——Halmi, N.; Stromstedt, P.-E.; Printz, R. L.; Granner, D. K.
Expression cloning of a zinc-finger cyclic AMP-response-element-binding protein, 312: 17
O'Connell, J. P. See Hill, P. A.
O'Connell, T. P.
——Malthouse, J. P. G.
A study of the stabilization of the oxyanion of tetrahedral adducts by trypsin, chymotrypsin and subtilisin, 307: 353
O'Donnell, V. B.
——Spycher, S.; Azzi, A.
Involvement of oxidants and oxidant-generating enzyme(s) in tumour-necrosis-factor-α-mediated apoptosis: role for lipoxygenase pathway but not mitochondrial respiratory chain, 310: 133
Oertel, M. See Gross, M.
Oesch, F. See Honscha, W.
Oettl, K. See Kostner, G. M.
Offer, J. See Morandini, P.
Offner, G. D. See Nunes, D. P.
Ogawa, T. See Itonori, S.
Ogier-Denis, E. See Houri, J.-J.
Oh, I.-U. See Kim, Y.-O.
Ohanian, J. See Carsberg, C. J.; Ward, D. T.
Ohanian, V. See Ward, D. T.
Ohashi, Y. See Itonori, S.
Ohiwa, T. See Hoshino, M.
Ohkura, N. See Tomita, M.
Ohlmann, P.
——Laugwitz, K.-L.; Nürnberg, B.; Spicher, K.; Schultz, G.; Cazenave, J.-P.; Gachet, C.
The human platelet ADP receptor activates G_i2 proteins, 312: 775
Ohno, S. See Wang, F.
Oikonomakos, N. G. See Zographos, S. E.
Oinonen, T.
——Lindros, K. O.
Hormonal regulation of the zonated expression of cytochrome *P*-450 3A in rat liver, 309: 55
Oka, T.
——Komori, N.; Kuwahata, M.; Okada, M.; Natori, Y.
Vitamin B_6 modulates expression of albumin gene by inactivating tissue-specific DNA-binding protein in rat liver, 309: 243
Oka, Y. See Fukushima, Y.
Okada, M. See Oka, T.
Okajima, F.
——Tomura, H.; Sho, K.; Akbar, M.; Majid, M. A.; Kondo, Y.
Intracellular cross-talk between thyrotropin receptor and A_1 adenosine receptor in regulation of phospholipase C and adenylate cyclase in COS-7 cells transfected with their receptor genes, 306: 709
Okamoto, T. See Takahashi, T.S
Okamoto, Y.
——Furuno, T.; Hamano, T.; Nakanishi, M.
Confocal fluorescence microscopy for studying thapsigargin-induced bivalent-cation entry into B cells, 305: 1011
Okar, D. A.
——Kakalis, L. T.; Narula, S. S.; Armitage, I. M.; Pilkis, S. J.
Identification of transient intermediates in the bisphosphatase reaction of rat liver 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase by ^{31}P-NMR spectroscopy, 308: 189
Okazaki, K.
——Obata, N. H.; Inoue, S.; Hidaka, H.
S100β is a target protein of neurocalcin δ, an abundant isoform in glial cells, 306: 551
O'Keeffe, L. M. See Heath, J. K.
Olafsdottir, S. See Martinez, A.
Olafson, R. W. See Jardim, A.
Oleinikov, A. V. See Jokhadze, G. G.
Oleksiak, M. F. See Morrison, H. G.
Olivecrona, G. See Larnkjær, A.
Oliveira, M. C. F. See Carmona, A. K.
Oliver, J. See Wilson, R.
Olobo, J. See Lonsdale-Eccles, J. D.
Olsen, B. R. See Wick, M.
Olsen, J.
——Classen-Linke, I.; Sjöström, H.; Norén, O.
Pseudopregnancy induces the expression of hepatocyte nuclear factor-1β and its target gene aminopeptidase N in rabbit endometrium via the epithelial promoter, 312: 31
Olsen, R. K. See Fletcher, M. C.
Olsnes, S. See Lanzrein, M.
Olson, S. T. See Ersdal-Badju, E.
Olsson, P.-E.
——Kling, P.; Petterson, C.; Silbersand, C.
Interaction of cadmium and oestradiol-17β on metallothionein and vitellogenin synthesis in rainbow trout *(Oncorhynchus mykiss)*, 307: 197
Olsson, S.-L. See Pol, E.
Olsson, U. See Trieu, V. N.
Olszewski, J. See Lark, M. W.
Omori-Satoh, T. See Fujii, S.
Oñaderra, M. See Lacadena, J.
O'Neill, B. See Stieger, B.
Ono, Y. See Kitagawa, M.
Oosting, R. S. See Van Iwaarden, J. F.
Opdam, F. J. M. See Tytgat, K. M. A. J.
Opperdoes, F. R. See Wiemer, E. A. C.
Orchard, M. A. See Trotter, P. J.
Ordentlich, A. See Kronman, C.
Orfanos, C. E. See Wieder, T.
Orgebin-Crist, M.-C. See Tulsiani, D. R. P.
Orlacchio, A. See Emiliani, C.
Ornatsky, O. I.
——Connor, M. K.; Hood, D. A.
Expression of stress proteins and mitochondrial chaperonins in chronically stimulated skeletal muscle, 311: 119
O'Rourke, F.
——Matthews, E.; Feinstein, M. B.
Purification and characterization of the human type 1 Ins(1.4.5)P_3 receptor from platelets and comparison with receptor subtypes in other normal and transformed blood cells, 312: 499
Orrenius, S. See Slater, A. F. G.
Orsel, J. G. See Stegmann, T.
Orsomando, G. See Balducci, E.
Ortiz, E. M. See Dusetti, N. J.
Osada, S.-I. See Wang, F.
Osada, Y. See Ide, H.
Osbaldeston, N. J.
——Lee, D. M.; Cox, V. M.; Hesketh, J. E.; Morrison, J. F. J.; Blair, G. E.; Goldspink, D. F.
The temporal and cellular expression of *c-fos* and *c-jun* in mechanically stimulated rabbit latissimus dorsi muscle, 308: 465
Osbourn, J. K. See Kemp, P. R.
Osmundsen, H. See Skrede, S.
Østergaard, P. B. See Larnkjær, A.
Oten, U. See Plüss, K. M. A.
Ouaissi, A. See Moutiez, M.
Oudinet, J.-P. See Dubois, T.
Ouellet, M.
——Percival, M. D.
Effect of inhibitor time-dependency on selectivity towards cyclooxygenase isoforms, 306: 247
Ouwerkerk-Mahadevan, S.
——van Boom, J. H.; Dreef-Tromp, M. C.; Ploemen, J. H. T. M.; Meyer, D. J.; Mulder, G. J.
Glutathione analogues as novel inhibitors of rat and human glutathione S-transferase isoenzymes, as well as of glutathione conjugation in isolated rat hepatocytes and in the rat *in vivo*, 308: 283
Overdijk, B. See Pels Rijcken, W. R.
Owen, J. S. See Chawla, D.
Oyamada, T. See Ikemoto, S.
Ozgur, L. E. See Holtsberg, F. W.

Padfield, P. J. See Stegmann, T.
Padros, E. See Perez-Pons, J. A.
Pagliuca, T. R. V. See Turnell, A. S.
Pagnano, A. M. See Morrone, G.
Pain, V. M. See Morley, S. J.
Pajares, M. A. See Deigner, H. P.
Palacín, M. See Castelló, A.; Kaliman, P.; Mora, S.; Muñoz, P.
Pallanca, A. See Brigotti, M.
Pallister, R. L. See Balme, A.
Palmatier, R. See Schauss, S. J.
Palme, K. See Feldwisch, J.
Palmer, G. D. See Valhmu, W. B.
Palmer, R. H.
——Parker, P. J.
Expression, purification and characterization of the ubiquitous protein kinase C-related kinase 1, 309: 315
Palou, A. See Bonet, M. L.
Paltot, V. See Wegrowski, Y.
Pamblanco, M. See Escrivá, H.
Pan, F.-M. See Chiou, S.-H.
Pang, L.
——Zheng, C.-F.; Guan, K.-L.; Saltiel, A. R.
Nerve growth factor stimulates a novel protein kinase in PC-12 cells that phosphorylates and activates mitogen-activated protein kinase kinase (MEK), 307: 513
Papavassiliou, A. G.
——Chemical nucleases as probes for studying DNA-protein interactions, 305:345
Parak, F. See Meier, B.
Parenti, M. See McCallum, J. F.
Park, B.-S. See Moir, A. M. B.
Park, E. A.
——Jerden, D. C.; Bahouth, S. W.
Regulation of phosphoenolpyruvate carboxykinase gene transcription by thyroid hormone involves two distinct binding sites in the promoter, 309: 913
——Mynatt, R. L.; Cook, G. A.; Kashfi, K.
Insulin regulates enzyme activity, malonyl-CoA sensitivity and mRNA abundance of hepatic carnitine palmitoyltransferase-I, 310: 853

Park, H.-S. See Kim, Y.-O.
Parker, M. W. See Board, P. G.
Parker, P. J. See Palmer, R. H.
Parmar, D. V. See Khandkar, M. A.
Parmentier, M. See Eggerickx, D.
Parodi, A. J. See Alvarez, V.
Parry, L.
——Balaña Fouce, R.; Pegg, A. E.
Post-transcriptional regulation of the content of spermidine/spermine N^1-acetyltransferase by N^1N^{12}-bis(ethyl)spermine, 305: 451
Parsons, S. J. See Moyers, J. S.
Parys, J. B. See Bootman, M. D.
Pascall, J. C. See Corps, A. N.
Passadore, M.
——Bianchi, N.; Feriotto, G.; Mischiati, C.; Giacomini, P.; Piva, R.; Gambari, R.
Differential effects of distamycin analogues on amplification of human gene sequences by polymerase-chain reaction, 308: 513
Passalacqua, M. See Pessino, A.; Sparatore, B.
Passeggio, A. See Beninati, S.
Pastan, I. See Kreitman, R. J.
Pastor-Anglada, M. See Ferrer-Martinez, A.
Patel, M. S. See Maury, J.
Patel, R. P. See Rogers, M. S.
Patel, S.
——Taylor, C. W.
Quantal responses to inositol 1,4,5-trisphosphate are not a consequence of Ca^{2+} regulation of inositol 1,4,5-trisphosphate receptors, 312: 789
Patel, Y. C. See Galanopoulos, A. S.; Galanopoulou, A. S.
Paterson, H. F.
——Savopoulos, J. W.; Perisic, O.; Cheung, R.; Ellis, M. V.; Williams, R. L.; Katan, M.
Phospholipase C ζ_1 requires a pleckstrin homology domain for interaction with the plasma membrane, 312: 661
Paterson, J. M.
——Morrison, C. F.; Mendelson, S. C.; McAllister, J.; Quinn, J. P.
An upstream stimulatory factor (USF) binding motif is critical for rat preprotachykinin-A promoter activity in PC12 cells, 310: 401
Patrone, M. See Pessino, A.; Sparatore, B.
Patton, W. A., II
——Granzow, C. A.; Getts, L. A.; Thomas, S. C.; Zotter, L. M.; Gunzel, K. A.; Lowe-Krentz, L. J.
Identification of a heparin-binding protein using monoclonal antibodies that block heparin binding to porcine aortic endothelial cells, 311: 461
Paul, A. See Malarkey, K.
Paulsen, I. T. See Dagnall, B. H.
Paulsson, M. See Mörgelin, M.
Pauly, P. C.
——Klein, C.
Lack of glycosyl-phosphatidylinositol anchoring leads to precursor retention by a unique mechanism in *Dictyostelium discoideum,* 306: 643
Payne, A. M.
——Yue, P.; Pritchard, K.; Marston, S. B.
Caldesmon mRNA splicing and isoform expression in mammalian smooth-muscle and non-muscle tissues, 305: 445
Peach, R. J. See Ledgerwood, E. C.
Peak, M. See Angius, L.
Peaker, M. See Wilde, C. J.
Pearce, B. R. See Webster, M.-T.
Pearce, L. L. See Peterson, J.
Pearson, J. D. See Frearson, J. A.; Meghji, P.
Pease, R. J. See Brett, D. J.
Pedersen, E. E. See Serup, P.
Pedersen, L. G. See Iwasaki, M.
Peerlinck, K. See Hoylaerts, M. F.
Peffley, D. M. See Choi, J. W.
Pegg, A. E. See Parry, L.; Poulin, R.
Pei, L.
——Melmed, S.
Characterization of the rat vasoactive intestinal polypeptide receptor gene 5' region, 308: 719
Pekel, N. D. See Averbakh, A. Z.
Pelaprat, D. See Boudin, H.
Pelech, S. L. See Cornell, R. B.
Pelletier, G. See Poulin, R.
Pels Rijcken, W. R.
——Overdijk, B.; Van Den Eijnden, D. H.; Ferwerda, W.
The effect of increasing nucleotide-sugar concentrations on the incorporation of sugars into glycoconjugates in rat hepatocytes, 305: 865
Pelton, P. D. See Strasser, F.
Peña, P.
——Ugalde, C.; Calleja, M.; Garesse, R.
Analysis of the mitochondrial ATP synthase β-subunit gene in Drosophilidae: structure, transcriptional regulatory features and developmental pattern of expression in *Drosophila melanogaster,* 312: 887
Peng, Q. See Spinner, F.
Peng, X. See Ersdal-Badju, E.
Peranovich, T. M. S.
——da Silva, A. M.; Fries, D. M.; Stern, A.; Monteiro, H. P.
Nitric oxide stimulates tyrosine phosphorylation in murine fibroblasts in the absence and presence of epidermal growth factor, 305: 613
Percival, M. D. See Ouellet, M.
Peregrine, A. S. See Wilkes, J. M.
Pérez, C. See Gijón, M. A.
Perez, J. A. See Rodriguez, J.
Pérez, J. X. See Rosa, J. L.
Perez-Pons, J. A.
——Padros, E.; Querol, E.
Prediction and Fourier-transform infrared-spectroscopy estimation of the secondary structure of a recombinant β-glucosidase from *Streptomyces* sp. (ATCC 11238), 308: 791
Perezzic, C. M.
——Chini, E. N.; Shen, S. S.; Dousa, T. P.; Clapham, D. E.
Ca^{2+} release triggered by nicotinate adenine dinucleotide phosphate in intact sea urchin eggs, 312: 955
Perham, R. N. See Bashir, A.; Lessard, I. A. D.
Perides, G.
——Asher, R. A.; Lark, M. W.; Lane, W. S.; Robinson, R. A.; Bignami, A.
Glial hyaluronate-binding protein: a product of metalloproteinase digestion of versican?, 312: 377
Perisic, O. See Paterson, H. F.
Perkins, R. S.
——Lindsay, M. A.; Barnes, P. J.; Giembycz, M. A.
Early signalling events implicated in leukotriene B_4-induced activation of the NADPH oxidase in eosinophils: role of Ca^{2+}, protein kinase C and phospholipases C and D, 310: 795
Perkins, S. J. See Mayans, M. O.; Meyer, D. F.
Perlitz, C. See Wieder, T.
Permutt, M. A. See Liang, Y.
Perrichot, R.
——Garcia-Ocaña, A.; Couette, S.; Comoy, E.; Amiel, C.; Friedlander, G.
Locally formed dopamine modulates renal Na–Pi co-transport through DA_1 and DA_2 receptors, 312: 433
Perry, A. C. F. See Nichols, B. J.
——Gichuhi, P. M.; Jones, R.; Hall, L.
Cloning and analysis of monkey fertilin reveals novel α subunit isoforms, 307: 843
——Jones, R.; Hall, L.
Analysis of transcripts encoding novel members of the mammalian metalloprotease-like, disintegrin-like, cysteine-rich (MDC) protein family and their expression in reproductive and non-reproductive monkey tissues, 312: 239
Persson, L. See Autelli, R.
Pessino, A. See Sparatore, B.
——Passalacqua, M.; Sparatore, B.; Patrone, M.; Melloni, E.; Pontremoli, S.
Antisense oligodeoxynucleotide inhibition of δ protein kinase C expression accelerates induced differentiation of murine erythroleukaemia cells, 312: 549
Petach, H. H. See More, N.
Peters, C. See Brooks, D. A.
Peters, R. See Grebenkämper, K.
Peters, S. See Bause, E.
Peters, T. J. See Mayall, T. P.
Peters, W. See Sistermans, E. A.
Petersen, C. C. H.
——Berridge, M. J.
G-protein regulation of capacitative calcium entry may be mediated by protein kinases A and C in *Xenopus* oocytes, 307: 663
——Berridge, M. J.; Borgese, M. F.; Bennett, D. L.
Putative capacitative calcium entry channels: expression of *Drosophila trp* and evidence for the existence of vertebrate homologues, 311: 41
Petersen, H. V. See Serup, P.
Petersen, J. S. See Serup, P.
Petersen, T. E. See Jensen, P. H.; Johnsen, L. B.
Peterson, J. See Spinner, F.
——Day, E. P.; Pearce, L. L.; Wilson, M. T.
Measurement of the spin concentration of metalloprotein samples from saturation-magnetization data with particular reference to cytochrome *c* oxidase, 305: 871
Petit, A.
——Maveyraud, L.; Lenfant, F.; Samama, J.-P.; Labia, R.; Masson, J.-M.
Multiple substitutions at position 104 of β-lactamase TEM-1: assessing the role of this residue in substrate specificity, 305: 33
Petit-Glatron, M.-F. See Hernandez, L.
Petrella, A. See Morrone, G.
Petrie, L. See Chesters, J. K.
Petrou, C. P.
——Tashjian, A. J. Jr.
Evidence that the thyrotropin-releasing hormone receptor and its ligand are recycled dissociated from each other, 306: 107
Petterson, C. See Olsson, P.-E.
Pettit, E. J.
——Hallett, M. B.
Early Ca^{2+} signalling events in neutrophils detected by rapid confocal laser scanning, 310: 445

Pfeilschifter, J. See Huwiler, A.; Plüss, K. M. A.
Phelan, P. See Malthouse, J. P. G.
Phelouzat, M.-A.
——Basselin, M.; Lawrence, F.; Robert-Gero, M.
Sinefungin shares AdoMet-uptake system to enter *Leishmania donovani* promastigotes, 305: 133
Philcox, J. C. See Coyle, P.
——Coyle, P.; Michalska, A.; Choo, K. H. A.; Rofe, A. M.
Endotoxin-induced inflammation does not cause hepatic zinc accumulation in mice lacking metallothionein gene expression, 308: 543
Phuyal, J. L. See Bryson, J. M.
Picard, V. See Ersdal-Badju, E.
Pich, M. M. See Genova, M. L.
Picozzi, M. See De Cristofaro, R.
Pieper, F. R. See Rijnkels, M.; van Berkel, P. H. C.
Pieraggi, M.-T. See Augé, N.
Pierce, A. See Escrivá, H.
Pierre, J.-L. See Caris, C.
Pierson, S. See Joseph, S. K.
Pignata, S. See Bevilacqua, M. A.
Pigny, P. See Guyonnet Duperat, V.
Piiper, A.
——Stryjek-Kaminska, D.; Jahn, R.; Zeuzem, S.
Stimulation of inositol 1,4,5-trisphosphate production by peptides corresponding to the effector domain of different Rab3 isoforms and cross-linking of an effector domain peptide target, 309: 621
Pilch, P. F. See Kandror, K. V.; Muñoz, P.
Pilkis, S. J. See Okar, D. A.; Rosa, J. L.
Pilone, M. S. See Pollegioni, L.
Piña, E. See Robles-Flores, M.
Pines, J.
——Cyclins and cyclin-dependent kinases: a biochemical view, 308: 697
Pingel, S.
——Field, R. A.; Güther, M. L. S.; Duszenko, M.; Ferguson, M. A. J.
The hydrophobic mannoside Manα1–6-Manα1-S0$(CH_2)_7$-CH_3 acts as an acceptor for the UDP-Gal:glycosylphosphatidylinositol anchor 1,3-galactosyltransferase of *Trypanosoma brucei,* 309: 877
Pinson, B. See Urban-Grimal, D.
Piper, H. M. See Schlüter, K.-D.
Pirhonen, J. See Sareneva, T.
Pitson, S. M.
——Seviour, R. J.; McDougall, B. M.; Woodward, J. R.; Stone, B. A.
Purification and characterization of three extracellular (1 → 3)-β-D-glucan glucohydrolases from the filamentous fungus *Acremonium persicinum,* 308: 733
Piva, R. See Passadore, M.
Pizzo, S. V., 307: 867. See Misra, U. K.
Platte, H.-D. See Honscha, W.
Plattner, H. See Treptau, T.
Plaxton, W. C. See Law, R. D.
Plevin, R. See Malarkey, K.; McLees, A.
Ploemen, J. H. T. M. See Ouwerkerk-Mahadevan, S.
Plüss, K. M. A.
——Pfeilschifter, J.; Mühl, H.; Huwiler, A.; Boeckh, C.; Otten, U.
Modulatory role of platelet-derived growth factor on cytokine-induced nerve growth factor synthesis in rat glomerular mesangial cells, 312: 707
Podanyi, B. See Sumegi, B.
Podder, S. K. See Ramkumar, R.
Pogliaghi, G. See Tacchini, L.
Poinot-Chazel, C. See Bouaboula, M.
Pol, E.
——Olsson, S.-L.; Estrada, S.; Prasthofer, T. W.; Björk, I.
Characterization by spectroscopic, kinetic and equilibrium methods of the interaction between recombinant human cystatin A (stefin A) and cystein proteinases, 311: 275
Polgár, L.
——Effects of ionic strength on the catalysis and stability of prolyl oligopeptidase, 312: 267
Polites, M. See Macaulay, S. L.
Pollack, S. J. See Iversen, L. L.
Pollegioni, L.
——Ceciliani, F.; Curti, B.; Ronchi, S.; Pilone, M. S.
Studies on the structural and functional aspects of *Rhodotorula gracilis* D-amino acid oxidase by limited trypsinolysis, 310: 577
Polzonetti, V. See Balducci, E.
Pompliano, D. L. See Koblan, K. S.
Ponasik, J. A.
——Strickland, C.; Faerman, C.; Savvides, S.; Karplus, P. A.; Ganem, B.
Kukoamine A and other hydrophobic acylopolyamines: potent and selective inhibitors of *Crithidia fasciculata* trypanothione reductase, 311:371
Pontremoli, S. See Di Lisa, F.; Pessino, A.; Sparatore, B.
Poole, A. See Yanaga, F.
Pooley, L. See McPhee, I.; Shakur, Y.
Poort, S. R. See Wojcik, E. G. C.
Popplewell, A. G. See Walker, K. N.
Porchet, N. See Guyonnet Duperat, V.
Pörn, M. I.
——Slotte, J. P.
Localization of cholesterol in sphingomyelinase-treated fibroblasts, 308: 269
Portaro, F. C. V. See Chagas, J. R.
Porter, R. K.
——Brand, M. D.
Mitochondrial proton conductance and H^+/O ratio are independent of electron transport rate in isolated hepaocytes, 310: 379
Portugal, J.
——Sánchez-Baeza, F. J.
Mitomycin C binding to Poly[d(G-M^5C)], 306: 185
Posse de Chaves, E.
——Vance, D. E.; Campenot, R. B.; Vance, J. E.
Alkylphosphocholines inhibit choline uptake and phosphatidylcholine biosynthesis in rat sympathetic neurons and impair axonal extension, 312: 411
Possmayer, F. See MacDonald, J. I. S.
Post, S. R.
——Hilal-Dandan, R.; Urasawa, K.; Brunton, L. L.; Insel, P. A.
Quantification of signalling components and amplification in the β-adrenergic-receptor-adenylate cyclase pathway in isolated adult rat ventricular myocytes, 311: 75
Postma, F. R. See Jalink, K.
Potempa, J.
——Enghild, J. J.; Travis, J.
The primary elastase inhibitor (elastasin) and trypsin inhibitor (contrapsin) in the goat are serpins related to human α_1-anti-chymotrypsin, 306: 191
Potter, I. C. See Harris, L. R.
Poulin, R.
——Pegg, A. E.
Stable intracellular acidification upon polyamine depletion induced by α-difluoromethylornithine or N^1,N^{12}-bis(ethyl)spermine in L1210 leukaemia cells, 312: 749
——Pelletier, G.; Pegg, A. E.
Induction of apoptosis by excessive polyamine accumulation in ornithine decarboxylase-overproducing L1210 cells, 311: 723
Pouliot, J.-F. See Jetté, L.
Pouliot, M. See Krump, E.
Poulos, A. See Hardy, S. J.
Poulsen, J.-C. J.
——Caspersen, C.; Mathiasen, D.; East, J. M.; Tunwell, R. E. A.; Lai, F. A.; Maeda, N.; Mikoshiba, K.; Treiman, M.
Thapsigargin-sensitive Ca^{2+}-ATPases account for Ca^{2+} uptake to inositol 1,4,5-trisphosphate-sensitive and caffeine-sensitive Ca^{2+} stores in adrenal chromaffin cells, 307:749
Powis, R. See Webb, T. J.
Pradhan, S. See Reale, A.
Prado, E. S. See Chagas, J. R.; Del Nery, E.
Prasthofer, T. W. See Pol, E.
Predki, P. F.
——Sarkar, B.
Cooperative interaction of oestrogen receptor 'zinc finger' domain polypeptides on DNA binding, 305: 805
Prelli, F. See Castaño, E. M.
Prémont, J. See Marin, P.
Prence, E. M.
——Effects of calcium on phosphatidylserine- and saposin C-stimulated glucosylceramide β-glucosidase activity, 310: 571
Prescott, M. See Toogood, H. S.
Presek, P. See Martinson, E. A.
Preston, S. F. See Berlin, R. D.
Preuss, I. See Buhl, W.-J.
Price, N. C. See McClelland, D. A.; Renwick, S. B.; West, S. M.
Price, N. T. See Craddock, B. L.
Priestman, D. A. See Maury, J.
Prieto, S.
——Bouillaud, F.; Rial, E.
The mechanism for the ATP-induced uncoupling of respiration in mitochondria of the yeast *Saccharomyces cerevisiae,* 307: 657
Prieur, B.
——Cordeau-Lossouarn, L.; Rotig, A.; Bismuth, J.; Geloso, J.-P.; Delaval, E.
Perinatal maturation of rat kidney mitochondria, 305: 675
Prigent, A.-F. See El Bawab, S.
Primrose, W. U. See Kilby, P. M.; Mondi, S.
Prince, C. W. See Baggott, J. E.
Princen, H. M. G. See Twisk, J.
Printz, R. L. See O'Brien, R. M.
Pritchard, K. See Payne, A. M.
Prockop, D. J. See Ala-Kokko, L.; Bonaventure, J.
Proost, P. See Van Rompaey, L.
Prosser, C. G. See Hocking Edwards, J. E.
Proud, C. G. See Craddock, B. L.; Moule, S. K.
Proudfoot, L.
——Schneider, P.; Ferguson, M. A. J.; McConville, M. J.
Biosynthesis of the glycolipid anchor of lipophosphoglycan and the structurally related glycoinositolphospholipids from *Leishmania major,* 308: 45
Pruzanski, W.

——de Beer, F. C.; de Beer, M. C.; Stefanski, E.; Vadas, P.
Serum amyloid A protein enchances the activity of secretory non-pancreatic phospholipase A_2, 309: 461
Prydz, K. See Svennevig, K.
Pryme, I. See Hovland, R.
Prystowsky, J. H. See Zheng, Z. S.
Puccia, R. See Carmona, A. K.
Puente Navazo, M. D. See Daviet, L.
Pugh, C. E.
——Roy, A. B.; Hawkes, T.; Harwood, J. L.
A new pathway for the synthesis of the plant sulpholipid, sulphoquinovosyldiacylglycerol, 309: 513
Purbrick, A. See Kapas, S.
Pushkin, A. V. See Kandror, K. V.
Putney, J. W., Jr. See Gilon, P.
Putt, W. See Sowden, J.
Puyou, A. G. See Galina, A.
Puyou, M. T. G. See Galina, A.
Puzon, W. See Kamata, T.
Pyke, C. See Lund, L. R.
Pyne, N. J. See Moughal, N.; Pyne, S.
Pyne, S. See Moughal, N.
——Pyne, N. J.
Bradykinin-stimulated phosphatidylcholine hydrolysis in airway smooth muscle: the role of Ca^{2+} and protein kinase C, 311: 637
Python, C. P.
——Laban, O. P.; Rossier, M. F.; Vallotton, M. B.; Capponi, A. M.
The site of action of Ca^{2+} in the activation of steroidogenesis: studies in Ca^{2+}-clamped bovine adrenal zona-glomerulosa cells, 305: 569

Qin, S.
——Inazu, T.; Yamamura, H.
Activation and tyrosine phosphorylation of p72*syk* as well as calcium mobilization after hydrogen peroxide stimulation in peripheral blood lymphocytes, 308: 347
Qin H. See Tan, E. M. L.
Qiu-Yue, Z. See Alcázar, O.
Qu, G. Y. See Stam, K.
Quarck, R. See Lerrou, E.
Quaresima, B. See Bevilacqua, M. A.
Quash, G. See Clément, S.
——Roch, A.-M.; Chantepie, J.; Michal, Y.; Fournet, G.; Dumontet, C.
Methional derived from 4-methylthio-2-oxobutanoate is a cellular mediator of apoptosis in BAF_3 lymphoid cells, 305: 1017
Quesol, E. See Perez-Pons, J. A.
Quiec, D.
——Mazière, C.; Auclair, M.; Santus, R.; Gardette, J.; Redziniak, G.; Franchi, J.; Dubertret, L.; Mazière, J.-C.
Lovastatin enhances the photocytotoxicity of UVA radiation towards cultured N.C.T.C. 2544 human keratinocytes: prevention by cholesterol supplementation and by a cathepsin inhibitor, 310: 305
Quinn, J. P. See Paterson, J. M.
Quintana, I.
——Grau, M.; Moreno, F.; Soler, C.; Ramírez, I.; Soley, M.
The early stimulation of glycolysis by epidermal growth factor in isolated rat hepatocytes is secondary to the glycogenolytic effect, 308: 889

Rabilloud, T. See Vuillard, L.
——Berthier, R.; Vinçon, M.; Ferbus, D.; Goubin, G.; Lawrence, J.-J.
Early events in erythroid differentiation: accumulation of the acidic peroxidoxin (PRP/TSA/NKEF-B), 312: 699
Racine, L.
——Scoazec, J.-Y.; Moreau, A.; Chassagne, P.; Bernuau, D.; Feldmann, G.
Distribution of albumin, α_1-inhibitor 3 and their respective mRNAs in periportal and perivenous rat hepatocytes isolated by the digitonin-collagenase technique, 305: 263
Raclot, T.
——Leray, D.; Bach, A. C.; Groscolas, R.
The selective mobilization of fatty acids is not based on their positional distribution in white-fat-cell triacylglycerols, 311: 911
Radford, S. E. See Chan, C.; Gregoriou, M.
Radice, L. See Tacchini, L.
Radtke, K.-P. See Greengard, J. S.
Raeymaekers, L. See De Greef, C.
Raffaelli, N. See Balducci, E.
Ragab, A. See Gaits, F.
Ragab-Thomas, J. M. F. See Gaits, F.
Raggi, A. See Manieri-Raggi, M.
Raguenez, G. See Chan, P.
Rahman, S. See Benzakour, O.
——Lu, X.; Kakkar, V.; Authi, K. S.
The integrin $\alpha_{IIb}\beta_3$ contains distinct and interacting binding sites for snake-venom RGD (Arg-Gly-Asp) proteins. Evidence that the receptor-binding characteristics of snake-venom RGD proteins are related to the amino acid environment flanking the sequence RGD, 312: 223
Raida, M. See Calvete, J. J.
Raines, R. T. See Kim, J.-S.
Ramírez, I. See Quintana, I.
Ramkumar, R.
——Surolia, A.; Podder, S. K.
Energetics of carbohydrate binding by a 14 kDa S-type mammalian lectin, 308: 237
Ramponi, G. See Chiarugi, P.
Ramsay, R. R. See Murphy, M. P.
Randoux, A. See Wegrowski, Y.
Ranganathan, S.
——Walsh, E. S.; Tew, K. D.
Glyoxalase I in detoxification: studies using a glyoxalase I transfectant cell line, 309: 127
Rangwala, S. H. See Gierse, J. K.
Ranierri-Raggi, M.
——Ronca, F.; Sabbatini, A.; Raggi, A.
Regulation of skeletal-muscle AMP deaminase: involvement of histidine residues in the pH-dependent inhibition of the rabbit enzyme by ATP, 309: 845
Ranjeva, R. See Bourdineaud, J.-P.
Rao, K. See Dash, D.
Raquet, X. See Damblon, C.
Rasmussen, L. K. See Jensen, P. H.; Johnsen, L. B.
Ratcliffe, A. See Valhmu, W. B.
Ratcliffe, N. A. See Chen, C.
Rathjen, P. D. See Schulz, T. C.
Ratledge, C. See Sharman, G. J.
Rattendi, D. See Bacchi, C. J.
Raugei, G. See Chiarugi, P.
Rawala, R. See Ahmad, S. S.
Ray, M. See Misra, K.
Ray, S. See Misra, K.
Raymondjean, M. See Foufelle, F.
Rayner, D. V. See Trayhurn, P.
Rayner, S. J. See Hawkes, T. R.
Razi, N.
——Feyzi, E.; Björk, I.; Naggi, A.; Casu, B.; Lindahl, U.
Structural and functional properties of heparin analogues obtained by chemical sulphation of *Escherichia coli* K5 capsular polysaccharide, 309: 465
Read, M. L.
——Smith, S. B.; Docherty, K.
The insulin enchancer binding site 2 (IEB2; FAR) box of the insulin gene regulatory region binds at least three factors that can be distinguished by their DNA binding characteristics, 309: 231
Reale, A. See Santoro, R.
——Lindsay, H.; Saluz, H. P.; Pradhan, S.; Adams, R. L. P.; Jost, J.-P.; Strom, R.
DNA binding and methyl transfer catalysed by mouse DNA methyltransferase, 312: 855
Reck, M.-P. See Gebuhrer, V.
Redman, C. A.
——Schneider, P.; Mehlert, A.; Ferguson, M. A. J.
The glycoinositol-phospholipids of *Phytomonas*, 311: 495
Redziniak, G. See Quiec, D.
Reeder, B. J. See Rogers, M. S.
Rees, A. R. See Gregoriou, M.
Rees, H. H. See Shergill, J. K.; Webb, T. J.
Rees, W. D.
——Hay, S. M.
The biosynthesis of threonine by mammalian cells: expression of a complete bacterial biosynthetic pathway in an animal cell, 309: 999
Refetoff, S. See Eggerickx, D.
Reglero, A. See Rodríguez-Aparicio, L. B.
Reichen, J. See Elsing, C.
Reid, G. A. See Balme, A.
Reid, K. B. M. See Holmskov, U.
Reilly, A. See Berks, B. C.
Reinauer, H. See Dahlmann, B.
Reinert, M. See Calvete, J. J.
Reis, M. See Galina, A.
Reiser, V.
——Gašperík, J.
Purification and characterization of the cell-wall-associated and extracellular α-glucosidases from *Saccharomycopsis fibuligera*, 308: 753
Reiss, C. See Schmitt, B.
Remus, A. J. See Riedel, H.-D.
Rena, G. See Spence, S.
Renard-Rooney D. C.
——Joseph, S. K.; Seitz, M. G.; Thomas A. P.
Effect of oxidized glutathione and temperature on inositol 1,4,5-trisphosphate binding in permeabilized hepatocytes, 310: 185
Renner, E. L. See Elsing, C.
Renwick, S. B.
——Critchley, A. D.; Adams, C. J.; Kelly, S. M.; Price, N. C.; Stockley, P. G.
Probing the details of the HIV-1 Rev—Rev-responsive element interaction: effects of modified nucleotides on protein affinity and conformational changes during complex formation, 308: 447
Represa, A. See Trabelsi-Terzidis, H.
Resing, K. A. See Berger, S. J.
Reuveny, S. See Kronman, C.
Revers, L. See Wilson, I. B. H.
Rey-Campos, J. See Arenzana, N.
Reynolds, J. J. See Allan, J. A.; Hill, P. A.
Rhee, S.-G. See Divecha, N.
Rhodius, V. A. See Savery, N. J.
Rial, E. See Prieto, S.
Ribeiro, J. M. C.

——Schneider, M.; Guimarães, J. A.
Purification and characterization of prolixin S (nitrophorin 2), the salivary anticoagulant of the blood-sucking bug *Rhodnius prolixus,* 308: 243
Ribel, U. See Kurtzhals, P.
Rice, D. W. See Hawkes, T. R.
Rice, J. E. See West, S. M.
Rich, G. T. See Dawson, A. P.
——Comerford, J. G.; Graham, S.; Dawson, A. P.
Effects of CoA and acyl-CoA on Ca^{2+}-permeability of endoplasmic-reticulum membranes from rat liver, 306: 703
Richards, P. See Chen, L.-M.
Richardson, D. J. See Berks, B. C.; Sears, H. J.
Richter, M. See Hohenegger, M.
Rider, M. H.
——Crepin, K. M.; De Cloedt, M.; Bertrand, L.; Vertommen, D.; Hue, L.
Study of the roles of Arg-104 and Arg-225 in the 2-kinase domain of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase by site-directed mutagenesis, 309: 341
Riedel, H.-D.
——Remus, A. J.; Fitscher, B. A.; Stremmel, W.
Characterization and partial purification of a ferrireductase from human duodenal microvillus membranes, 309: 745
Rijnkels, M.
——Kooiman, P. M.; Krimpenfort, P. J. A.; de Boer, H. A.; Pieper, F. R.
Expression analysis of the individual bovine β-, α_{s2}-and κ-casein genes in transgenic mice, 311: 929
Rinaldi-Carmona, M. See Bouaboula, M.
Rings, E. H. H. M. See Van Beers, E. H.
Risler, J.-L. See Chan, P.
Rissi, R. See Gallina, A.
Ritvaniemi, P. See Bonaventure, J.
Rivers, P. S. See Valhmu, W. B.
Rivier, F. See Fabbrizio, E.
Robert, M. See Marty, I.
Robert-Gero, M. See Phelouzat, M.-A.
Roberts, G. C. K. See Bellingham, R. M. A.; Kilby, P. M.; Mondi, S.
Robertson, A. G. S.
——Nimmo, H. G.
Site-directed mutagenesis of cysteine-195 in isocitrate lyase from *Escherichia coli* ML308, 305: 239
Robertson, B. See Johansson, J.
Robertson, D.
——McCormack, B. A.; Bolwell, G. P.
Cell wall polysaccharide biosynthesis and related metabolism in elicitor-stressed cells of French bean (*Phaseolus vulgaris* L.), 306: 745
Robertson, D. A. See Brooks, D. A.
Robin, D. See Franckhauser, S.
Robin, P. See Franckhauser, S.
Robins, D. J. See Borthwick, E. B.
Robinson, B. S. See Hardy, S. J.
Robinson, C. V. See Chan, C.
Robinson, K.
——Jones, D.; Howell, S.; Soneji, Y.; Martin, S.; Aitken, A.
Expression and characterization of maize ZBP14, a member of a new family of zinc-binding proteins, 307: 267
Robinson, R. A. See Perides, G.
Robles-Flores, M.
——Allende, G.; Piña, E.; García-Sáinz, J. A.
Cross-talk between glucagon- and adenosine-mediated signalling systems in rat hepatocytes: effects on cyclic AMP-phosphodiesterase activity, 312: 763
Robson, N. See Hofmann, O.
Rocca, B. See De Cristofaro, R.
Roch, A.-M. See Quash, G.
Rodenburg, K. W.
——Várallyay, É.; Svendsen, I.; Svensson, B.
Arg-27, Arg-127 and Arg-155 in the β-trefoil protein barley α-amylase/subtilisin inhibitor are interface residues in the complex with barley α-amylase 2, 309: 969
Rodrigues, E. G. See Carmona, A. K.
Rodrigues-Lima, F. See Jean, D.
Rodriguez, J.
——Perez, J. A.; Ruiz, T.; Rodriguez, L.
Characterization of the invertase from *Pichia anomala,* 306: 235
Rodriguez, L. See Rodriguez, J.
Rodriguez, M. See Vaughan, A.
Rodríguez-Aparicio, L. B.
——Ferrero, M. A.; Reglero, A.
N-Acetyl-D-neuraminic acid synthesis in *Escherichia coli* K1 occurs through condensation of *N*-acetyl-D-mannosamine and pyruvate, 308: 501
Rodríguez de Córdoba, S. See Arenzana, N.
Rodriguez-Yoldi, M.-J. See Mesonero, J.
Roevens, P.
——De Chaffoy De Courcelles, D.
Desensitization and resensitization of human platelets to 5-hydroxytryptamine at the level of signal transduction, 307: 775
Rofe, A. M. See Coyle, P.; Philcox, J. C.
Rogers, M. S.
——Patel, R. P.; Reeder, B. J.; Sarti, P.; Wilson, M. T.; Alayash, A. I.
Pro-oxidant effects of cross-linked haemoglobins explored using liposome and cytochrome *c* oxidase vesicle model membranes, 310: 827
Rohde, M. F. See Lu, K. V.
Roman, A. See Armstrong, D. J.
Romanelli, A. See Comte, B.
Romarís, M.
——Bassols, A.; David, G.
Effect of transforming growth factor-β1 and basic fibroblast growth factor on the expression of cell surface proteoglycans in human lung fibroblasts. Enhanced glycanation and fibronectin-binding of CD44 proteoglycan, and down-regulation of glypican, 310: 73
Romero, P. J. See Benaim, G.
Romeu, A. See Henrissat, B.
Ronca, F. See Manieri-Raggi, M.
Ronchi, S. See Pollegioni, L.
Ronjat, M. See Marty, I.
Ronzière, M.-C. See Freyria, A.-M.
Roongta, V. See Mayo, K. H.
Roos, N. See Holen, I.
Roques, B. P. See Dion, N.
Rordorf, G. See Kim, D. K.
Ros, M. See Martín, M.
Rosa, J. L.
——Pérez, J. X.; Ventura, F.; Tauler, A.; Gil, J.; Shimoyama, M.; Pilkis, S. J.; Bartrons, R.
Role of the N-terminal region in covalent modification of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase: comparison of phosphorylation and ADP-ribosylation, 309:119
Rose, H. See Fischer, Y.
Rose, R. C.
——Bode, A. M.
Analysis of water-soluble antioxidants by high-pressure liquid chromatography, 306: 101
Roseanu, A. See Elass-Rochard, E.
Rose-John, S. See Krüttgen, A.
Rosemblatt, M. See Muñoz, P.
Rosenberger, U.
——Shakibaei, M.; Buchner, K.
Localization of non-conventional protein kinase C isoforms in bovine brain cell nuclei, 305: 269
Rosenblum, N. D.
——Botelho, B. B.; Bernfield, M.
Expression of a *Xenopus* counterpart of mammalian syndecan 2 during embryogenesis, 309: 69
Rosi, G. See Talesa, V.
Ross, B. D. See Kanamori, K.
Rossato, M. See Foresta, C.
Rossetti, L. See Barzilai, N.
Rossi, A.
——Santoro, M. G.
Induction by prostaglandin A_1 of haem oxygenase in myoblastic cells: an effect independent of expression of the 70 kDa heat shock protein, 308: 455
Rossi, F. See Dusi, S.; Gallina, A.
Rossi, L. See Magnani, M.
Rossier, M. F. See Python, C. P.
Rostene, W. See Boudin, H.
Roth, J. See Goebeler, M.
Rothhut, B. See Dubois, T.
Rotig, A. See Prieur, B.
Rotilio, G. See Meier, B.
Rouda, S. See Tan, E. M. L.
Roughley, P. J. See Grover, J.; Hughes, C. E.
Rouillac, C. See Cartron, J.-P.
Rouot, B. See Fischer, T.
Rovio, A. See Kolmer, M.
Rowe, J. D.
——Griffiths, W. T.
Protochlorophyllide reductase in photosynthetic prokaryotes and its role in chlorophyll synthesis, 311: 417
Roy, A. B. See Pugh, C. E.
Royce, P. M. See Tomita, M.
Rønne, E. See Lund, L. R.
Rudakova, I. P. See Averbakh, A. Z.
Ruf, W. See Stone, M. J.
Ruggieri, S. See Balducci, E.
Ruiz, F. See Benaim, G.
Ruiz, P. See Martinez, C.
Ruiz, T. See Rodriguez, J.
Ruoho, A. E. See Vaillancourt, R. R.
Rupniak, T. See Davis, D. R.
Rushbrook, J. I. See Zeng, Y.
Russ, P. L. See Kole, H. K.
Russell, M. See Mitchell, F. M.
Russell, P. See Smith, J. B.
Russo, T. See Bevilacqua, M. A.
Russo-Marie, F. See Dubois, T.
Rüstow, B. See Stevens, P. A.
Rutherford, N. G. See Martin, G. E. M.
Ryan, M. P. See Higgins, P. J.
Ryba, N. J. P. See Hoon, M. A.
Rybicki, A. C.
——Musto, S.; Schwartz, R. S.
Identification of a band-3 binding site near the N-terminus of erythrocyte membrane protein 4.2, 309: 677
Ryo, Y. See Yamada, M.
Rzewnicki, D. See Zhang, D.

Saad, M. J. A.
——Velloso, L. A.; Carvalho, C. R. O.
Angiotensin II induces tyrosine phosphorylation of insulin receptor substrate 1 and its association with phosphatidylinositol 3-kinase in rat heart, 310: 741
Sabbatini, A. See Manieri-Raggi, M.
Sabina, R. L. See Van den Bergh, F.

Sablin, S. O. See Murphy, M. P.
Sachdev, G. P. See Shankar, V.
Sacks, D. B.
——Mazus, B.; Joyal, J. L.
The activity of calmodulin is altered by phosphorylation: modulation of calmodulin function by the site of phosphate incorporation, 312: 197
Sagara, J.-I. See Sato, H.
Saggerson, E. D. See Broadway, N. M.
Saha, P.
——Singh, M.
Characterization of a winged bean *(Psophocarpus tetragonolobus)* protein kinase with calmodulin-like domain: regulation by autophosphorylation, 305: 205
Saiardi, A.
——Falasca, P.; Civitareale, D.
Synergistic transcriptional activation of the thyrotropin receptor promoter by cyclic AMP-responsive-element-binding protein and thyroid transcription factor 1, 310: 491
Saier, M. H., Jr. See Dagnall, B. H.
Saito, A.
——Sinohara, H.
Rabbit α-1-antiproteinase E: a novel recombinant serpin which does not inhibit proteinases, 307: 369
Saito, K. See Yamada, M.
Saitoh, T. See Fukushima, Y.
Saitoh, Y. See Yano, H.
Sakai, Y. See Kawasaki, T.
Sakakibara, Y.
——Suiko, M.; Nakajima, H.; Liu, M.-C.
Sulphation of L-tyrosine in mammalian cells: a comparative study, 305: 993
Sakanaka, C. See Izumi, T.
Saklatvala, J. See Guesdon, F.
Sakon, M. See Yano, Y.
Sakura, H. See Muraoka, A.
Salamino, F. See Di Lisa, F.
Sale, G. J. See Asamoah, K. A.
Salier, J.-P. See Chan, P.
Salmon, V. See Elass-Rochard, E.
Salter, A. M. See Bennett, A. J.
Saltiel, A. R. See Milarski, K. L.; Pang, L.
Saluz, H.-P. See Santoro, R.
Saluz, H. P. See Reale, A.
Salvayre, R. See Augé, N.
Samama, J.-P. See Petit, A.
Samanta, S. See Joseph, S. K.
Samejima, Y. See Fujii, S.
Samols, D. See Zhang, D.
Sánchez, C.
——Díaz-Nido, J.; Avila, J.
Variations in *in vivo* phosphorylation at the proline-rich domain of the microtubule-associated protein 2 (MAP2) during rat brain development, 306: 481
Sanchez, J. See Cal, S.
Sánchez-Baeza, F. J. See Portugal, J.
Sánchez Crespo, M. See Gijón, M. A.
Sánchez-Ferrer, A. See Bru, R.; López-Nicolás, J. M.
Sandström, B. E.
——Effects of quin2 acetoxymethyl ester on H_2O_2-induced DNA single-strand breakage in mammalian cells: H_2O_2-concentration-dependent inhibition of damage and additive protective effect with the hydroxyl-radical scavenger dimethyl sulphoxide, 305: 181
Sandvig, K. See Lanzrein, M.
Saneshige, S.
——Mano, H.; Tezuka, K.-I.; Kakudo, S.; Mori, Y.; Honda, Y.; Itabashi, A.; Yamada, T.; Miyata, K.; Hakeda, Y.; Ishii, J.; Kumegawa, M.
Retinoic acid directly stimulates osteoclastic bone resorption and gene expression of cathepsin K/OC-2, 309: 721
Sanghera, J. S. See Cornell, R. B.
Sano, T. See Tabuse, Y.
Santa Maria, C. See Alvarez, E.
Santoro, M. G. See Rossi, A.
Santoro, R.
——D'Erme, M.; Mastrantonio, S.; Reale, A.; Marenzi, S.; Saluz, H.-P.; Strom, R.; Caiafa, P.
Binding of histone H1e-c variants to CpG-rich DNA correlates with the inhibitory effect on enzymic DNA methylation, 305: 739
Santus, R. See Quiec, D.
Sanz, J. See Martín, M.
Sanz, L. See Calvete, J. J.
Saran, M. See Meier, B.
Sareneva, T.
——Pirhonen, J.; Cantell, K.; Julkenen, I.
N-glycosylation of human interferon-γ: glycans at Asn-25 are critical for protease resistance, 308: 9
Sarkar, B. See Predki, P. F.
Sarrouf, M. N. See Aballay, A.
Sarti, P. See Rogers, M. S.
——Molinari, A.; Arancia, G.; Meloni, A.; Citro, G.
A modified spectroscopic method for the determination of the transbilayer distribution of phosphatidylethanolamine in soya-bean asolectin small unilamellar vesicles, 312: 643
Sasaki, K. See Takai, A.
Sasaki, T.
——Hazeki, K.; Hazeki, O.; Ui, M.; Katada, T.
Permissive effect of ceramide on growth factor-induced cell proliferation, 311: 829
Sato, H.
——Fujiwara, K.; Sagara, J.-I.; Bannai, S.
Induction of cystine transport activity in mouse peritoneal macrophages by bacterial lipopolysaccharide, 310:547
Sato, K. See Kumazawa, T.
Sato, Y. See Arita, M.
Satoh, T. See Li, M.-S.
Sautière, P. See Wouters-Tyrou, D.
Savage, A.
——Zeng, L.; Houslay, M. D.
A role for protein kinase C-mediated phosphorylation in eliciting glucagon desensitization in rat hepatocytes, 307: 281
Savery, N. J.
——Rhodius, V. A.; Wing, H. J.; Busby, S. J. W.
Transcription activation at *Escherichia coli* promoters dependent on the cyclic AMP receptor protein: effects of binding sequences for the RNA polymerase α-subunit, 309: 77
Savino, G. See Van Wuytswinkel, O.
Savopoulos, J. W. See Paterson, H. F.
Savvides, S. See Ponasik, J. A.
Sawa, T. See Haruta, T.
Sawa, Y. See Kono, Y.
Sawai, Y. See Kawasaki, T.
Saxty, B. A.
——van Heyningen, S.
The purification of a cysteine-dependent NAD^+ glycohydrolase activity from bovine erythrocytes and evidence that it exhibits a novel ADP-ribosyltransferase activity, 310: 931
Saylor, A. K. See Nieminen, A.-L.
Scanziani, E. See Kurosaki, M.
Scawen, M. D. See Alldread, R. M.
Schaber, M. D. See Koblan, K. S.
Schafer, A. I. See Durante, W.
Schäfer, W. See Calvete, J. J.
Schäffer, L. See Kristensen, C.
Schaper, J. See Schorpp, M.
Schapira, A. H. V. See Bodnar, A. B.
Schauss, S. J.
——Henry, T.; Palmatier, R.; Halvorson, L.; Dannenbring, R.; Beckmann, J. D.
Characterization of bovine tracheobronchial phenol sulphotransferase cDNA and detection of mRNA regulation by cortisol, 311: 209
Scheepens, A.
——Mould, R.; Hofmann, O.; Brittain, T.
Some effects of post-translational N-terminal acetylation of the human embryonic ε globin protein, 310: 597
Scheible, S. See Martinson, E. A.
Scheid, M. P.
——Lauener, R. W.; Duronio, V.
Role of phosphatidylinositol 3-OH-kinase activity in the inhibition of apoptosis in haemopoietic cells: phosphatidylinositol 3-OH-kinase inhibitors reveal a difference in signalling between interleukin-3 and granulocyte-macrophage colony stimulating factor, 312: 159
Schein, C. H.
——Haugg, M.
Deletions at the C-terminus of interferon γ reduce RNA binding and activation of double-stranded-RNA cleavage by bovine seminal ribonuclease, 307: 123
Schepens, J. See Hendriks, W.
Schiaffino, S. See Di Lisa, F.
Schiavano, G. F. See Magnani, M.
Schiavo, G. See Washbourne, P.
Schieven, G. L. See Yanaga, F.
Schilling, W. P., 305: 605
Schleuning, W.-D. See Haendler, B.; Schwidetzky, U.
Schliess, F.
——Schreiber, R.; Häussinger, D.
Activation of extracellular signal-regulated kinases Erk-1 and Erk-2 by cell swelling in H4IIE hepatoma cells, 309: 13
Schlüter, K.-D.
——Weber, M.; Piper, H. M.
Parathyroid hormone induces protein kinase C but not adenylate cyclase in adult cardiomyocytes and regulates cyclic AMP levels via protein kinase C-dependent phosphodiesterase activity, 310: 439
Schmehl, I. See Canton, M.
Schmitt, B.
——Reiss, C.
Kinetic study *in vitro* of *Escherichia coli* promoter closure during transcription initiation, 306: 123
Schneider, M. See Ribeiro, J. M. C.
Schneider, P. See McConville, M. J.; Proudfoot, L.; Redman, C. A.
——Nikolaev, A.; Ferguson, M. A. J.
The biosynthesis of GDP-D-arabinopyranose in *Crithidia fasciculata:* characterization of a D-arabino-1-kinase activity and its use in the synthesis of GDP-[5-^{3}H]D-arabinopyranose, 311: 307
Schnur, L. F. See McConville, M. J.
Schofield, C. J. See Zhang, Z.
Scholz, K.
——Fürstenberger, G.; Müller-Decker, K.; Marks, F.
Differential expression of prostaglandin-H synthase isoenzymes in normal and activated keratinocytes *in vivo* and *in vitro,* 309: 263

Schöneck, R. See Moutiez, M.
Schorpp, M.
——Mattei, M.-G.; Herr, I.; Gack, S.; Schaper, J.; Angel, P.
Structural organization and chromosomal localization of the mouse collagenase type I gene, 308: 211
Schott, M. A. See Fyrst, H.
Schreiber, R. See Schliess, F.; Zhang, F.
——Häussinger, D.
Characterization of the swelling-induced alkalinization of endocytotic vesicles in fluorescein isothiocyanate-dextran-loaded rat hepatocytes, 309: 19
Schröder, M. See Krüttgen, A.
Schultz, G. See Ohlmann, P.
Schulz, T. C.
——Hopwood, B.; Rathjen, P. D.; Wells, J. R. E.
An unusual arrangement of 13 zinc fingers in the vertebrate gene *Z13*, 311: 219
Schwartz, B. See Delcros, J.-G.
——Hittelman, A.; Daneshvar, L.; Basu, H. S.; Marton, L. J.; Feuerstein, B. G.
A new model for disruption of the ornithine decarboxylase gene, *SPE1*, in *Saccharomyces cerevisiae* exhibits growth arrest and genetic instability at the *MAT* locus, 312: 83
Schwartz, R. S. See Rybicki, A. C.
Schweitzer, A. See Molla, A.
Schwideizky, U.
——Haendler, B.; Schleuning, W.-D.
Isolation and characterization of the androgen-dependent mouse cysteine-rich secretory protein-3 *(CRISP-3)* gene, 309: 831
Scoazec, J.-Y. See Racine, L.
Scotland, G.
——Houslay, M. D.
Chimeric constructs show that the unique N-terminal domain of the cyclic AMP phosphodiesterase RD1 (RNPDE4A1A; rPDE-IV$_{A1}$) can confer membrane association upon the normally cytosolic protein chloramphenicol acetyltransferase, 308: 673
Scott, D. A. See Docampo, R.
——Moreno, S. N. J.; Docampo, R.
Ca^{2+} storage in *Trypanosoma brucei:* the influence of cytoplasmic pH and importance of vacuolar acidity, 310: 789
Scott, D. K.
——Hall, R. K.; Granner, D. K.
Retinoid receptors cause distortion of the retinoic acid response element in the phosphoenolpyruvate carboxykinase gene promoter, 310: 483
Scott, H. M. See Fulceri, R.
Scott, J. See Brett, D. J.
Scott, P. H. See Malarkey, K.
Scrutton, M. C. See Frearson, J. A.
Scrutton, N. S. See Bashir, A.
Scully, M. F. See Benzakour, O.; Goodwin, C. A.; Namiranian, S.
Seal, A. J.
——Collingridge, G. L.; Henley, J. M.
An investigation of the membrane topology of the ionotropic glutamate receptor subunit GluR1 in a cell-free system, 312: 451
Sears, H. J.
——Bennett, B.; Spiro, S.; Thomson, A. J.; Richardson, D. J.
Identification of periplasmic nitrate reductase Mo(V) EPR signals in intact cells of *Paracoccus denitrificans,* 310: 311
Seetharam, B. See Bose, S.
Seetharam, S. See Bose, S.
Segawa, H. See Miyamoto, K.-I.
Seglen, P. O. See Holen, I.
Segura, J. A. See Molina, M.
Sehrer, J. See De Greef, C.
Seibert, K. See Gierse, J. K.
Seibold, J. R. See Thomas, T. J.
Seidah, N. G. See Galanopoulos, A. S.; Galanopoulou, A. S.; Jean, F.; Milhiet, P. E.
Seitz, M. B. See Renard-Rooney D. C.
Selinger, Z. See Zor, T.
Selkoe, D. J. See Munger, J. S.
Selman, G. See Hernandez, L.
Sen, M. See Biswas, S.
Senda, T. See Yano, Y.
Sener, A. See Golstein, P. E.
Seno, H. See Kumazawa, T.
Serafini-Fracassini, D. See Del Duca, S.
Seredenko, V. I. See Averbakh, A. Z.
Sergheraert, C. See Moutiez, M.
Serra, D. See Asins, G.
Serra, F. See Bonet, M. L.
Serratrice, G. See Caris. C.
Serup, P.
——Petersen, H. V.; Pedersen, E. E.; Edlund, H.; Leonard, J.; Petersen, J. S.; Larsson, L.-I.; Madsen, O. D.
The homeodomain protein IPF-1/STF-1 is expressed in a subset of islet cells and promotes rat insulin 1 gene expression dependent on an intact E1 helix-loop-helix factor binding site, 310: 997
Servant, M.
——Guillemette, G.; Morisset, J.
Pancreatic acinar-cell desensitization alters InsP_3 production and Ca^{2+} mobilization under conditions where InsP_3 receptor remains intact, 305: 163
Setoguchi, M. See Nasu, K.
Severson, D. L. See Carroll, R.
Sévigny, J.
——Côté, Y. P.; Beaudoin, A. R.
Purification of pancreas type-I ATP diphosphohydrolase and identification by affinity labelling with the 5'-*p*-fluorosulphonylbenzoyladenosine ATP analogue, 312: 351
Sevilla, L. See Castelló, A.
Seviour, R. J. See Pitson, S. M.
Seyama, Y. See Wachi, H.
Seyfang, A. See Barrett, M. P.
Sha'afi, R. I. See Fouda, S. I.; Waterman, W. H.
Shaffermann, A. See Kronman, C.
Shah. N. See Harada, S.
Shakibaei, M. See Rosenberger, U.
Shakur, Y.
——Wilson, M.; Pooley, L.; Lobban, M.; Griffiths, S. L.; Campbell, A. M.; Beattie, J.; Daly, C.; Houslay, M. D.
Identification and characterization of the type-IVA cyclic AMP-specific phosphodiesterase RD1 as a membrane-bound protein expressed in cerebellum, 306: 801
Shang, F.
——Taylor, A.
Oxidative stress and recovery from oxidative stress are associated with altered ubiquitin conjugating and proteolytic activities in bovine lens epithelial cells, 307: 297
Shankar, V.
——Gilmore, M. S.; Sachdev, G. P.
Further evidence that the human MUC2 gene transcripts in the intestine and trachea are identical. Letters, 306: 311
Shannon, J. D. See Moyers, J. S.
Sharman, G. J.
——Williams, D. H.; Ewing, D. F.; Ratledge, C.
Isolation, purification and structure of exochelin MS, the extracellular siderophore from *Mycobacterium smegmatis,* 305: 187
Sharom, G. J.
——Yu, X.; Chu, J. W. K.; Doige, C. A.
Characterization of the ATPase activity of P-glycoprotein from multidrug-resistant Chinese hamster ovary cells, 308: 381
Sharoni, Y. See Tisch, D.
Shearman, M. S. See Iversen, L. L.
Shears, S. B. See Ali, N.; Craxton, A.
Sheehan, D. See Fitzpatrick, P. J.
Shekels, L. L.
——Lyftogt, C.; Kieliszewski, M.; Filie, J. D.; Kozak, C. A.; Ho, S. B.
Mouse gastric mucin: cloning and chromosomal localization, 311: 775
Shen, H.
——Gilkes, N. R.; Kilburn, D. G.; Miller, R. C., Jr.; Warren, R. A. J.
Cellobiohydrolase B, a second exo-cellobiohydrolase from the cellulolytic vacterium *Cellulomonas fimi,* 311: 67
Shen, S.-H. See Charest, A.
Shen, S. S. See Perezzic, C. M.
Shennan, K. I. J. See Bailyes, E. M.
Shepherd, P. R. See Zierath, J. R.
——Navé, B. T.; Siddle, K.
Insulin stimulation of glycogen synthesis and glycogen synthase activity is blocked by wortmannin and rapamycin in 3T3-L1 adipocytes: evidence for the involvement of phosphoinositide 3-kinase and p70 ribosomal protein-S6 kinase, 305: 25
Sheppard, M. C. See Grafton, G.
Shergill, J. K.
——Cammack, R.; Chen, J.-H.; Fisher, M. J.; Madden, S.; Rees, H. H.
EPR spectroscopic characterization of the iron-sulphur proteins and cytochrome *P*-450 in mitochondria from the insect *Spodoptera littoralis* (cotton leafworm), 307: 719
Sherriff, F. E. See Webster, M.-T.
Sheu, G.-C. See King, L.
Shi, G.-P. See Munger, J. S.
Shi, W. See Filmus, J.
Shiao, Y.-J.
——Vance, J. E.
Evidence for an ethanolamine cycle: differential recycling of the ethanolamine moiety of phosphatidylethanolamine derived from phosphatidylserine and ethanolamine, 310: 673
Shibata, H. See Kitagawa, M.; Kono, Y.
Shibata, N. See Yano, Y.
Shieh, W.-R.
——Chen, C.-S.
Preparation and characterization of a D-*myo*-inositol 1,4,5-trisphosphate-specific antibody, 311: 1009
Shiku, H. See Haraguchi, M.
Shille, V. M. See Buhi, W. C.
Shimada, K. See Takahashi, M.
Shimizu, T. See Izumi, T.
Shimomura, O.
——Cause of spectral variation in the luminescence of semisynthetic aequorins, 306: 537
Shimoyama, M. See Rosa, J. L.
Shin, W.-S.
——Yamashita, H.; Hirose M.;
Multiple effects of haemin binding on protease susceptibility of bovine serum albumin and a novel isolation procedure for its large fragment, 306: 879

Shiota, K. See Itonori, S.
Shirai, T. See Itonori, S.
Shirazi-Beechey, S. P. See Tarpey, P. S.
Shitashige, M. See Takahashi, T.
Shkolnik, T. See Amikam, D.
Shneier, A. See Borthwick, E. B.
Sho, K. See Okajima, F.
Shoma, H.
——Matsushima, N.; Watanabe, T.; Hattori, A.; Kuroki, Y.; Akino, T.
Ca^{2+}-dependent binding of annexin IV to surfactant protein A and lamellar bodies in alveolar type II cells, 312: 175
Shraga-Levine, Z. See Ben-Menahem, D.
Shull, G. E. See Keeton, T. P.
Sicilia, J. See Cascante, M.
Siconolfi-Baez, L. See Zeng, Y.
Siddle, K. See Shepherd, P. R.
Siegel, M. I. See Anthes, J. C.
Sieger, D. See Stevens, P. A.
Sies, H. See Soboll, S.
Siliprandi, N. See Di Lisa, F.
Sillence, D. O. See Chiodo, A. A.
Silversand, C. See Olsson, P.-E.
Sim, R. B. See Kertesz, Z.
Simon, J. See Krüttgen, A.
Simon, M.-F. See Jalink, K.
Sims, T. J. See Bailey, A. J.
Sinclair, B. R. See Hocking Edwards, J. E.
Singer, T. P. See Murphy, M. P.
Singh, A.
——Hayashi, K.; Hoa, T. T.; Kashiwagi, Y.; Tokuyasu, K.
Construction and characterization of a chimeric β-glucosidase, 305: 715
Singh, M. See Saha, P.
Sinnott, M. See Wang, R.
Sinnott, M. L. See Calugaru, S. V.312: 281; Krishnan, S.
Sinohara, H. See Saito, A.
Sirimanne, S. R.
——May, S. W.
Interaction of non-conjugated olefinic substrate analogues with dopamine β-monooxygenase: catalysis and mechanism-based inhibition, 306: 77
Sistermans, E. A.
——Klaasen, C. H. W.; Peters, W.; Swarts, H. G. P.; Jap, P. H. K.; De Pont, J. J. H. H. M.; Wieringa, B.
Co-localization and functional coupling of creatine kinase B and gastric H$^+$/K$^+$-ATPase on the apical membrane and the tubulovesicular system of parietal cells, 311: 445
Sjöberg, E. M.
——Blom, A.; Larsson, B. S.; Alston-Smith, J.; Sjöquist, M.; Fries, E.
Plasma clearance of rat bikunin: evidence for receptor-mediated uptake, 308: 881
Sjölin, C. See Dahlgren, C.
Sjöquist, M. See Sjöberg, E. M.
Sjöström, H. See Olsen, J.
Skalecki, K.
——Mularczyk, W.; Dzugaj, A.
Kinetic properties of D-fructose-1–1,6-bisphosphate 1-phosphohydrolase isolated from human muscle, 310: 1029
Skinner, E. R. See Fragoso, Y. D.
Skolnick, S. See Wessberg, K. L.
Skoloff, A. V.
——Whalley, T.; Zimmerberg, J.
Characterization of *N*-ethylmaleimide-sensitive thiol groups required for the GTP-dependent fusion of endoplasmic reticulum membranes, 312: 23
Skrede, S.
——Wu, P.; Osmundsen, H.
Effects of tetradecylthiopropionic acid and tetradecylthioacrylic acid on rat liver lipid metabolism, 305: 591
Skudlarek, M. D. See Tulsiani, D. R. P.
Slack, B. E.
——Breu, J.; Livneh, E.; Eldar, H.; Wurtman, R. J.
Phorbol ester stimulates choline uptake in Swiss 3T3 fibroblasts following introduction of the gene encoding protein kinase Cα, 305: 621
Slakey, L. L. See Meghji, P.; Xiong, Y.
Slater, A. F. G.
——Kimland, M.; Jiang, S. A.; Orrenius, S.
Constitutive nuclear NFκB/rel DNA-binding activity of rat thymocytes is increased by stimuli that promote apoptosis, but not inhibited by pyrrolidine dithiocarbamate, 312: 833
——Nobel, C. S. I.; Maellaro, E.; Bustamante, J.; Kimland, M.; Orrenius, S.
Nitrone spin traps and a nitroxide antioxidant inhibit a common pathway of thymocyte apoptosis, 306: 771
Slotte, J. P. See Pörn, M. I.
Smart, D.
——Smith, G.; Lambert, D. G.
μ-Opioids activate phospholipase C in SH-SY5Y human neuroblastoma cells via calcium-channel opening, 305: 577, 307: 879
Smas, C. M.
——Sul, H. S.
Control of adipocyte differentiation, 309: 697
Smeland, S.
——Bjerknes, T.; Malaba, L.; Eskild, W.; Norum, K. R.; Blomhoff, R.
Tissue distribution of the receptor for plasma retinol-binding protein, 305: 419
Smith, A. W. See Chawla, S.
Smith, C. See Davis, D. R.
Smith, G. See Smart, D.
Smith, G. D. See Bevan, A. P.
Smith, J. A. See Harada, S.
Smith, J. B. See Zhou, Q.
——Yang, Z.; Lin, P.; Zaidi, Z.; Abbasi, A.; Russell, P.
The complete sequence of human lens γS-crystallin, 307: 407
Smith, K.
——Borges, A.; Ariyanayagam, M. R.; Fairlamb, A. H.
Glutathionylspermidine metabolism in *Escherichia coli,* 312: 465
Smith, L. See Lonsdale-Eccles, J. D.
Smith, M. J. See Bartholomew, B. A.
Smith, R. M. See Harada, S.
Smith, S. B. See Read, M. L.
Smyth, M. S. See Kole, H. K.
Sneed, L. See Grebenkämper, K.
Snoek, G. T. See de Vries, K. J.
Snyder, F.
——Platelet-activating factor: the biosynthetic and catabolic enzymes, 305: 689, 308: 1039
Soboll, S.
——Gründel, S.; Harris, J.; Kolb-Bachofen, V.; Ketterer, B.; Sies, H.
The content of glutathione and glutathione S-transferases and the glutathione peroxidase activity in rat liver nuclei determined by a non-aqueous technique of cell fractionation, 311: 859
Sobrino, F. See Alvarez, E.
Sodek, J. See Li, J. J.
Sogin, M. L. See Morrison, H. G.
Soler, C. See Quintana, I.
Soler, F. See Martinez-Azorin, F.
Soley, M. See Quintana, I.
Somasundaram, B.
——Norman, J. C.; Mahaut-Smith, M. P.
Primaquine, an inhibitor of vesicular transport, blocks the calcium-release-activated current in rat megakaryocytes, 309: 725
Somasundaram, T. See Batliwala, H.
Somerharju, P. J. See de Vries, K. J.
Sömjen, D.
——Vargas, V.; Waisman, A.; Wingender, E.; Tegge, W.; Kaye, A. M.
Stimulation of creatine kinase activity in rat skeletal tissue *in vivo* and *in vitro* by protease-resistant variants of parathyroid hormone fragments, 309: 85
Somma-Delpéro, C.
——Valette, A.; Lepetit-Thévenin, J.; Nobili, O.; Boyer, J.; Vérine, A.
Purification and properties of a monoacylglycerol lipase in human erythrocytes, 312: 519
Sone, K. See Miyamoto, K.-I.
Soneji, Y. See Robinson, K.
Song, B. J. See Kim, Y.-O.
Song, D.-X. See van Dijk, H. P.
Song, H. Y.
——Donner, D. B.
Association of a RING finger protein with the cytoplasmic domain of the human type-2 necrosis factor receptor, 309: 825
Sonoda, T. See Miyamoto, K.-i.
Sorg, C. See Goebeler, M.
Soto, C. See Castaño, E. M.
Soto-Cruz, I.
——Magee, A. I.
Effect of synthetic peptides representing the hypervariable region of p21^{ras} on *Xenopus laevis* oocyte maturation, 306: 11
Sottrup-Jensen, L. See Christensen, S.
Souček, J. See Kim, J.-S.
Soula, G. See Tazi, K. A.
Southby, J. See Heath, J. K.
Southey, M. C.
——Findlay, D. M.; Kemp, B. E.
Regulation of membrane-associated tyrosine phosphatases in UMR 106.06 osteoblast-like cells, 305: 485
Sowden, J.
——Putt, W.; Morrison, K.; Beddington, R.; Edwards, Y.
The embryonic RNA helicase gene *(ERH):* a new member of the DEAD box family of RNA helicases, 308: 839
Spaargaren, J.
——Giesen, P. L. A.; Janssen, M. P.; Voorberg, J.; Willems, G. M.; van Mourik, J. A.
Binding of blood coagulation Factor VIII and its light chain to phosphatidylserine/phosphatidylcholine bilayers as measured by ellipsometry, 310: 539
Sparatore, B. See Pessino, A.
——Pessino, A.; Patrone, M.; Passalacqua, M.; Melloni, E.; Pontremoli, S.
Changes in calcium influx affect the differentiation of murine erythroleukaemia cells, 305: 285
Sparkes, M. J. See Mutenda, E. K.
Speciau, R. D. See Turner, B. S.
Spence, S.
——Rena, G.; Sweeney, G.; Houslay, M. D.
Induction of Ca^{2+}/calmodulin-stimulated cyclic AMP phosphodiesterase (PDE1) activity in Chinese hamster ovary cells

(CHO) by phorbol 12-myristate 13-acetate and by the selective overexpression of protein kinase C isoforms, 310: 975
Spencer, B. See Avignon, A.
Spencer, P.
——Jordan, P. M.
Characterization of the two 5-aminolaevulinic acid binding sites, the A- and P-sites, of 5-aminolaevulinic acid dehydratase from *Escherichia coli*, 305: 151
Sperti, S. See Brigotti, M.
Spicher, K. See Ohlmann, P.
Spik, G. See Elass-Rochard, E.; Escrivá, H.; Mikogami, T.
Spinner, F.
——Cheesman, M. R.; Thomson, A. J.; Kaysser, T.; Gennis, R. B.; Peng, Q.; Peterson, J., 308: 641
Spiro, S. See Sears, H. J.
Spiteller, G. See Loidl-Stahlhofen, A.
Springbett, A. See McClenaghan, M.
Spry, C. J. F. See Li, M.-S.
Spycher, S. See O'Donnell, V. B.
Srinivasan, J.
——Koszelak, M.; Mendelow, M.; Kwon, Y.-G.; Lawrence, D. S.
The design of peptide-based substrates for the cdc2 protein kinase, 309: 927
Srivastava, D.
——Fox, D. A.; Hurwitz, R. L.
Effects of magnesium on cyclic GMP hydrolysis by the bovine retinal rod cyclic GMP phosphodiesterase, 308: 653
Sørensen, E. S. See Jensen, P. H.
Stabel, S. See Huwiler, A.
Stack, M. S., 307: 867
Staffas, L. See Mankowitz, L.
Stafford, D. W. See Ahmad, S. S.
Stahl, P. D. See Aballay, A.
Staiano-Coico, L. See Higgins, P. J.
Stalmans, W. See Board, M.; Uriarte, M.
Stam, K.
——Stewart, A. A.; Qu, G. Y.; Iwata, K. K.; Fenyö, D.; Chait, B. T.; Marshak, D. R.; Haley, J. D.
Physical and biological characterization of a growth-inhibitory activity purified from the neuroepithelioma cell line A673, 305: 87
Standaert, M. L. See Avignon, A.; Yamada, K.
Stanley, B. A. See Lynch, C. J.
Stanton, P. G. See Fairlie, W. D.
Starling, A. P.
——East, J. M.; Lee, A. G.
Effects of phospholipid fatty acyl chain length on phosphorylation and dephosphorylation of the Ca^{2+}-ATPase, 310: 875
Evidence that the effects of phospholipids on the activity of the Ca^{2+}-ATPase do not involve aggregation, 308: 343
Starreveld, J. S. See van Dijk, H. P.
Stępkowski, D. See Kolakowski, J.
St-Denis, J.-F.
——Annabi, B.; Khoury, H.; van de Werve, G.
Histone II-A stimulates glucose-6-phosphatase and reveals mannose-6-phosphatase activities without permeabilization of liver microsomes, 310: 221
Stefanski, E. See Pruzanski, W.
Stegeman, J. J. See Morrison, H. G.
Stegmann, T.
——Orsel, J. G.; Jamieson, J. D.; Padfield, P. J.
Limitations of the octadecylrhodamine dequenching assay for membrane fusion. Letter, 307: 875
Stéhelin, D. See Adamski, J.
Steinberger, O. See Amikam, D.
Steinkasserer, A. See Kertesz, Z.
Stephenson, F. A.
——The $GABA_A$ receptors, 310: 1
Stern, A. See Peranovich, T. M. S.
Stevens, P. A. See Moughal, N.
——Wissel, H.; Sieger, D.; Meienreis-Sudau, V.; Rüstow, B.
Identification of a new surfactant protein A binding protein at the cell membrane of rat type II pneumocytes, 308: 77
Stevens, V. L.
——Biosynthesis of glycosylphosphatidylinositol membrane anchors, 310: 361
Stewart, A. A. See Stam, K.
Stieger, B.
——O'Neill, B.; Krähenbühl, S.
Characterization of L-carnitine transport by rat kidney brush-border-membrane vesicles, 309: 643
Stirling, J. L. See Emiliani, C.
Stockley, P. G. See Murray, J. B.; Renwick, S. B.
Stoll, B. See vom Dahl, S.
Stone, B. A. See Pitson, S. M.
Stone, M. J.
——Ruf, W.; Miles, D. J.; Edgington, T. S.; Wright, P. E.
Recombinant soluble human tissue factor secreted by *Saccharomyces cerevisiae* and refolded from *Escherichia coli* inclusion bodies: glycosylation of mutants, activity and physical characterization, 310: 605
Strange, R. C. See Inskip, A.
Strasser, F.
——Pelton, P. D.; Ganzhorn, A. J.
Kinetic characterization of enzyme forms involved in metal ion activation and inhibition of *myo*-inositol monophosphatase, 307: 585
Street, I. P.
——Withers, S. G.
Probing the ionization state of substrate α-D-glucopyranosyl phosphate bound to glycogen phosphorylase *b*, 308: 1017
Stremmel, W. See Riedel, H.-D.
Strickland, C. See Ponasik, J. A.
Strom, R. See Reale, A.; Santoro, R.
Strömberg, R. See Johansson, J.
Stromstedt, P.-E. See O'Brien, R. M.
Strosberg, A. D. See Charon, C.; Nahmias, C.
Strous, G. J. See Klomp, L. W. J.
Strømhaug, P. E. See Holen, I.
Strugnell, S.
——Byford, V.; Makin, H. L. J.; Moriarty, R. M.; Gilardi, R.; LeVan, L. W.; Knutson, J. C.; Bishop, C. W.; Jones, G.
1α,24*(S)*-Dihydroxyvitamin D_2, a biologically active product of 1α-hydroxyvitamin D_2 made in the human hepatoma, Hep3B, 310: 233
Stryjek-Kaminska, D. See Piiper, A.
Strzelecka-Golaszewska, H.
——Mossakowska, M.; Woźniak, A.; Moraczewska, J.; Nakayama, H.
Long-range conformational effects of proteolytic removal of the last three residues of actin, 307: 527
Stuart, G. R. See Holmskov, U.
Stylianou, E. See Guesdon, F.
Suarez, V. See Hernandez, L.
Subirana, J. A. See Wouters-Tyrou, D.
Subramanian, N.
——Adiga, P. R.
Simultaneous purification of biotin-binding proteins-I and -II from chicken egg yolk and their characterization, 308: 573
Suckling, K. E. See Meyer, D. F.
Sugano, K. See Fukushima, Y.
Sugden, P. H. See Bogoyevitch, M. A.
Sugimoto, H. See Sunaga, H.
Sugiura, T. See Yamashita, A.
Sugiyama, S. See Watanabe, H.
Suiko, M. See Sakakibara, Y.
Sul, H. S. See Smas, C. M.
Sullivan, M. See Horton, Y. M.
Sumegi, B.
——Podanyi, B.; Forgo, P.; Kover, K. E.
Metabolism of [3-^{13}C] pyruvate and [3-^{13}C] propionate in normal and ischaemic rat heart *in vivo*: ^{1}H- and ^{13}C-NMR studies, 312: 75
Sumner, M. See Ali, N.
Sun, L. See Li, M.-S.
Sunaga, H.
——Sugimoto, H.; Nagamachi, Y.; Yamashita, S.
Purification and properties of lysophospholipase isoenzymes from pig gastric mucosa, 308: 551
Sunahara, R. K. See Durante, W.
Sundaram, T. K. See Alldread, R. M.
Sunde, R. A. See Bermano, G.
Sundler, R. See Gewert, K.; Tapper, H.
Surewicz, W. K. See Das, K. P.
Surolia, A. See Ramkumar, R.
Sussenbach, J. S., 307: 225
Sutton, B. J. See Walker, K. N.
Suzuki, K.
——Lees, M.; Newlands, G. F. J.; Nagase, H.; Woolley, D. E.
Activation of precursors for matrix metalloproteinases 1 (interstitial collagenase) and 3 (stomelysin) by rat mast-cell proteinases I and II, 305: 301
Suzuki, M. See Kawasaki, T.; Nomura, K.
——Asplund, T.; Yamashita, H.; Heldin, C.-H.; Heldin, P.
Stimulation of hyaluronan biosynthesis by platelet-derived growth factor-BB and transforming growth factor-β1 involves activation of protein kinase C, 307: 817
Suzuki, O. See Kumazawa, T.
Svebak, R. M. See Martinez, A.
Svendsen, I. See Rodenburg, K. W.
Svennevig, K.
——Prydz, K.; Kolset, S. O.
Proteoglycans in polarized epithelial Madin-Darby canine kidney cells, 311: 381
Svensson, B. See Janeček, Š.; Rodenburg, K. W.
Swallow, D. M. See Tytgat, K. M. A. J.
Swarts, H. G. P. See Sistermans, E. A.
Sweeney, G. See Spence, S.
Świerczyński, J. See Kochan, Z.
Symons, D. B. A. See Mayans, M. O.
Szeberényi, J. B. See Geiszt, M.
Szigyarto, C. See Knorpp, C.
Szondy, Z.
——The 2-chlorodeoxyadenosine-induced cell death signalling pathway in human thymocytes is different from that induced by 2-chloroadenosine, 311: 585
Szpirer, C. See Dusetti, N. J.

Tabuse, Y.
——Sano, T.; Nishiwaki, K.; Miwa, J.
Molecular evidence for the direct involvement of a protein kinase C in developmental and behavioural susceptibility to tumour-promoting phorbol esters in *Caenorhabditis elegans*, 312: 69
Tacchini, L.
——Pogliaghi, G.; Radice, L.; Anzon, E.; Bernelli-Zazzera, A.

Differential activation of heat-shock and oxidation-specific stress genes in chemically induced oxidative stress, 309: 453
Tahara, Y. See Fujii, S.
Tai, H.-H. See Huang, C.
Tait, A. See Gray, A.
Tajima, S. See Wachi, H.
Takada, K. See Miyamoto, K.-I.
Takada, Y. See Haruta, T.; Kamata, T.
Takahashi, E. See Arita, M.
Takahashi, K. See Kake, T.; Kambayashi, Y.
Takahashi, M.
——Fukuda, K.; Shimada, K.; Barnes, K.; Turner, A. J.; Ikeda, M.; Koike, H.p Yamamoto, Y.; Tanzawa, K.
Localization of rat endothelin-converting enzyme to vascular endothelial cells and some secretory cells, 311: 657
Takahashi, T.
——Yamaguchi, T.; Shitashige, M.; Okamoto, T.; Kishi, T.
Reduction of ubiquinone in membrane lipids by rat liver cytosol and its involvement in the cellular defence system against lipid peroxidation, 309: 883
Takai, A.
——Sasaki, K.; Nagai, H.; Mieskes, G.; Isobe, M.; Isono, K.; Yasumoto, T.
Inhibition of specific binding of okadaic acid to protein phosphatase 2A by microcystin-LR, calyculin-A and tautomycin: method of analysis of interactions of tight-binding ligands with target protein, 306: 657, 308: 1039
Takamiya, K. See Haraguchi, M.
Takano, S. See Furutani, M.
Takano, T. See Izumi, T.
Takasaki, C. See Fujii, S.
Takata, K. See Fukushima, Y.
Takata, Y. See Haruta, T.
Takeda, E. See Miyamoto, K.-I.; Miyamoto, K.-i.
Takenaka, T. See Kawasaki, T.
Taketani, S. See Furukawa, T.
Taketani, Y. See Miyamoto, K.-I.; Miyamoto, K.-i.
Takeuchi, T. See Hoshino, M.; Nagao, T.
Takiguchi, M.
——Mori, M.
Transcriptional regulation of genes for ornithine cycle enzymes, 312: 649
Talalay, P. See Kolm, R. H.
Talbot, J. A. See Inskip, A.
Talesa, V.
——Grauso, M.; Giovannini, E.; Rosi, G.; Toutant, J.-P.
Solubilization, molecular forms, purification and substrate specificity of two acetylcholinesterases in the medicinal leech , 306: 687
Tam, M. F. See Hsiao, C.-D.; Yeh, H.-I.
Tamarit-Rodríquez, J. See Alcázar, O.
Tameishi, K. See Tamura, H.
Tamsma, J. T. See van Det, N. F.
Tamura, H.
——Tameishi, K.; Yamada, A.; Tomita, M.; Matsuo, Y.; Nishikawa, K.; Ikezawa, H.
Mutation in aspartic acid residues modifies catalytic and haemolytic activities of *Bacillus cereus* shingomyelinase, 309: 757
Tan, A. S. See Berridge, M. V.
Tan, E. M. L.
——Qin, H.; Kennedy, S. H.; Rouda, S.; Fox, J. W. IV; Moore, J. H. Jr.
Platelet-derived growth factors-AA and -BBregulare collagen and collagenase gene expression differentially in human fibroblasts, 310: 585
Tan, F. See Aguilar, J. S.
Tanabe, T. See Arita, M.
Tanaka, A. See Hoshino, M.
Tanaka, K. See Yano, Y.
Tanfani, F. See Kochan, Z.
Tang, S.-J.
——Huang, Y.-M.; Wang, F.-F.
Analysis of *c-fos* expression in the butyrate-induced F-98 glioma cell differentiation, 306: 47
Tang, S.-P. See van Dijk, H. P.
Tang, S.-S.
——Chang, G.-G.
Steady-state kinetics and chemical mechanism of octopus hepatopancreatic glutathione transferase, 309: 347
Tang, Y. See Huang, Q.
Taniuchi, Y. See Kawasaki, T.
Tanizawa, Y. See Liang, Y.
Tanzawa, K. See Takahashi, M.
Tanzi, R. E. See Webster, M.-T.
Tapper, H.
——Sundler, R.
Glucan receptor and zymosan-induced lysosomal enzyme secretion in macrophages, 306: 829
Tardi, P. G. See Lee. E.
Tarpey, P. S.
——Wood, I. S.; Shirazi-Beechey, S. P.; Beechey, R. B.
Amino acid sequence and the cellular location of the Na^+-dependent D-glucose symporters (SGLT1) in the ovine enterocyte and the parotid acinar cell, 312: 293
Tartar, A. See Moutiez, M.
Tashjian, A. H. Jr. See Brady, K. D.; Petrou, C. P.
Tatsumi, S. See Miyamoto, K.-I.; Miyamoto, K.-i.
Tauler, A. See Rosa, J. L.
Tavares, A. See Handy, D. E.
Tawe, W. See Henkle-Dührsen, K.
Taylor, A. See Shang, F.
Taylor, C. W. See Patel, S.
Taylor, G. W. See Morandini, P.
Taylor, K. See Da Costa, T. H. M.
Taylor, P. W. See Long, G. S.
Taylor, T. C. See Berger, S. J.
Tazi, K. A.
——Bonnafous, M.; Favre, G.; Soula, G.; Le Gaillard, F.
Involvement of the Ca^{2+}-dependent phosphorylation of a 20 kDa protein in the proliferative effect of high-density lipoproteins (subclass 3) on the adenocarcinoma cell line A549, 307: 557
Tazuma, S. See Miura, H.
Tchu, S. See Comte, B.
Tegge, W. See Sömjen, D.
Tello-Solis, S. R.
——Hernandez-Arana, A.
Effect of irreversibility on the thermodynamic characterization of the thermal denaturation of *Aspergillus saitoi* acid proteinase, f311: 969
Teplow, D. B. See Munger, J. S.
Terada, T. See Nanjo, H.
Terao, M. See Kurosaki, M.
Teruel, T.
——Valverde, A. M.; Alvarez, A.; Benito, M.; Lorenzo, M.
Differentiation of rat brown adipocytes during late foetal development: role of insulin-like growth factor I, 310: 771
Tesfai, S. A. See Nieminen, A.-L.
Testa, B. See Urien, S.
Testar, X. See Castelló, A.; Kaliman, P.; Mora, S.; Muñoz, P.
Tetaud, E. See Barrett, M. P.
Tew, K. D. See Ranganathan, S.
Tezuka, K.-I. See Saneshige, S.
Thamm, I. See Lepage, S.
Thatcher, M.-J. See Buhi, W. C.
Theil, T. See Lillycrop, K. A.
Thier, M. See Krüttgen, A.
Thiers, J.-C. See Augé, N.
Thinakaran, G. See Webster, M.-T.
Thiyagarajah, P. See Liu, Y.
Thogersen, I. See Brouwer, M.
Thoidis, G. See Muñoz, P.
Thomas, A. A. M. See de Moor, C. H.
Thomas, A. P. See Renard-Rooney D. C.
Thomas, C. P.
——Dunn, M. J.; Mattera, R.
Ca^{2+} signalling in K562 human erythroleukaemia cells: effect of dimethyl sulphoxide and role of G-proteins in thrombin- and thromboxane A_2-activated pathways, 312: 151
Thomas, J. See Fischer, Y.
Thomas, M. See Meyer, D. J.
Thomas, M. P.
——Verma, C.; Boyd, S. M.; Brocklehurst, K.
The structural origins of the unusual specificities observed in the isolation of chymopapain M and actinidin by covalent chromatography and the lack of inhibition of chymopapain M by cystatin, 306: 39
Thomas, P. See Zhang, Z.
Thomas, P. G. See Hawkes, T. R.
Thomas, S. See Fell, D. A.
Thomas, S. C. See Patton, W. A., II
Thomas, T. See Thomas, T. J.
Thomas, T. J.
——Gunnia, U. B.; Seibold, J. R.; Thomas, T.
Defective signal-transduction pathways in T-cells from autoimmune MRL-*lpr/lpr* mice are associated with increased polyamine concentrations, 311: 175
——Seibold, J. R.; Adams, L. E.; Hess, E. V.
Triplex-DNA stabilization by hydralazine and the presence of anti-(triplex DNA) antibodies in patients treasted with hydralazine, 311: 183
Thomason, A. R. See Lu, K. V.
Thompson, G. A. Jr. See Hung, C.-Y.; Ko, Y.-G.
Thomson, A. J., H. J., Ssee Sears. See Breton, J. L.; Le Brun, N. E.; Spinner, F.
Thomson, F. J. See Gould, G. W.
——Clark, M. A.
Purification of a phosphatidic-acid-hydrolysing phospholipase A_2 from rat brain, 306: 305
Thorens, B. See Widmann, C.
Thorne, N. M. H.
——Hankin, S.; Wilkinson, M. C.; Nuñez, C.; Barraclough, R.; McLennan, A. G.
Human diadenosine 5,'5'''-P^1,P^4-tetraphosphate pyrophosphohydrolase is a member of the MutT family of nucleotide pyrophosphatases, 311: 717
Thorneley, R. N. F. See Bornemann, S.
Thrasher, A. J. See Chetty, M.
Thøgersen, H. See Larnkjær, A.
Thumser, A. E. A.
——Wilton, D. C.
The binding of natural and fluorescent lysophospholipids to wild-type and mutant rat liver fatty acid-binding protein and albumin, 307: 305
Thurlow, P. J. See Wiley, J. S.
Tiano, M. T. See Bevilacqua, M. A.

Tiedge, M.
——Lenzen, S.
Effects of glucose refeeding and glibenclamide treatment on glucokinase and GLUT2 gene expression in pancreatic B-cells and liver from rats, 308: 139
Tikerpae, J. See Bevan, A. P.
Tillement, J.-P. See Urien, S.
Timms, J. F. See Gregoriou, M.
——Noble, M. E. M.; Gregoriou, M.
An investigation of the role of Glu-842, Glu-844 and His-846 in the function of the cytoplasmic domain of the epidermal growth factor receptor, 308: 219
Timpl, R. See Holmskov, U.
Tinton, S.
——Buc-Calderon, P.
Homocysteine enhances the inhibitory effect of extracellular adenosine on the synthesis of proteins in isolated rat hepatocytes, 310: 893
Tisch, D.
——Sharoni, Y.; Danilenko, M.; Aviram, I.
The assembly of neutrophil NADPH oxidase: effects of mastoparan and its synthetic analogues, 310: 715
Titani, K. See Kawasaki, T.
Tjandrawinata, R. R.
——Byus, C. V.
Regulation of the efflux of putrescine and cadaverine from rapidly growing cultured RAW 264 cells by extracellular putrescine, 305: 291
Tobelem, G. See Berrou, E.
Tobler, A. See Barella, L.
Todaka, M. See Ishii, K.
Toet, K. H. See Arts, J.
Tokunaga, R. See Furukawa, T.
Tokuyasu, K. See Singh, A.
Tomita, M. See Ide, H.; Murakumo, Y.; Tamura, H.
——Itoh, H.; Ishikawa, N.; Higa, A.; Ide, H.; Murakumo, Y.; Maruyama, H., Koga, Y.; Nawa, Y.
Molecular cloning of mouse intestinal trefoil factor and its expression during goblet cell changes, 311: 293
——Ohkura, N.; Ito, M.; Kato, T.; Royce, P. M.; Kitajima, T.
Biosynthesis of recombinant human pro-α1(III) chains in a baculovirus expression system: production of disulphide-bonded and non-disulphide-bonded species containing full-length triple helices, 312: 847
Tomkinson, B.
——Characterization of cDNA for murine tripeptidyl-peptidase II reveals alternative splicing, 306: 880
Tompkins, J. A. See Katz, M. L.
Tomura, H. See Okajima, F.
Tonegawa, T. See Yamashita, A.
Toogood, H. S.
——Prescott, M.; Daniel, R. M.
A pepstatin-insensitive aspartic proteinase from a thermophilic *Bacillus* sp., 307: 783
Tooze, S. A. See Dittié, A. S.
Töpfer-Petersen, E. See Calvete, J. J.
Tornøe, I. See Holmskov, U.
Torres, J.
——Darley-Usmar, V.; Wilson, M. T.
Inhibition of cytochrome *c* oxidase in turnover by nitric oxide: mechanism and implications for control of respiration, 312: 169
Torres, M. See Chen, F.
Tosi, P.-F. See Grebenkämper, K.
Tosomba, O. M. See Lonsdale-Eccles, J. D.
Toutant, J.-P. See Talesa, V.
Towle, H. C. See Liu, Z.
Toyomoto, M. See Fujii, S.
Trabelsi-Terzidis, H.
——Fattoum, A.; Represa, A.; Dessi, F.; Ben-Ari, Y.; Der Terrossian, E.
Expression of an acidic isoform of calponin in rat brain: Western blots on one- or two-dimensional gels and immunolocalization in cultured cells, 306: 211
Travassos, L. R. See Carmona, A. K.
Travis, J. See Kordula, T.; Potempa, J.
Trayhurn, P.
——Duncan, J. S.; Rayner, D. V.
Acute cold-induced suppression of *ob* (obese) gene expression in white adipose tissue of mice: mediation by the sympathetic system, 311: 729
Traynor, D. See Morandini, P.
Treffry, A.
——Gelvan, D.; Konijn, A. M.; Harrison, P. M.
Ferritin does not accumulate iron oxidized by caeruloplasmin, 305: 21
Treiman, M. See Poulsen, J.-C. J.
Tremblay, M. L. See Charest, A.
Treptau, T.
——Kissmehl, R.; Wissmann, J.-D.; Plattner, H.
A 63 kDa phosphoprotein undergoing rapid dephosphorylation during exocytosis in *Paramecium* cells shares biochemical characteristics with phosphoglucomutase, 309: 557
Trewavas, A. J. See Watkins, N. J.
Trieu, V. N.
——McConathy, W. J.
The binding of animal low-density lipoproteins to human apolipoprotein(a), 309: 899
——Olsson, U.; McConathy, W. J.
The apolipoprotein $B^{3304-3317}$ peptide as an inhibitor of the lipoprotein (a):apolipoprotein B-containing lipoprotein interaction, 307: 17
Trif, M. See Elass-Rochard, E.
Trigatti, B. L.
——Gerber, G. E.
A direct role for serum albumin in the cellular uptake of long-chain fatty acids, 308: 155
Trinchieri, G. See Cassatella, M. A.
Tritsaris, K. See Jørgensen, T. D.
Trotter, P. J.
——Orchard, M. A.; Walker, J. H.
Ca^{2+} concentration during binding determines the manner in which annexin V binds to membranes, 308: 591
Trudgill, P. W. See Bartholomew, B. A.
Truncali, A. See Brouwer, M.
Truong, O. See Divecha, N.
Tsai, I.-H. See Chen, Y.-L.
——Lu, P.-J.; Wang, Y.-M.; Ho, C.-L.; Liaw, L.-L.
Molecular cloning and characterization of a neurotoxic phospholipase A_2 from the venom of Taiwan habu *(Trimeresurus mucrosquamatus)*, 311: 895
Tsai, R.-S. See Urien, S.
Tsai, S.-P. See Hsiao, C.-D.; Yeh, H.-I.
Tsakiridis, T.
——Vranic, M.; Klip, A.
Phosphatidylinositol 3-kinase and the actin network are not required for the stimulation of glucose transport caused by mitochondrial uncoupling: comparison with insulin action, 309: 1
Tsao, Y.-P.
——Kuo, S.-W.; Li, S.-F.; Liu, J.-C.; Lin. S.-Z.; Chen, K.-Y.; Chen, S.-L.
Differential regulation of cyclin A, cyclin B and p21 concentrations in a growth-restricted human fibroblast cell line, 312: 693
Tserng, K.-Y.
——Chen, L.-S.; Jin, S.-J.
Comparison of metabolic fluxes of *cis*-5-enoyl-CoA and saturated acyl-CoA through the β-oxidation pathway, 307: 23
——Jin, S.-J.
Oxidation of *cis*-5-unsaturated fatty acids in intact rat liver mitochondria: the operation of reduction pathways, 308: 39
Tsigelny, I. See Chenevert, S. W.
Tsou, C.-L. See Yang, H.-J.
Tsu, R. C.
——Lai, H. W. L.; Allen, R. A.; Wong, Y. H.
Differential coupling of the formyl peptide receptor to adenylate cyclase and phospholipase C by the pertussis toxin-insensitive G_z protein, 309: 331, 311: 1039
Tsuchida, S. See Ikemoto, S.
Tsuji, K.
——Copeland, N. G.; Jenkins, N. A.; Obinata, M.
Mammalian antioxidant protein complements alkylhydroperoxide reductase *(ahpC)* mutation in *Escherichia coli*, 307: 377
Tsuruda, T. S.
——Watson, M. H.; Foster, D. B.; Lin, J. J. J.-C.; Mak, A. S.
Alignment of caldesmon on the actin-tropomyosin filaments, 309: 951
Tsvetnitsky, V.
——Auchi, L., Nicolaou, A.; Gibbons, W. A.
Characterization of phospholipid methylation in rat brain myelin, 307: 239
Tu, C.-P. D. See Weinander, R.
Tudor, D. W. See Borthwick, E. B.
Tugwood, J. D. See Aldridge, T. C.
Tuik, R. See Drayer, A. L.
Tulp, A. See Bolscher, J.
Tulsiani, D. R. P.
——Skudlarek, M. D.; Araki, Y.; Orgebin-Crist, M.-C.
Purification and characterization of two forms of β-D-galactosidase from rat epididymal luminal fluid: evidence for their role in the modification of sperm plasma membrane glycoproteins(s), 305: 41
Tunwell, R. E. A. See Poulsen, J.-C. J.
Turk, B. See Ersdal-Badju, E.
Turnbull, J. E. See Lortat-Jacob, H.
Turnell, A. S.
——Brant, D. P.; Brown, G. R.; Finney, M.; Gallimore, P. H.; Kirk, C. J.; Pagliuca, T. R. V.; Campbell, C. J.; Michell, R. H.; Grand, R. J. A.
Regulation of neurite outgrowth from differentiated human neuroepithelial cells: a comparison of the activities of prothrombin and thrombin, 308: 965
Turner, A. J. See Takahashi, M.
Turner, B. S.
——Bhaskar, K. R.; Hadzopoulou-Cladaras, M.; Specian, R. D.; LaMont, J. T.
Isolation and characterization of cDNA clones encoding pig gastric mucin, 308: 89
Turner, R. J. See Moore, M. L.
Twisk, J.
——de Wit, E. C. M.; Princen, H. M. G.
Suppression of sterol 27-hydroxylase mRNA and transcriptional activity by bile acids in cultured rat hepatocytes, 305: 505
Tyacke, R. J.

——Contestabile, R.; Grimm, B.; Harwood, J. L.; John, R. A.
Reactions of glutamate semialdehyde aminotransferase (glutamate-1-semialdehyde 2,1 aminomutase) with vinyl and acetylenic substrate analogues analysed by rapid scanning spectrophotometry, 309: 307
Tytgat, G. N. J. See de Bruijn, M. A. C.
Tytgat, K. M. A. J.
——Bovelander, F.-J.; Opdam, F. J. M.; Einerhand, A. W. C.; Büller, H. A.; Dekker, J.
Biosynthesis of rat MUC2 in colon and its analogy with human MUC2, 309: 221
——Swallow, D. M.; Van Klinken, B. J.-W.; Büller, H. A.; Einerhand, A. W. C.; Dekker, J.
Unpredictable behaviour of mucins in SDS/polyacrylamide-gel electrophoresis, 310: 1053

Uerkvitz, W. See Hendil, K. B.
Ugalde, C. See Peña, P.
Uhlin-Hansen, L.
——Yanagishita, M.
Brefeldin A inhibits the endocytosis of plasma-membrane-associated heparan sulphate proteoglycans of cultured rat ovarian granulosa cells, 310: 271
Ui, M. See Sasaki, T.
Ullman, B. See Jardim, A.
Umenishi, F. See Ikemoto, S.
Underwood, P. A.
——Bennett, F. A.; Kirkpatrick, A.; Bean, P. A.; Moss, B. A.
Evidence for the location of a binding sequence for the $\alpha 2\beta 1$ integrin of endothelial cells, in the $\beta 1$ subunit of laminin, 309: 765
Uphues, I.
——Kolter, T.; Goud, B.; Eckel, J.
Failure of insulin-regulated recruitment of the glucose transporter GLUT4 in cardiac muscle of obese Zucker rats is associated with alterations of small-molecular-mass GTP-binding proteins, 311: 161
Urasawa, K. See Post, S. R.
Urban-Grimal, D.
——Pinson, B.; Chevallier, J.; Haguenauer-Tsapis, R.
Replacement of Lys by Glu in a transmembrane segment strongly impairs the function of the uracil permease from *Saccharomyces cerevisiae,* 308: 847
Uriarte, M.
——Stalmans, W.; Hickman, S.; Bollen, M.
Regulation of purified hepatic PC-1 (phosphodiesterase-I/nucleotide pyrophosphatase) by threonine auto(de)phosphorylation and by binding of acidic fibroblast growth factor, 306: 271
Urien, S.
——Giroud, Y.; Tsai, R.-S.; Carrupt, P.-A.; Brée, F.; Testa, B.; Tillement, J.-P.
Mechanism of ligand binding to α_1-acid glycoprotein (orosomucoid): correlated thermodynamic factors and molecular parameters of polarity, 306: 545
Usac, E. F. See Bailyes, E. M.
Uzgiris, E. E. See Batliwala, H.

Vadas, P. See Pruzanski, W.
Vaillancourt, R. R.
——Dhanasekaran, N.; Ruoho, A. E.
The photoactivatable NAD^+ analogue [^{32}P]2-azido-NAD^+ defines intra- and inter-molecular interactions of the C-terminal domain of the G-protein $G\alpha_1$, 311: 987
Val, D. L.
——Chapman-Smith, A.; Walker, M. E.; Cronan, J. E., Jr.; Wallace, J. C.
Polymorphism of the yeast pyruvate carboxylase 2 gene and protein: effects on protein biotinylation, 312: 817
Valero, E.
——Varón, R.; García-Carmona, F.
Kinetic study of an enzymic cycling system coupled to an enzymic step: determination of alkaline phosphatase activity, 309: 181
Valette, A. See Somma-Delpéro, C.
Valhmu, W. B.
——Palmer, G. D.; Rivers, P. A.; Ebara, S.; Cheng, J.-F.; Fischer, S.; Ratcliffe, A.
Structure of the human aggrecan gene: exon-intron organization and association with the protein domains, 309: 535
Vallotton, M. B. See Python, C. P.
Valverde, A. M. See Teruel, T.
Van Acker, K. See De Greef, C.
van Bastelaere, P. B. M.
——Kersters-Hilderson, H. L. M.; Lambeir, A.-M.
Wild-type and mutant D-xylose isomerase from *Actinoplanes missouriensis:* metal-ion dissociation constants, kinetic parameters of deuterated and non-deuterated substrates and solvent-isotope effects, 307: 135
Van Beers, E. H.
——Al, R. J.; Rings, E. H. H. M.; Einerhand, A. W. C.; Dekker, J.; Büller, H. A.
Lactase and sucrase—isomaltase gene expression during Caco-2 cell differentiation, 308: 769
Van Beeumen, J. See Magdalena, J.
van Berkel, P. H. C.
——Geerts, M. E. J.; van Veen, H. A.; Kooiman, P. M.; Pieper, F. R.; de Boer, H. A.; Nuijens, J. H.
Glycosylated and unglycosylated human lactoferrins both bind iron and show identical affinities towards human lysozyme and bacterial lipopolysaccharide, but differ in their susceptibilities towards tryptic proteolysis, 312: 107
Van Berkel, T. J. C.
——Voorschuur, A.; Kuiper, J.
β-Migrating very-low-density lipoproteins and chylomicron remnants bind to rat liver hepatocytes at a low-density-lipoprotein-receptor-independent site (the remnant receptor), 310: 359
Van Berkhout, F. T. See Van Iwaarden, J. F.
van Blitterswijk, W. J. See Jalink, K.
van Boom, J. H. See Jalink, K.; Ouwerkerk-Mahadevan, S.
van Breda, E. See Fukushima, Y.
Vance, D. E. See Cui, Z.; Posse de Chaves, E.
Vance, J. E. See Posse de Chaves, E.; Shiao, Y.-J.
van de Loo, J.-W. See Donath, M.-J. S. H.
van den Berg, M. See Wojcik, E. G. C.
Van den Bergh, F.
——Sabina, R. L.
Characterization of human AMP deaminase 2 (AMPD2) gene expression reveals alternative transcripts encoding variable N-terminal extensions of isoform L, 312: 401
Van Den Berghe, G. See Javaux, F.
Van den Berghe, H. See Van Rompaey, L.
van den Born, J. See van Det, N. F.
van den Bos, C. See Goebeler, M.
van den Brande, J. L., 307: 225
van den Broek, W. J. A. A. See van Ree, J. H.
Van Den Eijnden, D. H. See Pels Rijcken, W. R.
van den Heuvel, L. P. W. J. See van Det, N. F.
van der Boom, H. See van Ree, J. H.
Van der Kaay, J.
——Van Haastert, P. J. M.
Stereospecificity of inositol hexakisphosphate dephosphorylation by *Paramecium* phytase, 312: 907
——Wesseling, J.; Van Haastert, P. J. M.
Nucleus-associated phosphorylation of Ins(1,4,5)P_3 to InsP_6 in *Dictyostelium,* 312: 911
van der Linden, I. K. See Wojcik, E. G. C.
van der Marel, G. A. See Jalink, K.
Van Der Vliet, A. See Eiserich, J. P.
van der Woude, F. J. See van Det, N. F.
van der Zee, L.
——Nelemans, A.; den Hertog, A.
Arachidonic acid is functioning as a second messenger in activating the Ca^{2+} entry process on H_1-histaminoceptor stimulation in DDT_1 MF-2 cells, 305: 859
van Det, N. F.
——van den Born, J.; Tamsma, J. T.; Verhagen, N. A. M.; van den Heuvel, L. P. W. J.; Berden, J. H. M.; Bruijn, J. A.; Daha, M. R.; van der Woude, F. J.
Proteoglycan production by human glomerular visceral epithelial cells and mesangial cells *in vitro,* 307: 759
van Deursen, J. M. A. See van Ree, J. H.
van de Werve, G. See Comte, B.; St-Denis, J.-F.
van de Westerlo, E.
——Yang, J.; Logsdon, C.; Williams, J. A.
Down-regulation of the G-proteins $G_q\alpha$ and $G_{11}\alpha$ by transfected human M_3 muscarinic acetylcholine receptors in Chinese hamster ovary cells is independent of receptor down-regulation, 310: 559
van Dijk, H. P.
——Kroos, M. J.; Starreveld, J. S.; van Eijk, H. G.; Tang, S.-P.; Song, D.-X.; Muller-Eberhard, U.
Expression of haemopexin receptors by cultured human cytotrophoblast, 307: 669
Van Dijken, P.
——Lammers, A. A.; Van Haastert, P. J. M.
In *Dictyostelium discoideum* inositol 1,3,4,5-tetrakisphosphate is dephosphorylated by a 3-phosphatase and a 1-phosphatase, 308: 127
van Eijk, H. G. See van Dijk, H. P.
Van Golde, L. M. G. See Van Iwaarden, J. F.
Van Haastert, P. J. M. See Van der Kaay, J.; Van Dijken, P.
van Haastert, P. J. M. See Drayer, A. L.
van Heyningen, S. See Saxty, B. A.
Vanhove, M. See Damblon, C.

——Houba, S.; Lamotte-Brasseur, J.; Frère, J.-M.
Probing the determinants of protein stability: comparison of class A β-lactanases, 308: 859
Van Iwaarden, J. F.
——Teding Van Berkhout, F.; Whitsett, J. A.; Oosting, R. S.; Van Golde, L. M. G.
A novel procedure for the rapid isolation of surfactant protein A with retention of its alveolar-macrophage-stimulating properties, 309: 551
Vankan, P. See de Saizieu, A.
Van Klinken, B. J.-W. See Tytgat, K. M. A. J.
van Loon, A. P. G. M. See de Saizieu, A.
Van Maldergem, L. See Bonaventure, J.
van Mourik, J. A. See Donath, M.-J. S. H.; Spaargaren, J.
Van Nieuw Amerongen, A. See Bolscher, J.
Van Obberghen, E. See Hauguel-De-Mouzon, S.
van Ree, J. H.
——Hofker, M. H.; van den Broek, W. J. A. A.; van Deursen, J. M. A.; van der Boom, H.; Frants, R. R.; Wieringa, B.; Havekes, L. M.
Increased response to cholesterol feeding in apolipoprotein c1-deficient mice, 305: 905
Van Rens, L. See Klomp, L. W. J.
van Riel, M. C. H. M. See Holthuis, J. C. M.
Van Rompaey, L.
——Proost, P.; Van den Berghe, H.; Marynen, P.
Design of a new protease inhibitor by the manipulation of the bait region of α_2-macroglobulin: inhibition of the tobacco etch virus protease by mutant α_2-macroglobulin, 312: 191
——Van den Berghe, H.; Marynen, P.
Synthesis of a Cys949Tyr α_2-macroglobulin thiol ester mutant: co-transfection with wild-type α_2-macroblobulin in an episomal expression system, 312: 183
Van Schaftingen, E. See Angius, L.
——Glucosamine-sensitive and -insensitive detritiation of [2-^{3}H]glucose in isolated rat hepatocytes: a study of the contributions of glucokinase and glucose-6-phosphatase, 308: 23
van Veen, H. A. See van Berkel, P. H. C.
van Veen, M.
——Georgiou, G. N.; Drake, A. F.; Cherry, R. J.
Circular-dichroism and fluorescence studies on melittin: effects of C-terminal modifications on tetramer formation and binding to phospholipid vesicles, 305: 785
Van Veldhoven, P. P. See De Ceuster, P.
Vanweyenberg, V. See Communi, D.
——Communi, D.; D'Santos, C. S.; Erneux, C.
Tissue- and cell-specific expression of Ins(1,4,5)P_3 3-kinase isoenzymes, 306: 429
van Willigen, G. See Giesberts, A. N.
Van Wuytswinkel, O.
——Savino, G.; Briat, J.-F.
Purification and characterization of recombinant pea-seed ferritins expressed in *Escherichia coli*: influence of N-terminus deletions on protein solubility and core formation *in vitro*, 305: 253
van Wuytswinkel, O.
——Briat, J.-F.
Conformational changes and *in vitro* core-formation modifications induced by site-directed mutagenesis of the specific N-terminus of pea seed ferritin, 305: 959
Váradi, A. See Magyar, A.
Várallyay, É. See Rodenburg, K. W.
Varga, J. See Hitraya, E. G.
Vargas, V. See Sömjen, D.
Varón, R. See Valero, E.
Vassart, G. See Eggerickx, D.
Vasta, V. See Meacci, E.
Vaughan, A.
——Rodriguez, M.; Hemingway, J.
The independent gene amplification of electrophoretically indistinguishable B esterases from the insecticide-resistant mosquito *Culex quinquefasciatus*, 305: 651
Vaughn, W. H. See Baggott, J. E.
Vazquez, R. See Hernandez, L.
Veerman, E. See Bolscher, J.
Velan, B. See Kronman, C.
Veletza, S. V. See Floros, J.
Velloso, L. A. See Saad, M. J. A.
Ventura, F. See Rosa, J. L.
Venuta, S. See Morrone, G.
Vercesi, A. E. See Docampo, R.
Vercruysse, K. P.
——Lauwers, A. R.; Demeester, J. M.
Absolute and empirical determination of the enzymic activity and kinetic investigation of the action of hyaluronidase on hyaluronan using viscosimetry, 306: 153
Kinetic investigation of the action of hyaluronidase on hyaluronan using the Morgan-Elson and neocuproine assays, 310: 55
Verhagen, N. A. M. See van Det, N. F.
Vérine, A. See Somma-Delpéro, C.
Verma, C. See Thomas, M. P.
Vermorel, M. See Hocquette, J.-F.
Vermylen, J. See Hoylaerts, M. F.
Vernon, R. G.
——Doris, R.; Finley, E.; Houslay, M. D.; Kilgour, E.; Lindsay-Watt, S.
Effects of lactation on the signal transduction systems regulating lipolysis in sheep subcutaneous and omental adipose tissue, 308: 291
Verpoorte, R. See de Waal, A.
Vertommen, D. See Rider, M. H.
Verwoerd, D. See Bolscher, J.
Veselkina, O. S. See Kachurin, A. M.
Viana, F. See De Greef, C.
Vié, M. P. See Beslin, A.
Višnjić, D.
——Batinić, D.; Lasić, Z.; Knotek, M.; Marušić, M.; Banfić, H.
Phorbol 12-myristate 13-acetate-mediated signalling in murine bone marrow cells, 310: 163
Villageois, P. See Nahmias, C.
Villalba, M.
——Ferrari, D.; Bozza, A.; Del Senno, L.; Di Virgilio, F.
Ionic regulation of endonuclease activity in PC12 cells, 311: 1033
Villarroya, F. See Martin, I.
Villaz, M. See Marty, I.
Viñals, F. See Kaliman, P.
Viñas, O. See Martin, I.
Vinçon, M. See Rabilloud, T.
Vincent, M. F. See Javaux, F.
Vissers, M. C. M.
——Winterbourn, C. C.
Oxidation of intracellular glutathione after exposure of human red blood cells to hypochlorous acid, 307: 57
Vita, A. See Balducci, E.
Vo, L. See Henning, W.
vom Dahl, S.
——Stoll, B.; Gerok, W.; Häussinger, D.
Inhibition of proteolysis by cell swelling in the liver requires intact microtubular structures, 308: 529
von Besser, H.
——Niemann, G.; Domdey, B.; Walter, R. D.
Molecular cloning and characterization of ornithine decarboxylase cDNA of the nematode *Panagrellus redivivus*, 308: 635
Voorberg, J. See Donath, M.-J. S. H.; Spaargaren, J.
Voorschuur, A. See Van Berkel, T. J. C.
Vranic, M. See Tsakiridis, T.
Vuillard, L.
——Braun-Breton, C.; Rabilloud, T.
Non-detergent sulphobetaines: a new class of mild solubilization agents for protein purification, 305: 337
Vuorio, E. See Ala-Kokko, L.

Wachi, H.
——Seyama, Y.; Yamashita, S.; Tajima, S.
Cell cycle-dependent regulation of elastin gene in cultured chick vascular smooth-muscle cells, 309: 575
Wada, H. See Murata, N.
Waddell, I. D. See Lucius, R. W.
Wagner, C. See Krupenko, S. A.
Wagner, D. R. See Javaux, F.
Wagner, J. See Charest, A.
Wagner, K. A. See Brady, K. D.
Wahlfors, J.
——Myöhänen, S.; Korhonen, V. P.; Alhonen, L.; Jänne, J.
Long-term reduction of amplified ornithine decarboxylase sequences in human myeloma cells, 310: 299
Wahlström, E. See Zierath, J. R.
Waisman, A. See Sömjen, D.
Waiyaki, G. P. See Mukuria, C. J.
Wakelam, M. J. O. See Briscoe, C. P.
Waku, K. See Yamashita, A.
Walker, J. H. See Trotter, P. J.
Walker, K. N.
——Bottomley, S. P.; Popplewell, A. G.; Sutton, B. J.; Gore, M. G.
Equilibrium and pre-equilibrium fluorescence spectroscopic studies of the binding of a single-immunoglobulin-binding domain derived from Protein G to the Fc fragment from human IgG_1, 310:177
Walker, M. E. See Val, D. L.
Walker, S. W. See Howie, A. F.
Wallace, J. C. See Milner, S. J.; Val, D. L.
Wallace, R. M. See McClenaghan, M.
Wallberg-Henriksson, H. See Zierath, J. R.
Wallick, E. T. See Johnson, C. L.
Wallimann, T. See Kaldin, P.; Wyss, M.
Wallis, G. A. See Culbert, A. A.
Walmsley, A. R. See Martin, G. E. M.
Walsh, E. S. See Ranganathan, S.
Walsh, M. P. See Andrea, J. E.
Walsh, P. N. See Ahmad, S. S.
Walter, R. D. See Henkle-Dührsen, K.; von Besser, H.
Wan, M. See Hunziker, P. E.
Wands, J. R. See Xu, Y.-Y.
Wang, F.
——Naik, U. P., Ehrlich, Y. H.; Osada, S.-I.; Ohno, S.; Kornecki, E.
Stimulatory antibody-induced activation and selective translocation of protein kinase C isoenzymes in human platelets, 311: 401
Wang, F.-F. See Tang, S.-Y.
Wang, K.
——Gan, L.; Lee, I.; Hood, L.

Isolation and characterization of the chicken trypsinogen gene family, 307: 471
Wang, L. See Ishii, K.; Liang, Y.
Wang, L.-Y. See Yeh, H.-I.
Wang, R.
——Klegerman, M. E.; Marsden, I.; Sinnott, M.; Groves, M. J.
An anti-neoplastic glycan isolated from *Mycobacterium bovis* (BCG vaccine), 311: 867
Wang, S. See Kumar, G.
Wang, T.-C. L. See Kuźnicki, J.
Wang, X.-L.
——Akhtar, R. A.; Abdel-Latif, A. A.
Purification and properties of D-*myo*-inositol 1,4,5-trisphosphate 3-kinase from bovine iris sphincter smooth muscle: effects of protein phosphorylation *in vitro* and in intact muscle, 308: 1009
Wang, Y. See Huang, Q.
Wang, Y.-M. See Tsai, I.-H.
Wantyghem, J. See Zanetta, J.-P.
Ward, C. W. See Macaulay, S. L.
Ward, D. T.
——Ohanian, J.; Heagerty, A. M.; Ohanian, V.
Phospholipase D-induced phosphatidate production in intact small arteries during noradrenaline stimulation: involvement of both G-protein and tyrosine-phosphorylation-linked pathways, 307: 451
Warnecke, C. See Henkle-Dührsen, K.
Warren, R. A. J. See Shen, H.
Warskulat, U. See Zhang, F.
Warwick-Davies, J. See Guesdon, F.
Wasco, W. See Webster, M.-T.
Washbourne, P.
——Schiavo, G.; Montecucco, C.
Vesicle-associated membrane protein-2 (synaptobrevin-2) forms a complex with synaptophysin, 305: 721
Watanabe, H.
——Gao, L.; Sugiyama, S.; Doege, K.; Kimata, K.; Yamada, Y.
Mouse aggrecan, a large cartilage proteoglycan: protein sequence, gene structure and promoter sequence, 308: 433
Watanabe, I.
——Horiuchi, T.; Fujita, S.
Role of protein kinase C activation in synthesis of complement components C2 and factor B in interferon-δ-stimulated human fibroblasts, glioblastoma cell line A172 and monocytes, 305: 425
Watanabe, M. See Yamashita, A.
Watanabe, T. See Sohma, H.
Waterman, W. H.
——Sha'afi, R. I.
Effects of granulocyte-macrophage colony-stimulating factor and tumour necrosis factor-α on tyrosine phosphorylation and activation of mitogen-activated protein kinases in human neutrophils, 307: 39
Watkins, N. J.
——Knight, M. R.; Trewavas, A. J.; Campbell, A. K.
Free calcium transients in chemotactic and non-chemotactic strains of *Escherichia coli* determined by using recombinant aequorin, 306: 865
Watson, M. H. See Tsuruda, T. S.
Watson, M. L. See Jordan, N. J.
Watson, S. P. See Yanaga, F.
Webb, D. J.
——Crookston, K. P.; Figler, N. L.; Lamarre, J.; Gonias, S. L.
Differences in the binding of transforming growth factor β1 to the acute-phase reactant and constitutively synthesized α-macroglobulins of rat, 312: 579
Webb, T. J.
——Powls, R.; Rees, H. H.
Enzymes of ecdysteroid transformation and inactivation in the midgut of the cotton leafworm, *Spodoptera littoralis:* properties and developmental profiles, 312: 561
Webber, R. See Lark, M. W.
Webberly, M. C. See Wilson, I. B. H.
Weber, H. See Zamora, R.
Weber, M. See Schlüter, K.-D.
Weber, P. C. See Aepfelbacher, M.
Webster, M.-T.
——Groome, N.; Francis, P. T.; Pearce, B. R.; Sherriff, F. E.; Thinakaran, G.; Felsenstein, K. M.; Wasco, W.; Tanzi, R. E.; Bowen, D. M.
A novel protein, amyloid perecursor-like protein 2, is present in human brain, cerebrospinal fluid and conditioned media, 310: 95
Wegrowski, Y.
——Paltot, V.; Gillery, P.; Kalis, B.; Randoux, A.; Maquart, F.-X.
Stimulation of sulphated glycosaminoglycan and decorin production in adult dermal fibroblasts by recombinant human interleukin-4, 307: 673
Wei, Z.-Y. See Cao, J.-G.
Weidner, J. See Lark, M. W.
Weinander, R.
——Mosialou, E.; DeJong, J.; Tu, C.-P. D.; Dypbukt, J.; Bergman, T.; Barnes, H. J.; Höög, J.-O.; Morgenstern, R.
Heterologous expression of rat liver microsomal glutathione transferase in simian COS cells and *Escherichia coli,* 311: 861
Weis, J. See Krüttgen, A.
Weisinger, G.
——The transcriptional regulation of the preproenkephalin gene, 307: 617
Weiss, C. See Zeng, Y.
Welch, S. G.
——Williams, R. A. D.
Two different isoschizomers of the Tupe-II restriction endonuclease *Taq* I (T/CGA) within the same *Thermus* isolate: *Tsp*32 I, an enzyme with similar heat stability properties to the prototype enzyme *Taq* I, and *Tsp*32 II, a hyperthermostable isoschizomer of *Taq* I, 312: 505
Two thermostable Type II restriction endonucleases from Icelandic strains of the genus *Thermus: Tsp*4C I (ACN/GT), a novel Type II restriction endonuclease, and *Tsp*8E I, an isoschizomer of the mesophilic enzyme *Bgl* (GCCNNNN/NGGC), 309: 595
Wells, J. R. E. See Schulz, T. C.
Welsh, G. I. See Moule, S. K.
Welsh, M. J. See McDonald, F. J.
Wen, M. See Liu, P.
Wensley, V. R. See Bryson, J. M.
Wera, S.
——Hemmings, B. A.
Serine/threonine protein phosphatases, 311: 17
Wessberg, K. L.
——Skolnick, S.; Xu, J.; Marciano-Cabral, F.; Kemp, R. G.
Cloning, sequencing and expression of the pyrophosphate-dependent phosphofructo-1-kinase from *Naegleria fowleri,* 307: 143
Wesseling, J. See Van der Kaay, J.
West, S. M.
——Rice, J. E.; Beaumont, E. S.; Kelly, S. M.; Price, N. C.; Lindsay, J. G.
Dissociation and unfolding of the pyruvate dehydrogenase complex by guanidinium chloride, 308: 1025
Westerman, J. See de Vries, K. J.
Westermarck, J.
——Ilvonen, E.; Kähäri, V.-M.
The protein phosphatase inhibitor okadaic acid suppresses type I collagen gene expression in cultured fibroblasts at the transcriptional level, 308: 995
Westhead, E. W. See Xiong, Y.
Westley, B. R. See Chadwick, M. P.
Westwick, J. See Jordan, N. J.
Wettstein, M. See Zhang, F.
Whalley, T. See Sokoloff, A. V.
Wharton, C. W. See White, A. J.
Wheeler-Jones, C. P. D. See Goodwin, C. A.
Whish, L. J. D. See Hubble, J.
White, A. J.
——Drabble, K.; Wharton, C. W.
A stopped-flow apparatus for infrared spectroscopy of aqueous solutions, 306: 843
White, D. A. See Bennett, A. J.
Whitehead, C. C. See Knott, L.
Whitsett, J. A. See Van Iwaarden, J. F.
Whittle, A. M. See Meikle, P. J.
Wiberg, F. C. See Kristensen, C.
Wick, M.
——Härönen, R.; Mumberg, D.; Bürger, C.; Olsen, B. R.; Budarf, M. L.; Apte, S. S.; Müller, R.
Structure of the human *TIMP-3* gene and its cell cycle-regulated promoter, 311: 549
Wictome, M.
——Khan, Y. M.; East, J. M.; Lee, A. G.
Binding of sesquiterpene lactone inhibitors to the Ca^{2+}-ATPase, 310: 859
Widmann, C.
——Dolci, W.; Thorens, B.
Agonist-induced internalization and recycling of the glucagon-like peptide-1 receptor in transfected fibroblasts and in insulinomas, 310: 203
Wiedemann, H. See Holmskov, U.
Wieder, T.
——Perlitz, C.; Wieprecht, M.; Huang, R. T. C.; Geilen, C. C.; Orfanos, C. E.
Two new sphingomyelin analogues inhibit phosphatidylcholine biosynthesis by decreasing membrane-bound CTP: phosphocholine cytidylyltransferase levels in HaCaT cells, 311: 873
Wieland, F. See Ansorge, I.
Wiemer, E. A. C.
——Michels, P. A. M.; Opperdoes, F. R.
The inhibition of pyruvate transport across the plasma membrane of the bloodstream form of *Trypanosoma brucei* and its metabolic implications, 312: 479
Wieprecht, M. See Wieder, T.
Wieringa, B. See Hendriks, W.; Sistermans, E. A.; van Ree, J. H.
Wieruszeski, J.-M. See Escrivá, H.
Wiese, R. J. See Milarski, K. L.
Wilce, M. C. J. See Board, P. G.
Wilde, C. J. See McClenaghan, M.
——Addey, C. V. P.; Boddy, L. M.; Peaker, M.
Autocrine regulation of milk secretion by a protein in milk, 305: 51
Wiley, J. S.
——Chen, J. R.; Jamieson, G. P.; Thurlow, P. J.

Agonists for endothelial P_2 purinoceptors trigger a signalling pathway producing Ca^{2+} responses in lymphocytes adherent to endothelial cells, 311: 589
Wilkes, J. M.
——Peregrine, A. S.; Zilberstein, D.
The accumulation and compartmentalization of isometamidium chloride in *Trypanosoma congolense,* monitored by its intrinsic fluorescence, 312: 319
Wilkinson, K. W. See Hawkes, T. R.
Wilkinson, M. C. See Thorne, N. M. H.
Willems, G. M. See Spaargaren, J.
Williams, C. J. See Grivell, A. R.
Williams, D. H. See Sharman, G. J.
Williams, H. See Lark, M. W.
Williams, J. A. See van de Westerlo, E.
Williams, R. A. D. See Welch, S. G.
Williams, R. L. See Paterson, H. F.
Williamson, D. H. See Da Costa, T. H. M.
Willis, A. C. See Berks, B. C.; Chan, C.
Wilson, D. B. See Bielinska, M.
Wilson, I. A.
——Brindle, K. M.; Fulton, A. M.
Differential localization of the mRNA of the M and B isoforms of creatine kinase in myoblasts, 308: 599
Wilson, I. B. H.
——Webberley, M. C.; Revers, L.; Flitsch, S. L.
Dolichol is not a necessary moiety for lipid-linked oligosaccharide substrates of the mannosyltransferases involved in *in vitro* N-linked-oligosaccharide assembly, 310: 909
Wilson, M. See Shakur, Y.
Wilson, M. E. See Clark, A. R.
Wilson, M. T. See Peterson, J.; Rogers, M. S.; Torres, J.
Wilson, R.
——Allen, A. J.; Oliver, J.; Brookman, J. L.; High, S.; Bulleid, N. J.
The translocation, folding, assembly and redox-dependent degradation of secretory and membrane proteins in semi-permeabilized mammalian cells, 307: 679
Wilton, D. C. See Creaney, A.; Kinkaid, A. R.; Thumser, A. E. A.
Wing, H. J. See Savery, N. J.
Wing, S. S. See Medina, R.
——Haas, A. L.; Goldberg, A. L.
Increase in ubiquitin-protein conjugates concomitant with the increase in proteolysis in rat skeletal muscle during starvation and atrophy denervation, 307: 639
——Jain, P.
Molecular cloning, expression and characterization of a ubiquitin conjugation enzyme ($E2_{17kB}$) highly expressed in rat testis, 305: 125
Wingender, E. See Sömjen, D.
Winkler, H. See Kirchmair, R.
Winsky, L. See Kuźnicki, J.
Winterbourn, C. C. See Kettle, A. J.; Vissers, M. C. M.
Wirtz, K. W. A. See de Vries, K. J.
Wise, A. See McCallum, J. F.
Wisniewski, T. See Castaño, E. M.
Wissel, H. See Stevens, P. A.
Wissmann, J.-D. See Treptau, T.
Withers, S. G. See Street, I. P.
Woźniak, A. See Strzelecka-Golaszewska, H.
Wojcik, E. G. C.
——van den Berg, M.; van der Linden, I. K.; Poort, S. R.; Cupers, R.; Bertina, R. M.
Factor IX Zutphen: a $Cys^{18} \rightarrow Arg$ mutation results in formation of a heterodimer with α_1-microglobulin and the inability to form a calcium-induced conformation, 311: 753
Wolf, C. R. See Ding, S.
Wolff, R. A. See Dbaibo, G. S.
Wollmer, A. See Krüttgen, A.
Wolosker, H. See Benech, J. C.
Wolters, D. J. See Euverink, G. J. W.
Wong, M. J. See Filmus, J.
Wong, W. S. F. See Munger, J. S.
Wong, Y. H. See Tsu, R. C.
Wong, Z. M. See Filmus, J.
Wood, I. S. See Tarpey, P. S.
Woodward, J. R. See Pitson, S. M.
Woodworth, R. C. See Grady, J. K.
Woolley, D. E. See Suzuki, K.
Woon, P. Y. See Liu, Y.
Wouters-Tyrou, D.
——Martin-Ponthieu, A.; Ledoux-Andula, N.; Kouach, M.; Jaquinod, M.; Subirana, J. A.; Sautière, P.
Squid spermiogenesis: molecular characterization of testis-specific pro-protamines, 309: 529
Wright, J. N. See Lee-Robichaud, P.
Wright, P. E. See Stone, M. J.
Wright, T. M. See Feghali, C. A.
Wu, G.
——Flynn, N. E.; Yan, W.; Barstow, D. G. Jr.
Glutamine metabolism in chick enterocytes: absence of pyrroline-5-carboxylase synthase and citrulline synthesis, 306: 717, 310: 1055
——Urea synthesis in enterocytes of developing pigs, 312: 717
Wu, J.
——Niederman, R. A.
Topological organization of the Rieske iron-sulphur protein and subunit IV in the cytochrome bc_1 complex of *Rhodobacter sphaeroides,* 305: 823
Wu, M.-H.
——Lam, C.-Y.; Yung, B. Y.-M.
Translocation of nucleophosmin from nucleoli to nucleoplasm requires ATP, 305: 987
Wu, P. See Skrede, S.
Wurtman, R. J. See Slack, B. E.
Wuytack, F. See Bokkala, S.
Wyss, M.
——Maughan, D.; Wallimann, T.
Re-evaluation of the structure and physiological function of guanidino kinases in fruitfly *(Drosophila),* sea urchin *(Psammechinus miliaris)* and man, 309: 255

Xia, W.-L. See Zhang, J.
Xie, M.
——Low, M. G.
Streptolysin-O induces release of glycosylphosphatidylinositol-anchored alkaline phosphatase from ROS cells by vesiculation independently of phospholipase action, 305: 529
Xiong, Y.
——Westhead, E. W.; Slakey, L. L.
Role of phosphodiesterase isoenzymes in regulating intracellular cyclic AMP in adenosine-stimulated smooth muscle cells, 305: 627
Xiong, Y. See Bollag, W. B.
Xu, J. See Wessberg, K. L.
Xu, Y.
——Fang, X.-J.; Casey, G.; Mills, G. B.
Lysophospholipids activate ovarian and breast cancer cells, 309: 933
Xu, Y.-Y.
——Bhavani, K.; Wands, J. R.; de la Monte, S. M.
Ethanol inhibits insulin receptor substrate-1 tyrosine phosphorylation and insulin-stimulated neuronal thread protein gene expression, 310: 125
Xue, G. Z. See Zheng, Z. S.

Yagisawa, S.
——Enzyme kinetics based on free-energy profiles, 308: 305
Yamada, A. See Tamura, H.
Yamada, F. See Yano, Y.
Yamada, K. See Avignon, A.
——Avignon, A.; Standaert, M. L.; Cooper, D. R.; Spencer, B.; Farese, R. V.
Effects of insulin on the translocation of protein kinase C-θ and other protein kinase C isoforms in rat skeletal muscles, 308: 177
Yamada, M.
——Miyawaki, A.; Saito, K.; Nakajima, T.; Yamamoto-Hino, M.; Tyo, Y.; Furuichi, T.; Mikoshiba, K.
The calmodulin-binding domain in the mouse type 1 inositol 1,4,5-trisphosphate receptor, 308: 83
Yamada, T. See Saneshige, S.
Yamada, Y. See Watanabe, H.
Yamaguchi, T. See Takahashi, T.
Yamakawa, M. See Hara, S.
Yamamoto, H. See Miyamoto, K.-I.; Miyamoto, K.-i.
Yamamoto, S. See Nasu, K.
Yamamoto, Y. See Takahashi, M.
Yamamoto-hino, M. See Yamada, M.
Yamamura, H. See Qin, S.
Yamana, K. See Nomura, K.
Yamashiro, S. See Haraguchi, M.
Yamashita, A.
——Watanabe, M.; Tonegawa, T.; Sugiura, T.; Waku, K.
Acyl-CoA binding and acylation of UDP-glucuronosyltransferase isoforms of rat liver: their effect on enzyme activity, 312: 301
Yamashita, H. See Suzuki, M.; Shin, W.-S.
Yamashita, S. See Sunaga, H.; Wachi, H.
Yan, Q.
——Bennick, A.
Identification of histatins as tannin-binding proteins in human saliva, 311: 341
Yan, W. See Wu, G.
Yanaga, F.
——Poole, A.; Asselin, J.; Blake, R.; Schieven, G. L.; Clark, E. A.; Law, C.-L.; Watson, S. P.
Syk interacts with tyrosine-phosphorylated proteins in human platelets activated by collagen and cross-linking of the Fcγ-IIA receptor, 311: 471
Yanagishita, M. See Uhlin-Hansen, L.
Yang, C.
——Notbohm, H.; Açil, Y.; Heifeng, R.; Bierbaum, S.; Müller, P. K.
In vitro fibrillogenesis of collagen II from pig vitreous humour, 306: 871
Yang, D.
——Nagayama, K.
Permeation of small molecules into the cavity of ferritin as revealed by proton nuclear magnetic resonance relaxation, 307: 253
Yang, G. H. See Haruta, T.
Yang, H.-J.
——Tsou, C.-L.
Inactivation during denaturation of ribonuclease A by guanidinium chloride is accompanied by unfolding at the active site, 305: 379
Yang, J. See van de Westerlo, E.
Yang, J. J. See Gregoriou, M.
Yang, M.-D. See He, R.-Q.
Yang, S.-H. See Huang, T.-F.

——Dickson, A. J.
Inhibitors of signalling identify differential control processes responsible for selective effects of insulin on the expression of phosphoenolpyruvate carboxykinase and gene 33 in rat H4 hepatoma cells, 310: 375
Yang, W.-L. See Lim, R. W.
Yang, X.-F.
——Crine, P.; Boileau, G.
The nature of topogenic sequences determines the transport competence of topological mutants of neutral endopeptidase-24.11, 312: 99
Yang, Y.-H. See Yu, L.-C.
Yang, Z. See Smith, J. B.
Yano, H.
——Agatsuma, T.; Nakanishi, S.; Saitoh, Y.; Fukui, Y.; Nonomura, Y.; Matsuda, Y.
Biochemical and pharmacological studies with KT7692 and LY294002 on the role of phosphatidylinositol 3-kinase in FcεRI-mediated signal transduction, 312: 145
Yano, Y.
——Sakon, M.; Kambayashi, J.; Kawasaki, T.; Senda, T.; Tanaka, K.; Yamada, F.; Shibata, N.
Cytoskeletal reorganization of human platelets induced by the protein phosphatase 1/2A inhibitors okadaic acid and calyculin A, 307: 439
Yao, T.-T. See Zeng, Y.
Yarlett, N. See Bacchi, C. J.
Yarwood, C. See Janero, D. R.
Yassin, R. R.
——Little, K. M.
Early signalling mechanism in colonic epithelial cell response to gastrin, 311: 945
Yasumoto, T. See Takai, A.
Yazaki, Y. See Fukushima, Y.
Yeaman, S. J. See Fleming, I. N.
Yeh, H.-I.
——Hsieh, C.-H.; Wang, L.-Y.; Tsai, S.-P.; Hsu, H.-Y.; Tam, M. F.
Mass spectrometric analysis of rat liver cytosolic glutathione *S*-transferases: modifications are limited to N-terminal processing, 308: 69
Yellen, G. See McLaughlin, J. T.
Yengi, L. See Inskip, A.
Young, P. See Morris, N. J.
Young, R. D. See Morton, L. F.
Yu, B.-B. See Kertesz, Z.
Yu, C.-W. See Chiou, S.-H.
Yu, H. See Lim, R. W.
Yu, L.-C.
——Yang, Y.-H.; Broadberry, R. E.; Chen, Y.-H.; Chan, Y.-S.; Lin, M.
Correlation of a missense mutation in the human *Secretor* α1,2-fucosyltransferase gene with the Lewis(a+b+) phenotype: a potential molecular basis for the weak *Secretor* allele (*Se*^{2}), 312: 329
Yu, S. M.
——Cheng, Z. J.; Guh, J. H.; Lee, F. Y.; Kuo, S. C.
Mechanism of anti-proliferation caused by YC-1, an indazole derivative, in cultured rat A10 vascular smooth-muscle cells, 306: 787
Yu, Z. See Sharom, F. J.
Yue, P. See Payne, A. M.
Yung, B. Y.-M. See Wu, M.-H.

Zaidi, Z. See Smith, J. B.
Zaltzman, A. B.
——Van den Berg, C. W.; Muzykantov, V. R.; Morgan, B. P.
Enhanced complement susceptibility of avidin-biotin-treated human erythrocytes is a consequence of neutralization of the complement regulators CD59 and decay accelerating factor, 307: 651
Zammit, V. A. See Moir, A. M. B.
——Effects of hydration state on the synthesis and secretion of triacylglycerol by isolated rat hepatocytes. Implications for the actions of insulin and glucagon on hepatic secretion, 312: 57
Zamora, R.
——Grzesiok, A.; Weber, H.; Feelisch, M.
Oxidative release of nitric oxide accounts for guanylyl cyclase stimulating, vasodilator and anti-platelet activity of Piloty's acid: a comparison with Angeli's salt, 312: 333
Zanella, M. T. See Handy, D. E.
Zanetta, J.-P.
——Wantyghem, J.; Kuchler-Bopp, S.; Badache, A.; Aubery, M.
Human lymphocyte activation is associated with the early and high-level expression of the endogenous lectin CSL at the cell surface, 311: 629
Zappia, V. See Galletti, P.
Zarnt, T.
——Lang, K.; Burtscher, H.; Fischer, G.
Time-dependent inhibition of peptidylprolyl *cis-trans*-isomerases by FK506 is probably due to *cis-trans* isomerization of the inhibitor's imide bond, 305: 159
Zeeuwen, P. See Hendriks, W.
Zemel, M. B. See Kim, Y.-C.
Zendehrouh, P. See Ersdal-Badju, E.
Zeng, L. See Savage, A.
——Houslay, M. D.
Insulin and vasopressin elicit inhibition of cholera-toxin-stimulated adenylate cyclase activity in both hepatocytes and the P9 immortalized hepatocyte cell line through an action involving protein kinase C, 312: 769
Zeng, Y.
——Weiss, C.; Yao, T.-T.; Huang, J.; Siconolfi-Baez, L.; Hsu, P.; Rushbrook, J. I.
Isocitrate dehydrogenase from bovine heart: primary structure of subunit 3/4, 310: 507
Zettl, R. See Feldwisch, J.
Zeuzem, S. See Piiper, A.
Zhan, Z. See Anthes, J. C.
Zhang, D.
——Jiang, S.; Rzewnicki, D.; Samols, D.; Kushner, I.
The effect of interleukin-1 on C-reactive protein expression in Hep3B cells is exerted at the transcriptional level, 310: 143
Zhang, F.
——Warskulat, U.; Wettstein, M.; Schreiber, R.; Henninger, H.-P.; Decker, K.; Häussinger, D.
Hyperosmolarity stimulates prostaglandin synthesis and cyclooxygenase-2 expression in activated rat liver macrophages, 312: 135
Zhang, J.
——Macrae, T. H.
Influence of phosphorylation on isoform composition and function of a microtubule-associated protein from developing *Artemia*, 307: 419
——Xia, W.-L.; Ahmad, F.
Regulation of pyruvate carboxylase in 3T3-L1 cells, 306: 205
Zhang, L.-J. W. See Gawler, D. J.
Zhang, Q. See Black, P. N.
Zhang, Y. See Kolm, R. H.
Zhang, Z.
——Schofield, C. J.; Baldwin, J. E.; Thomas, P.; John, P.
Expression, purification and characterization of 1-aminocyclopropane-1-carboxylate oxidase from tomato in *Escherichia coli*, 307: 77
Zhao, G.-H. See Damblon, C.
Zheng, C.-F. See Pang, L.
Zheng, X. See He, R.-Q.
Zheng, Z. S.
——Xue, G. Z.; Prystowsky, J. H.
Regulation of the induction of ornithine decarboxylase in keratinocytes by retinoids, 309: 159
Zhou, J.-X. See He, R.-Q.
Zhou, Q.
——Smith, J. B.; Grossman, M. H.
Molecular cloning and expression of catrocollastatin, a snake-venom protein from *Crotalus atrox* (western diamondback rattlesnake) which inhibits platelet adhesion to collagen, 307: 411
Zhou, Z.-H. L.
——Ando, A.; Furutsuka, D.; Ikebe, M.
Characterization of Ca^{2+}/calmodulin-dependent protein kinase II from smooth muscle, 310: 517
Zia-Amirhosseini, P.
——Ding, A.; Burlingame, A. L.; McDonagh, A. F.; Benet, L. Z.
Synthesis and mass-spectrometric characterization of human serum albumins modified by covalent binding of two non-steroidal anti-inflammatory drugs: tolmetin and zomepirac, 311:431
Zierath, J. R.
——Nolte, L. A.; Wahlström, E.; Galuska, D.; Shepherd, P. R.; Kahn, B. B.; Wallberg-Henriksson, H.
Carrier-mediated fructose uptake significantly contributes to carbohydrate metabolism in human skeletal muscle, 311: 517
Zijlstra, A. I. M. See de Bruijn, M. A. C.
Zilberstein, D. See Wilkes, J. M.
Zimmerberg, J. See Sokoloff, A. V.
Zimmermann, J. See Gu, K.
Zioudrou, C. See Georgoussi, Z.
Zographos, S. E.
——Oikonomakos, N. G.; Dixon, H. B. F.; Griffin, W. G.; Johnson, L. N.; Leonidas, D. D.
Sulphate-activated phosphorylase *b:* the pH-dependence of catalytic activity, 310: 565
Zor, T.
——Halifa, I.; Kleinhaus, S.; Chorev, M.; Selinger, Z.
m-Acetylanilido-GTP, a novel photoaffinity label for GTP-binding proteins: synthesis and application, 306: 253
Zorzano, A. See Castelló, A.; Kaliman, P.; Mora, S.; Muñoz, P.
Zotter, L. M. See Patton, W. A., II
Zumbihl, R. See Fischer, T.
Żydowo, M. M. See Kochan, Z.

Keyword Index

VOLUMES 305–312 (1995)

A673 cell, growth inhibitory activity from, 305:87
m-Acetylanilido-GTP, as photoaffinity label, for G protein, 306:253
Acetylcholine, cytoplasmic Ca^{2+} and, in pancreatic B cells, 311:259
Acetylcholine receptor
  c-Jun kinase and mitogen-activated protein kinase activation by, calcium dependence of, 309:381
  M_3 muscarinic, G protein down-regulation by, 310:559
Acetylcholine receptor binding site, cysteine mutants of, 310:765
Acetylcholinesterase
  cerebral, alloxan-diabetes and, 307:647
  from medicinal leech, 306:687
Acetylcoenzyme A:α-glucosamine *N*-acetyltransferase, kinetics of, 308:327
Acetylenic substrate analogue, glutamate semialdehyde aminotransferase reaction with, 309:307
N-Acetylgalactosamine, hydrophobic glycosides of, polylactosamine synthesis and, 307:791
N-Acetylgalactosamine-4-sulphatase protein, mutations of, conformation and cellular content and, 307:457
N-Acetylgalactosamine-6-sulphatase, recombinant human, 311:333
β-1,4-*N*-Acetylgalactosaminyltransferase, glycosylation site removal from, 312:273
N-Acetylglucosylamine, hepatic glycogen synthase/phosphorylase and, 311:845
N-Acetylneuraminic acid, synthesis of, condensation of *N*-acetylmannosamine and pyruvate and, 308:501
Achondrogenesis, type II collagen mutations in, 307:823
Acidic peroxidoxin, accumulation of, in erythroid differentiation, 312:699
Acid proteinase, from *Aspergillus saitoi*, thermal denaturation of, 311:969
Acidification, intracellular, polyamine depletion and, 312:749
Acidocalcisome, of *Trypanosoma brucei*, 310:789, 310:1005
Acinar cell
  pancreatic, desensitization of, inositol trisphosphate receptor and, 305:103
  parotid
    inositol trisphosphate and calcium release in, purinoceptor P_{2z} activation and, 312:457
    SGLT1 sequence and location in, 312:293
Aconitase, selenium-substituted, cardiac, 311:197
ACTH (adrenocorticotrophin), glutathione transferase regulation by, 305:111
Actin
  binding of, cardiac myosin heavy chain mutation and, 306:345
  caldesmon interaction with, 309:951
  caponin interaction with, 306:199, 312:587
  carboxyl-terminal residues of, removal of, conformational effects of, 307:527
  mitochondrial uncoupling-induced glucose transport and, 309:1
  polymerization of, calponin and, 312:587
Actinidin, structural origins of, 306:39
Actinomycete, prephenate dehydratase from, 308:313
Acylcoenzyme A, binding of, to UDP-glucuronosyltransferase isoforms, in liver, 312:301
Acylcoenzyme A-binding protein, in erythrocytes, phospholipid renewal and, 306:793
Acyl-lipid desaturases, cyanobacteria cold tolerance and, 308:1
Acylphosphatase, tri-iodothyronine-induced expression of, 311:567
Acylpolyamine, hydrophobic, as inhibitor of trypanothione reductase, 311:371
N-Acylsphingomyelin, phosphatidylcholine biosynthesis inhibition by, 311:873
Adenocarcinoma
  in colon
    mucin secretion in, 312:125
    N-linked glycoproteins in, autophagy and, 309:521
  high density lipoprotein proliferative effect in, protein phosphorylation and, 307:557
Adenosine, protein synthesis and, in hepatocyte, homocysteine and, 310:893
Adenosine diphosphate
  Ca^{2+} oscillation induced by, phorbol ester and, in hepatocyte, 309:145
  inhibition of mitochondrial hexokinase by, 309:105
Adenosine diphosphate receptor, on platelet, G protein activation by, 312:775
Adenosine diphosphate ribosylation
  of G protein RhoA, myelomonocytic cell division and, 308:853
  of phosphofructokinase/fructose-2,6-bisphosphatase, 309:119
Adenosine diphosphate ribosylation factors, from brain, MS electrospray analysis of, 311:125
Adenosine diphosphate ribosyltransferase activity, in cysteine-dependent NAD^+ glycohydrolase, 310:931
Adenosine-mediated signalling system, glucagon-mediated system cross-talk with, in hepatocyte, 312:763
Adenosine monophosphate, cyclic: *see* Cyclic adenosine monophosphate
Adenosine monophosphate deaminase
  alternative transcripts of, isoform L variants encoded by, 312:401
  in skeletal muscle, histidine residue modification and, 309:845
Adenosine receptor
  A_1, avian, characterization of, 307:729
  thyrotropin receptor cross-talk with, in regulation of phospholipase C and adenylate cyclase, 306:709
Adenosine triphosphate
  bile acid transport dependent on, in placenta, 311:479
  binding of
    cardiac myosin heavy chain mutation and, 306:345
    in skeletal muscle ryanodine receptor, 308:119
  Ca^{2+} oscillation induced by, phorbol ester and, in hepatocyte, 309:145
  effects of, on Ca^{2+}-driven endothelial secretory responses, 309:473
  extracellular, signalling pathways and, 311:269
  firefly luciferase and, 305:929
  glycerol 3-phosphate-induced production of, in B-cell mitochondria, 312:287
  nucleophosmin translocation and, 305:987
  respiration uncoupling induced by, in *Saccharomyces cerevisiae* mitochondria, 307:657
  skeletal muscle 26 S proteasome complex activation by, 309:195
  synthesis of, Ca^{2+} efflux and, 306:35
Adenosine triphosphate-consuming processes, hierarchy of, in mammalian cells, 312:163
Adenosine triphosphate-dependent proteolysis, in spinach mitochondria, 310:527
Adenosine triphosphate diphosphohydrolase, type I, pancreatic, 312:351
Adenosine triphosphate hydrolysis, extracellular, by cardiac microvascular endothelial cells, 308:725
Adenosine triphosphate receptor, phospholipase A_2 activation and prostaglandin E_2 production and, in thymic epithelial cell, 308:399
Adenosine triphosphatase activity, of P-glycoprotein, multidrug resistance and, 308:381
Adenosine triphosphate synthase
  subunit β, mitochondrial, 312:887
  subunit c, trimethyl-lysine in, in ceroid-lipofuscinosis, 310:887
S-Adenosylmethionine, promastigote uptake of, 305:133
S-Adenosylmethionine synthetase, hepatic, active site of, 308:565
Adenylate cyclase
  activation of, agonist reguiation of, 308:275
  in airway smooth muscle, 306:723
  cholera toxin-stimulated, protein kinase C and, inhibition of, by insulin and vasopressin, 312:769
  formyl peptide receptor coupling to, 309:331, 311:1039
  orphan G protein-coupled receptor activation of, 309:837
  regulation of, thyrotropin receptor and adenosine receptor cross-talk and, 306:709
Adenylate cyclase system, in brown adipose tissue, in preobese Zucker rat pup, 312:781
Adenylate deaminase, cardiac, oxidant sensitivity of, 306:421
Adipocyte
  brown, foetal differentiation of, IGF-I and, 310:771
  differentiation of, 309:697, 310:771
  redox control of, 307:549
  insulin-stimulated glycogen synthesis and glycogen synthase activity in, wortmannin and rapamycin and, 305:25
  phosphoenolpyruvate carboxykinase in, dexamethasone and isoprenaline and, 305:65
  protein kinase C in, insulin and, 308:181
  pyruvate carboxylase in, regulation of, 306:205
  white, triacylglycerols in, selective mobilization and positional distribution of, 311:911
Adipose tissue
  brown

adenylate cyclase system of, in preobese Zucker rat pup, 312:781
lactation-induced hypotrophy of, mitochondrial protein and, 308:749
signal transduction in, lactation and, 308:291
white
cold-induced suppression of obese gene in, 311:729
pyruvate dehydrogenase complex in, during suckling-weaning transition, 311:531
AdoMet: *see S*-Adenosylmethionine
Adrenal chromaffin cell, Ca^{2+} uptake to, thapsigargin-sensitive Ca^{2+}-ATPases and, 307:749
Adrenal cortex, steroidogenesis in
Ca^{2+} action site and, 305:569
tyrosine kinase and protein kinase C and, 305:433
Adrenal gland, expression of vas deferens protein and FGF-regulated protein in, 312:609
Adrenaline, macrophage fuel metabolism and, 310:709
α_1-Adrenergic receptor, PMA regulation by, in hepatocyte, 305:73
α_2-Adrenergic receptor
F-actin formation and, 307:169
G protein interaction with, in fibroblast, 306:525
genetic transcription of, negative regulation of, 311:541
β-Adrenergic receptor-adenylate cyclase pathway, signalling components and amplification in, in ventricular myocyte, 311:75
Adrenocorticotrophin (ACTH), glutathione transferase regulation by, 305:111
Aequorin
recombinant, free calcium transients and, 306:865
semisynthetic, luminescence of, 306:537
Aflatoxin-metabolizing aldehyde reductase, substrate specificity of, 312:535
Aggrecan
degradation products of, monoclonal antibodies specific for, 305:799
metalloproteinase-generated
detection of, with monoclonal antibody, 310:337
quantification of, 307:245
sequence and genetic structure of, 308:433, 309:535
Aggretin, phospholipase C activation by, 309:1021
Aging
complex I and, 311:105
and free-radical production in peritoneal macrophages, 312:555
and heparin chain antithrombin binding site synthesis, 312:245
Ah receptor, vertebrate, evolutionary conservation of, 310:383
Airway smooth muscle
adenylate cyclase, cAMP, and extracellular signal-regulated kinase-2 in, 306:723
bradykinin-stimulated phosphatidylcholine hydrolysis in, Ca^{2+} and protein kinase C in, 311:637
Albumin
binding of fatty acid-acylated insulin by, 312:725
human serum, modification of, by nonsteroidal anti-inflammatory drugs, 311:431
in liver, vitamin B_6 and, 309:243
lysophospholipid binding to, 307:305
serum, fatty acid uptake and, 308:155
Alcohol dehydrogenase
enzyme activity and dimer stability for, amino acids and, 308:419
structure of, 308:375
Alcohol oxidase, yeast, spatial localization of coenzyme FAD in, 310:601
Aldehyde dehydrogenase, retinoic acid biosynthesis and, 305:681
Aldehyde reductase, aflatoxin-metabolizing, substrate specificity of, 312:535
Aldose reductase-like genes, tissue-specific expression of, 312:609
Aldosterone, synthesis of, Ca^{2+} action site and, 305:569
Alkaline phosphatase
activity of, assay of, 309:181
glycosylphosphatidylinositol-anchored, streptolysin-O-induced release of, 305:529
Alkylhydroperoxide reductase mutation, in *Escherichia coli*, antioxidant protein as complement to, 307:377
Alkylphosphocholine, inhibition of choline uptake, phosphatidylcholine biosynthesis, and axonal growth by, in neuron, 312:411
24-Alkylsterol, biosynthesis of, inhibition of, 308:31
Allylamine, quinoprotein methylamine dehydrogenase reaction with, 308:487
Aluminium, hepatic inositol polyphosphate phosphatase and, 305:557
Alveolar cell, Ca^{2+}-dependent surfactant protein A binding to annexin IV in, 312:175
Alveolar-macrophage stimulation, surfactant protein A isolation and, 309:551
Alzheimer's disease
amyloid βA4 peptide in, cross-linking of α-synuclein fragment NAC to, 310:91
fibrillogenesis of amyloid β peptides and apolipoprotein E in, 306:599
heparan sulphate in brain in, 306:177
5-Amino-4-imidazolecarboxamide riboside, glycolysis inhibition by, 305:913
Amino acid, neutral, system L-like transport of, surface antigen 4F2hc and, 312:863
Amino acid hydroperoxides, biological degradation of, 311:821
Amino acid hydroxylase, aromatic, structure and function of, 311:353
D-Amino acid oxidase, of *Rhodotorula gracilis*, proteolysis of, 310:577
Amino acid transporter gene, basic, mutations of, in cystinuria, 310:951
Aminoacyl-tRNA synthetase complex, in *Saccharomyces cerevisiae*, 309:321
p-Aminobenzoylglutamate, acetylation of, by arylamine *N*-acetyltransferase and U937 cells, 307:1
γ-Aminobutyric acid, receptors for, 310:1
1-Aminocyclopropane-1-carboxylate oxidase, expression and purification of, 307:77
Aminolaevulinic acid, binding sites for, 305:151
Aminopeptidase, endometrial, pseudopregnancy and, 312:31
Aminophenylmercuric acetate, activation of pro-matrix metalloproteinase-2-tissue inhibitor of metalloproteinase-2 complex by, 308:645
Ammonia, and rate of glutamine synthesis, in brain, 311:681
Ammonium sulphate, EGF cytoplasmic domain and, 306:667
α-Amylase, discrimination of, from cyclodextrin glucanotransferase, 305:685
Amylase gene, cholinergic regulation of, in parotid gland, 306:637
α-Amylase/subtilisin inhibitor, barley, arginines in, as interface in complex with barley α-amylase 2, 309:969
Amyloid A protein, in serum, non-pancreatic phospholipase A_2 activity and, 309:461
Amyloid β, microtubule-associated protein tau phosphorylation and, 309:941
Amyloid β peptide
cathepsin S generation of, 311:299
cross-linking of α-synuclein fragment NAC to, 310:91
fibrillogenesis of, in Alzheimer's disease, 306:599
toxicity of, 311:1
Amyloid precursor protein
in brain and cerebrospinal fluid, 310:95
secreted, membrane-associated guanylate cyclase and, 311:45
Amyloplast, cauliflower bud, carbohydrate transport across, 307:521
Androgen, cysteine-rich secretory protein-3 gene dependent on, isolation and characterization of, 309:831
Angeli's salt, oxidative release of nitric oxide by, 312:333
Angiotensin II
adrenal steroidogenic actions of, tyrosine kinase and protein kinase C and, 305:433
insulin receptor substrate 1 tyrosine phosphorylation induced by, phosphatidylinositol 3-kinase and, in heart, 310:741
mitogen-activated protein kinase cascade and, in renal mesangial cells, 305:777
Angiotensin II receptor, tyrosine dephosphorylation coupled to, in neuroblastoma cells, 306:87
Annexin, binding of, to membranes, Ca^{2+} concentration and, 308:591
Annexin II, phosphorylation of, in T cells, 310:243
Annexin IV, Ca^{2+}-dependent binding of, to surfactant protein A, 312:175
Antibacterial peptide family, from silkworm, 310:651
α_1-Antichymotrypsin, human, relationship of, to goat elastasin and contrapain, 306:191
Anticoagulant, salivary, purification and characterization of, 308:243
Anti-inflammatory drugs, non-steroidal, modification of human serum albumin by, 311:431
Antineoplastic glycan, from bacillus Calmette-Guérin vaccine, 311:867
Antioxidant, water-soluble, h.p.l.c. analysis of, 306:101
Antioxidant defence, hepatic ubiquinone reductase and, 309:883
Antioxidant protein, as complement to alkylhydroperoxide reductase mutation, in *Escherichia coli*, 307:377
α_2-Antiplasmin, midiplasmin inhibition by, 305:97
α_1-Antiproteinase, proteinase inhibition by, 307:369
Antithrombin binding site synthesis, on heparin chain, aging and, 312:245
Antithrombin III, β-like human, expression of, 310:323
Aortic endothelial cell, heparin-binding proteins and, 311:461
Aortic smooth muscle
cAMP phosphodiesterases in, 305:627
myosin of, proteolytic fragments from, 312:511
Apical cell surface, targeting of neutral endopeptidase to, 305:165
Apolipoprotein(a), low density lipoprotein binding to, 309:899
Apolipoprotein B
excess, in very low density lipoprotein, in hepatocytes, 310:897
hepatic, dietary fat and, 311:167
Apolipoprotein C1, deficiency of, cholesterol feeding response and, 305:905
Apolipoprotein E, fibrillogenesis of, in Alzheimer's disease, 306:599

Apoptosis
2-chlorodeoxyadenosine-induced, 311:585
in haemopoietic cell, phosphatidylinositol 3-kinase and, 312:159
induction of, by polyamine accumulation in ornithine decarboxylase-overproducing cell, 311:723
methional-induced, in lymphoid cells, 305:1017
of thymocyte
nitrone spin traps and nitroxide antioxidant inhibition of, 306:771
nuclear factor κB/rel and, 312:833
TNF-α-mediated, lipoxygenase pathway in, 310:133
Arachidonic acid
Ca^{2+} influx induced by, 305:859
of hepatic macrophage, cytosolic phospholipase A_2 and, 311:189
mobilization of, during mitosis, cytosolic phospholipase A_2 activation and, 309:91
Aralkyl isothiocyanates, GSH reaction with, glutathione *S*-transferase catalysis of, 306:565
Aromatic amino acid hydroxylases, structure and function of, 311:353
Arsenite, release of, from arsonomethyl substrate analogues, 310:983
Arsonomethyl substrate analogues, arsenite release from, 310:983
3-Arsonopyruvate, synthesis of, and interaction with phosphoenolpyruvate mutase, 308:931
Artery, small, phosphatidate production in, phospholipase D and, 307:451
Articular chondrocyte, cell surface proteoglycan expression by, 309:963
Arylamine *N*-acetyltransferase, *p*-aminobenzoylglutamate acetylation by, 307:1
Arylaminobenzoates, and inhibitors of malaria-infected solute transport, 311:761
Ascorbate, h.p.l.c. analysis of, 306:101
Asialoglycoprotein endocytosis, inhibition of, in hepatocytes, by protein phosphatase inhibitors, 311:317
Aspartic proteinase, thermostable pepstatin-insensitive, 307:783
Aspergillus saitoi acid proteinase, thermal denaturation of, 311:969
Astroglial cell, NADPH-activated tri-iodothyronine-binding protein in, photoaffinity labeling of, 305:729
Autoimmunity, signal transduction and polyamines in, 311:175
Avicel, hydrolysis of, cellulase and, 309:749
Avidin-biotin-treated erythrocyte, CD59 and decay accelerating factor after, 307:651
Axon, growth of, alkylphosphocholine inhibition of, in neuron, 312:411
5-Azacytosine, cytosine methyltransferases interaction with, 307:87
5-Azidoindol-3-ylacetic acid, maize labelled with, 23-kDa protein from, 305:853

B cell
Ca^{2+} concentration in
acetylcholine and, 311:259
caffeine and, 306:679
Epstein-Barr virus-immortalized, NADPH oxidase activity in, 306:141
IgM-induced Shc/Grb2/hSOS complex in, 307:215
mitochondria of, glycerol 3-phosphate-induced ATP production in, 312:287
thapsigargin-induced bivalent cation influx into, 305:1011
Bacillus Calmette-Guérin vaccine, antineoplastic glycan isolated from, 311:867
Bacteria
cellobiohydrolase B from, 311:67
thermophilic, xylanases of, non-catalytic thermostabilizing domains in, 307:151
xylanases in, structure and function of, 312:39
Bacterial lipopolysaccharide
cystine transport induced by, in peritoneal macrophages, 310:547
macrophage fuel metabolism and, 310:709
tissue- and cell-specific xanthine oxidoreductase regulation by, 306:225
Bacterial morphinone reductase, Old Yellow Enzyme relation to, 312:671
Bacterioferritin, ferroxidase centre of, 312:385
Bacteriophage K1E endosialidase, structure and function of, 309:543
Baculovirus, procollagen III production in, 312:847
Baculovirus-insect cell system, human DNA I in, 312:593
Basolateral membrane, of jejunum, GLUT5 hexose transporter in, 309:7, 310:1055
Bay K 8644, Ca^{2+} fluctuations and, in GH_4C_1 cell, 306:399
Benzoic acid hydrazides, myeloperoxidase inhibition by, 308:559
Bikunin, plasma clearance of, 308:881
Bile, formation of, solvent isotopes and, 307:175
Bile acid
ATP-dependent placental transport of, 311:479
hepatocellular transport of, microsomal epoxide hydrolase and, 311:975
intrahepatocytic transport of, after partial hepatectomy, 305:367
Bile acid coenzyme A-amino acid *N*-acyltransferase, hepatic expression of, 311:203
Bile acid/Na^+ co-transport system, ileal, 306:241
Bile salt, lecithin hydrophobicity in, 312:795
Biliary protein, vesicle interaction with, 305:93
Biotin-binding proteins I and II, simultaneous purification of, 308:573
Bivalent cation, thapsigargin-induced influx of, into B cell, 305:1011
Blastula cell, fucose-containing pentaglycosylceramide blood group B-active determinant in, 306:821
Blood group B active glycosphingolipids, from blastula cell, 306:821
Body mass, and differential embryonic transcription and expression of ornithine decarboxylase, 308:161
Bombesin, phospholipase D stimulated by, in fibroblasts, 306:115
Bone
osteoporotic, collagenous matrix changes in, 310:1045
sialoprotein gene in, inverted TATA box in, 310:33
Bone marrow cell, PMA-mediated signalling in, 310:163
Bone resorption
gelatinase and collagenase inhibitors and, 308:167
osteoclastic, retinoic acid stimulation of, 309:721
Bradykinin
induction of phospholipase D/1,2-diacylglycerol pathway by, 312:799
phosphatidylcholine hydrolysis stimulated by, in airway smooth muscle, Ca^{2+} and protein kinase C in, 311:637
Brain
ADP-ribosylation factors from, MS electrospray analysis of, 311:125
amyloid precursor-like protein 2 in, 310:95
Ca^{2+} transport ATPase of, ethanol and, 312:733
calponin acidic isoform in, 306:211
capillaries of, P-glycoprotein class I in, 305:761
cellular nuclei in, protein kinase C nonconventional isoforms in, 305:269
cortical membranes of, phosphoinositide hydrolysis in, deoxycholate and, 312:445
development of, microtubule-associated protein 2 phosphorylation during, 306:481
distribution of phosphodiesterase 4A cAMP in, 310:965
glutaminase activity in, 305:329
glutamine synthesis rate in, ammonia and, 311:681
heparan sulphate in, in Alzheimer's disease, 306:177
inter-α-inhibitor heavy chain precursors in, 306:505
mitochondrial and cytosolic malic enzyme in, secondary structure of, 309:607
mitochondria of, phospholipid composition and membrane fluidity in, thyroid hormone and, 305:29
myelin in, phospholipid methylation in, 307:239
neuronal phospholipase A_2 activity in, glutamate and, 310:83
neurotensin receptor antibody in, 305:277
phosphatidic acid-hydrolysing phospholipase A_2 from, 306:305
protein kinase Cζ pseudogene specific to, 310:835
receptor-type protein tyrosine phosphatase in, with single catalytic domain, 305:499
RNPDE4A5 distribution in, 310:965
Breast cancer cell
FGF-induced membrane ruffling in, 306:609
lysophospholipid activation of, 309:933
Brefeldin A, heparan sulphate proteoglycan endocytosis and, in ovarian granulosa cell, 310:271
Bromopyruvate, dihydrodipicolinate synthase treated with, electrospray MS of, 305:521
Bronchiolar epithelium, Clara cell secretory protein in, hepatocyte nuclear factors and, 308:197
Brush-border membrane vesicle, renal, carnitine transport by, 309:643
Bumetanide, binding and ion transport of, by Na^+/K^+-$2Cl^-$ co-transporter, 309:637

C2, synthesis of, protein kinase C and, 305:425
C3-cleaving cysteine proteinase, on melanoma cell, 312:961
C4b-binding protein
protein S interaction with, residues for, 305:397
recombinant, lacking β-chain, 308:795
C4BPA protein, hepatic promoter of, 308:613
Cadaverine, export of, during rapid cell division, 305:291
Cadmium, oestradiol interaction with, in metallothionein vitellogenin synthesis, 307:197
Cadmium-binding metallothionein isoforms, 311:951
Caffeine
Ca^{2+} stores sensitive to, Ca^{2+} uptake to, in adrenal chromaffin cells, 307:749
cytoplasmic free Ca^{2+} concentration and, in pancreatic B cells, 306:679

Calcium
- acetylcholine receptor activation of c-Jun kinase and mitogen-activated protein kinase dependent on, 309:381
- activation of glycerol phosphate shuttle by, 312:287
- agonist-sensitive, in platelets, 310:449
- in airway smooth muscle bradykinin-stimulated phosphatidylcholine hydrolysis, 311:637
- binding of, to Ca^{2+}-ATPase
  - polycation effect on, 308:493
  - potassium and, in sarcoplasmic reticulum, 305:225
- calretinin conformational changes dependent on, 308:607
- cellular, regulation of, cyclic nucleotides and, 310:263
- cholesterol esterase activation by, 306:605
- concentration of
  - and annexin binding to membrane, 308:591
  - caffeine and, in pancreatic B cells, 306:679
- cytoplasmic, acetylcholine and, in pancreatic B cells, 311:259
- diadenosine polyphosphate-induced oscillations in, in hepatocyte, 310:629
- effects of, on phosphatidylserine- and saposin C-stimulated glucosylceramide β-glucosidase, 310:571
- efflux of
  - ATP synthesis and, 306:35
  - inositol trisphosphate-induced, 306:445
- endonuclease activity regulated by, 311:1033
- in epithelial cell, effect of, on migration inhibitory factor-related protein translocation to keratin filament, 309:419
- fluctuations in, in GH_4C_1 cells, thyrotropin-releasing hormone and Bay K 8644 induction of, 306:399
- free, transients of, recombinant aequorin and, 306:865
- GnRH action mechanism and, 309:325
- gradient of, across endoplasmic reticulum, null-point estimation of, 310:371
- influx of
  - arachidonic acid-induced, 305:859
  - capacitative, 307:663, 312:1
  - erythroleukaemia cell differentiation and, 305:285
  - into B cell, thapsigargin and, 305:1011
  - into neutrophil granulocyte, thapsigargin and, 305:525
  - nucleotide modulation of, in leukaemia cell, 305:879
  - in pancreatic acinar cell, cGMP and, 311:649
- intracellular, and neutrophil FC receptors, 306:519
- mitogen-activated protein kinase and cell growth and, in fibroblast, 310:881
- movement of
  - in endoplasmic reticulum, coenzyme A and, 306:703
  - hydrogen peroxide and, in peripheral blood lymphocytes, 308:347
  - lysophosphatidic acid and, 307:609
  - polyenoic very long chain fatty acids and, 311:689
- neutrophil depleted of, leukotriene synthesis in, 310:681
- oscillation of, ADP- vs. ATP-induced, phorbol ester and, 309:145
- in platelets, Rap1 protein phosphorylation and, 310:469
- prostacyclin synthesis driven by, in endothelial cells, ATP and G protein effects on, 309:473
- release-activated current of, primaquine blockade of, in megakaryocyte, 309:725
- release of
  - nicotinate adenine dinucleotide phosphate and, 312:955
  - in parotid acini, purinoceptor P_{2z} activation and, 312:457
- storage of
  - inositol trisphosphate-sensitive, 307:749, 312:485, 312:789
  - in *Trypanosoma brucei*, pH and vacuolar acidity and, 310:789, 310:1005
- surfactant protein A binding to annexin IV dependence on, 312:175
- tau phosphorylation and, 309:41

Ca^{2+}-ATPase
- with altered Ca^{2+}-binding mechanisms, in sarcoplasmic reticulum, 309:499
- binding of sesquiterpene lactone inhibitors to, 310:859
- Ca^{2+} binding to
  - polycation effect on, 308:493
  - potassium and, in sarcoplasmic reticulum, 305:225
- *Drosophila* organellar-type, 310:757
- ethanol and, 312:733
- myotoxin a inhibition of, 307:571
- phospholipid effects on, 308:343
- phosphorylation and dephosphorylation of, fatty acyl chain length and, 310:875
- in plasma membrane
  - localization and identification of, 306:837
  - primary structure of, 306:779
- thapsigargin-sensitive, Ca^{2+} stores and, in adrenal chromaffin cells, 307:749
- vascular smooth muscle, insulin regulation and, 311:555

Calcium binding mechanisms, altered, Ca^{2+}-ATPase with, in sarcoplasmic reticulum, 309:499

Calcium binding motif, EF-hand, in phospholipase C, 311:505

Calcium/calmodulin-dependent protein kinase II, from smooth muscle, 310:517

Calcium/calmodulin-stimulated cAMP phosphodiesterase 1, induction of, by phorbol 12-myristate 13-acetate and protein kinase C isoforms, 310:975

Calcium channel, putative capacitative, 311:41

Calcium pump, calmodulin-dependent, from *Trypanosoma cruzi*, 306:299

Calcium signalling
- early, in neutrophil, 310:445
- G protein and dimethyl sulphoxide and, in erythroleukaemia cells, 312:151

Calcyphosine, purification and identification of, 306:147

Caldesmon
- alignment of, on actin-tropomyosin filaments, 309:951
- protein diversity and, in smooth muscle and non-muscle tissue, 305:445
- smooth muscle myosin and tropomyosin binding sites in, 312:617

Calmodulin: *see also* Calcium/calmodulin
- functioning of, phosphorylation and, 312:197

Calmodulin binding domain, in inositol trisphosphate receptor, 308:83

Calmodulin-like domain, of protein kinase, in winged bean, 305:205

μ-Calpain, troponin I and T degradation by, 308:57

Calponin
- acidic isoform of, in brain, 306:211
- actin interaction with, 306:199
- actin polymerization and, 312:587

Calretinin, Ca^{2+}-dependent conformational changes of, 308:607

Calyculin
- inhibition of okadaic binding to protein phosphatase 2A by, 306:657, 308:1039
- platelet cytoskeletal reorganization and, 307:439
- synovial cell chemokine production and, 311:89

Cannabinoid transduction pathway, cerebral, mitogen-activated protein kinase and, 312:637

Capillary, brain, P-glycoprotein class I in, 305:761

Capsaicin, skeletal muscle effects of, 307:707

Carbohydrate
- liver-type pyruvate kinase induced by, 308:105
- metabolism of, in skeletal muscle, carrier-mediated fructose uptake and, 311:517
- S-type mammalian lectin binding of, 308:237
- transport of, across cauliflower-bud amyloplast, 307:521

Carbonic anhydrase, hepatic, in lipogenesis, 310:197

Carboxylate binding, outer membrane protein FadL in, His^{110} and, 310:389

Carboxylesterase, from insecticide-resistant mosquito, gene amplification of, 305:651

Carboxypeptidase, from *Aspergillus*, cloning and expression of, 308:405

Carcinoma cell, reactive oxygen species modulation of hsp27 in, 312:367

Cardiolipin
- β_2-glucoprotein I interaction with, 310:315
- biosynthesis of, in diabetic heart, 306:759

Cardiomyocyte
- in diabetic, lipoprotein lipase activity in, regulation of, 310:67
- glucose transport in, 5-hydroxytryptamine stimulation of, 311:575
- GLUT4 translocation in, insulin and, 311:161
- PTH induction of protein kinase C in, 310:439
- ventricular
  - β-adrenergic receptor-adenylate cyclase pathway signalling components and amplification in, 311:75
  - mitogen-activated protein kinase pertussis toxin-sensitive and -insensitive pathways in, 309:437

Cardiomyopathy, heavy chain mutation and, 306:345

Carnitine
- kidney brush-border membrane vesicle transport by, 309:643
- renal, transport and expression of, in oocyte, 309:389

Carnitine acetyltransferase, hepatic, cDNA sequence of, 305:439

Carnitine acyltransferase, hepatic microsomal, 310:989

Carnitine palmitoyltransferase(s)
- hepatic
  - characterization of, 309:379, 309:689
  - insulin regulation of, 310:853
- intestinal, in suckling rat, 306:379

Cartilage, proteoglycan aggregates in, hyaluronate arrangement in, 307:595

Casein, bovine, in transgenic mice, 311:929

α_{s1}-Casein, transcripts of, 309:237

Cathepsin inhibitor, effect of, on lovastatin enhancement of UVA photocytotoxicity, in keratinocyte, 310:305

Cathepsin K/OC-2, expression of, retinoic acid stimulation of, 309:721

Cathepsin S, β-amyloid peptide generation of, 311:299

Catrocollastatin, cloning and expression of, 307:411
C-CAM1 cytoplasmic domain, adhesion and, 311:239
CD4, lateral mobility of, 312:251
CD36 antigen, epitope mapping of, 305: 221
CD59, avidin-biotin-treated erythrocyte and, 307:651
cdc2 protein kinase, peptide-based substrates for, 309:927
Cell cycle, elastin gene regulation and, in vascular smooth muscle, 309:575
Cell surface-mediated activation, of plasminogen, by urokinase, 309:977
Cell surface proteoglycan, articular chondrocyte expression of, 309:963
Cell wall, stressed, polysaccharide biosynthesis and related metabolism in, 306: 745
Cellobiohydrolase B, from *Cellulomonas fimi*, 311:67
Cell/surface interaction, initial phase of, model for, 311:917
Cellular swelling
  endocytotic vesicle alkalinization induced by, in fluorescein-isothiocyanate-dextran-loaded hepatocyte, 309:19
  in hepatoma, extracellular signal-regulated kinase activation by, 309:13
  proteolysis induced by, colchicine sensitivity and, in liver, 308:529
Cellulase, Avicel hydrolysis and, 309:749
Ceramide, growth factor-induced cell proliferation and, 311:829
Cerebellar soluble lectin, lymphocyte activation and, 311:629
Cerebellum, cAMP-specific phosphodiesterase RD1 in, 306:801
Cerebral acetylcholinesterase, alloxan-diabetes and, 307:647
Cerebral cannabinoid transduction pathway, mitogen-activated protein kinase and, 312:637
Cerebrospinal fluid, amyloid precursor-like protein 2 in, 310:95
Ceroid-lipofuscinosis, ATP synthase subunit c trimethyl-lysine in, 310:887
Cestode, lipid-binding protein from, 311:49
c-*fos*
  F-98 glioma cell growth and differentiation and, 306:47
  in skeletal muscle, 308:465
Chaperonin, in skeletal muscle, 311:119
Chemical nucleases, in footprinting analysis, 305:345
Chemokine, synovial cell production of, calyculin A and, 311:89
Chimeric β-glucosidase, 305:715
Chitosanase, reaction mechanism of, 311: 377
Chloramphenicol acetyltransferase-phosphodiesterase chimeras, membrane association and, 308:673
Chloride, embryonic haemoglobin and, 309:959
Chloride current, volume-activation, P-glycoprotein expression and, 307: 713
2-Chlorodeoxyadenosine, apoptosis induced by, 311:585
Chlorogenic acid, nitrosating reaction and, 312:947
Chloroplast, polyamine derivatives in, 305: 233
Chloroquine, and insulin binding to receptor, 311:787
Cholera toxin
  adenylate cyclase stimulated by, protein kinase C and, inhibition of, by insulin and vasopressin, 312:769
  G protein cross-regulation by, protein kinase A phosphorylation and, 306: 765
Cholesterol
  crystallization of, protein promoting, vesicle interaction with, 305:93
  effect of, on lovastatin enhancement of UVA photocytotoxicity, in keratinocyte, 310:305
  feeding of, response to, apolipoprotein C1 deficiency and, 305:905
  in sphingomyelinase-treated fibroblasts, 308:269
Cholesterol esterase, calcium and protein kinase C activation of, 306:605
Choline
  phorbol ester-stimulated uptake of, after protein kinase C introduction, 305:621
  uptake of, alkylphosphocholine inhibition of, in neuron, 312:411
Cholinergic receptor, in parotid gland, amylase gene expression and, 306:637
Cholinesterase, post-translational processing of, 311:959
Chondrocyte
  articular, cell surface proteoglycan expression by, 309:963
  retinoic acid-treated, collagen type II and glucose-regulated protein levels in, 305:391
Chondroitin lyase, from *Flavobacterium heparinum*, 312:569
Chondroitin sulphate, in mastocytoma heparin proteoglycans, 311:233
Chorismate synthase, deuterium kinetic-isotope effect in, 305:707
Chromogranin A-derived peptide, in neuroendocrine tissue, 310:331
Chylomicron remnant
  binding of, to hepatocytes, 310:359
  hepatic, metabolism of, dietary fat and, 310:845
Chymopapain M, structural origins of, 306:39
Chymotrypsin, oxyanion stabilization by, 307:353
Ciliary neurotrophic factor, structure-function of, 309:215
Citrate synthase isoenzymes, purification and characterization of, 309:507
c-*jun*, in skeletal muscle, 308:465
c-Jun kinase, acetylcholine receptor activation of, calcium dependence of, 309:381
Clara cell secretory protein, in bronchiolar epithelium, hepatocyte nuclear factors and, 308:197
Clostridial glutamate dehydrogenase, urea-induced inactivation and denaturation of, 311:905
cMG1/TIS11b gene, expression of, sequence element mediation of, 311: 251
c-*myc*, cytoskeletal-bound polysomes and, 310:193
Coatomer, inositol polyphosphate interaction with, 310:279
Coenzyme A, Ca^{2+} movement in endoplasmic reticulum and, 306:703
Coenzyme FAD, spatial localization of, in yeast alcohol oxidase, 310:601
COL2A1 gene, conservation of, between species, 308:923
COL5A1 gene, transcriptional promotion of, 310:15
Colchicine
  microtubule-associated protein tau phosphorylation and, 309:941
  sensitivity to, cell swelling-induced proteolysis inhibition and, in liver, 308: 529
Cold tolerance, of cyanobacteria, acyllipid desaturases and, 308:1
Collagen
  expression of, PDGF and, in fibroblasts, 310:585
  fibril mineralization blockade in, by residue substitution, 311:815
  glucose/ribose-mediated cross-linking of, 305:385
  platelet adhesion to, catrocollastatin inhibition of, 307:411
  syk phosphorylation stimulated by, in platelets, 311:471
  type I
    gelatinase binding to, 309:299
    okadaic acid suppression of, in fibroblast, 308:995
  type II
    from vitreous humour, fibrillogenesis of, 306:871
    mutations of, achondro-hypochondrogenesis and, 307:823
    in retinoic acid-treated chondrocyte 305:391
  type III, in Ehlers-Danlos syndrome, 311:939
  type XI, mRNA for, distribution of, 311:511
Collagenase
  expression of, PDGF and, in fibroblasts, 310:585
  genetic stimulation of, by heat shock of synovial and dermal fibroblasts, 308: 743
  inhibitor of, bone resorption and, 308: 167
  interstitial, in endometrium, hormonal control of, 305:1027
  type I, structure and chromosomal localization of, 308:211
Collagen-like peptide, platelet activation by, 306:337
Collagenous matrix, in osteoporotic bone, 310:1045
Collectin-43, biochemical studies of, 305: 889
Colon
  epithelial cell in, response of, to gastrin, 311:945
  kallikrein in, cloning and purification of, 307:481
Colon adenocarcinoma, *N*-linked glycoproteins in, autophagy and, 309:521
Colon carcinoma, lactoferrin receptor in, picolinic acid-induced iron depletion and, 308:391
Colonic mucin, regulation of, 312:125
Combination plots, in study of enzyme inhibition, 311:981
Complex I
  aging and, 311:105
  inhibition of, by MMP^+ hydrophobic analogues, 306:359
Concanavalia A, stimulation by, fatty acid content and composition of, phosphatidic acid during, 308:113
Contrapsin, in goat, relationship of, to human α_1-anti-chymotrypsin, 306:191
Copper, glutathione-mediated transfer of, into phytochelatin, 307:697
Coronary smooth muscle, endothelin-1 and Na^+/H^+ exchange in, 310:1013
Cortical membrane, phosphoinositide hydrolysis in, deoxycholate and, 312:445
Corticotropin, adrenal steroidogenic actions of, tyrosine kinase and protein kinase C and, 305:433
Cortisol
  fetal lung fibroblasts treated with, phosphatidylcholine biosynthesis and, in type II cells, 312:425
  and tracheobronchial phenol sulphotransferase, 311:209
CpG-rich DNA, binding of histone H1e-c variants to, 305:739
C-reactive protein, synergistic induction of, by IL-1, and -6, 310:143

Creatine kinase
differential localization of, in myoblasts, 308:599
mitochondrial, dimeric vs. octameric, 308:623
Creatine kinase B, gastric Na^+/K^+-ATPase coupling with, 311:445
α-Crystallin, as molecular chaperone, 311:367
γs-Crystallin, sequence of, in lens, 307:407
S-Crystallin, glutathione *S*-transferase activity in, sequence and evolutionary relationships of, 309:793
CTP:phosphocholine cytidylyltransferase
C-terminal domain functions of, 310:699
phosphatidylcholine biosynthesis and phosphatidylethanolamine *N*-methyltransferase inhibition of, 312:939
sphingomyelin analogue inhibition of, 311:873
Cyanobacteria, cold tolerance of, acyllipid desaturases and, 308:1
Cyanomethaemoglobin, photoaffinity labeling of, with tryptophan derivatives, 308:251
Cyclic adenosine monophosphate
agents elevating, luciferase reporter gene regulation studies of, 309:385
in airway smooth muscle, 306:723
aortic smooth muscle cells stimulated by, phosphodiesterase regulation of, 305:627
intracellular elevation of, formyl-peptide receptor regulation and, 311:995
tau phosphorylation and, 309:41
Cyclic adenosine monophosphate phosphodiesterase 1, induction of, by phorbol 12-myristate 13-acetate and protein kinase C isoforms, 310:975
Cyclic adenosine monophosphate phosphodiesterase 4A
distribution of, in brain, 310:965
splice variants of, 308:683, 312:991
Cyclic adenosine monophosphate phosphodiesterase RD1, cerebellar, 306:801
Cyclic adenosine monophosphate protein-dependent promoter, UP elements at, 309:77
Cyclic adenosine monophosphate response element-binding protein
activation of thyrotropin receptor promoter by, 310:491
in zinc finger, 312:17
Cyclic diguanylic acid, $p21^{ras}$ binding by, DNA synthesis and, 311:921
Cyclic guanosine monophosphate
in Ca^{2+} entry in pancreatic acinar cells, 311:649
Mg^{2+}-catalysed hydrolysis of, in retinal rod, 308:653
Cyclic nucleotide, cellular Ca^{2+} regulation and, 310:263
Cyclin, cyclin-dependent kinase complex, 308:697
Cyclin A, cytoskeletal-bound polysomes and, 310:193
Cyclin A and B, concentrations of, in growth-restricted fibroblast, 312:693
Cyclodextrin glucanotransferase, discrimination of, from α-amylase, 305:685
Cyclodextrin-linolinic acid inclusion complexes, in aqueous solutions, 308:151, 309:1031
Cyclooxygenase
hepatic macrophage expression of, hyperosmolarity and, 312:135
induction of
in endothelial cell, tyrosine kinases and, 312:419
selective inhibition of, 305:479
isoforms of, inhibitor time dependency and, 306:247
Cyclophilin-40, hsp90 dimeric complex with, 307:5
Cys949Tyr α_2-macroglobulin thiol ester mutant, synthesis of, 312:183
Cystatin A, recombinant, cysteine proteinase interaction with, 311:275
Cystatin C, Gly-11 variant interaction with cysteine proteinases in, 306:513
Cysteine
cytoplasmic, in insulin receptor, 306:811
-dependent NAD^+ glycohydrolase activity, purification of, from erythrocytes, 310:931
hepatic dihydrodiol dehydrogenase 3 activity and, 310:101
mutations in, of acetylcholine receptor agonist binding site, 310:765
-rich domains, in gastric mucin, 308:831
-rich secretory protein-3 gene, androgen-dependent, isolation and characterization of, 309:831
Cysteine proteinase
C3-cleaving, on melanoma cell, 312:961
recombinant cystatin A interaction with, 311:275
Cystine transport, lipopolysaccharide induction of, in peritoneal macrophages, 310:547
Cystinuria, basic amino acid transporter gene mutations in, 310:951
Cytochalasin D, p52(PAI-1) induced by, 306:497
Cytochrome aa_3 and caa_3 oxidase, purification of, from *Bacillus subtilis*, 309:279
Cytochrome bc_1 complex, Rieske iron-sulphur protein in, topology of, 305:823
Cytochrome b_5, effect of, on 17α-hydroxylase-17,20-lyase, 308:901
Cytochrome b_{558}, axial ligation of, 308:641
Cytochrome *c* oxidase
inhibition of, in turnover by nitric oxide, 312:169
nuclear and mitochondria, in postnatal development, 306:353
Cytochrome electron acceptor, methanol dehydrogenase interaction with, 312:261
Cytochrome P-450
from cotton leafworm mitochondria, 307:719
regiospecificity alterations in dehydroepiandrosterone hydroxylase in, 306:29
Cytochrome P-450 1A, phylogenetic analysis of, 308:97
Cytochrome P-450 2A7, alternative splicing of, 306:161
Cytochrome P-450 3A, in liver, hormonal regulation of, 309:55
Cytochrome P-450 4A1, peroxisome proliferator response element and, 306:473
Cytochrome P-450 BM-3, haem domain of, replacement of ferriprotoporphyrin IX in, 310:939
Cytokine: *see also specific cytokine*
fat cell oxidase control by, 307:543
regulation of urokinase-type plasminogen activator receptor by, in lung carcinoma cell, 310:345
Cytosine methyltransferases, 5-azacytosine interaction with, 307:87
Cytoskeleton, polysomes bound to, mRNAs for cyclin A, c-*myc*, and ribosomal proteins L4 and S6 associated with, 310:193
Cytotrophoblast, haemopexin receptor expression by, 307:669

DAG family, of glycosyl hydrolases, 311:349
DEAD box family, of RNA helicases, embryonic, 308:839
Decay accelerating factor, avidin-biotin-treated erythrocyte and, 307:651
Decorin, production of, IL-4 and, 307:673
Dehydroepiandrosterone hydroxylase, regiospecificity alterations in, in cytochrome P-450, 306:29
5′-Deiodinase, selenium-dependent, in epithelial kidney cell, 306:851
Denervation atrophy, skeletal muscle polyubiquitin and proteasome levels in, 307:631, 307:639
Deoxycholate, effect of, on phosphoinositide hydrolysis in membranes, 312:445
2-Deoxyglucose, IL-1 and IGF-I-stimulated uptake of, mitogen-activated protein kinase cascade and, 311:735
Deoxyribonuclease I hypersensitivity sites, on fatty acid synthase gene, 308:521
Deoxyribonucleic acid
methylation of, transcription and, 305:791
mitochondrial replication of, defective, in respiratory-deficient fibroblast, 305:817
protein interactions with, chemical nucleases as study probes for, 305:345
strand breakage in
quin2 AM and, 305:181
rifamycin SV and, 307:361
Deoxyribonucleic acid I, human, in baculovirus-insect cell system, 312:593
Deoxyribonucleic acid methyltransferase, gel-shift analysis of, 312:855
Dermal fibroblast, heat shock of, collagenase gene stimulation by, 308:743
Des-(741–1668)-factor VIII, single-chain, characterization of, 312:49
Detoxification, glyoxalase I in, 309:127
Dexamethasone
adipocyte phosphoenolpyruvate carboxykinase and, 305:65
effect of, on macrophage phospholipase A_2, 307:499
Dexfenfluramine, modulation of glucagon-induced glucose production by, in hepatocyte, 310:61
Diabetes
alloxan-induced, cerebral acetylcholinesterase and, 307:647
cardiolipin biosynthesis in, 306:759
cardiomyocytes in, lipoprotein lipase activity in, regulation of, 310:67
hepatic fatty acid partitioning in, 305:953
intestinal mucosa GLUT5 gene expression and, 309:271
of youth, maturity onset of, glycokinase mutation kinetics in, 309:167
Diacylglycerol, UV radiation and, in melanocytes and keratinocytes, 305:471
Diadenosine polyphosphate, Ca^{2+} oscillations induced by, in hepatocyte, 310:629
Diadenosine tetraphosphate asymmetrical hydrolase, from *Schizosaccharomyces pombe*, 312:925
Diadenosine tetraphosphate pyrophosphohydrolase, cDNA and sequence of, 311:717
Diazepam-binding inhibitor transcripts, characterization of, 306:327
2,4-Dichlorosiocoumarin, IL-induced MAD3 phosphorylation and, 307:287
Dideoxycytidine metabolism, in drug-resistant cells, 312:115
Dietary fat
hepatic enzyme expression and, 311:167
hepatic triacylglycerol secretion and, 308:537
hepatocyte chylomicron remnant metabolism and, 310:359
Differentiation-inducing factor-1, metabolism of, proximal pathway of, 306:735
Dihydrodiol dehydrogenase 3 activity, hepatic, cysteine and, 310:101

Dihydrodipicolinate synthase, bromopyruvate treatment of, electrospray MS of, 305:521
1α,24(*S*)-Dihydroxyvitamin D_2, in hepatoma, 310:233
Dimethyl sulphoxide, Ca^{2+} signalling and, in erythroleukaemia cells, 312:151
Dioxin receptor, vertebrate, evolutionary conservation of, 310:383
Dipeptidyl peptidase IV gene promoter, tissue-specific regulation of, 311:835
Diphtheria toxin endocytosis, dependence of, on membrane-anchored receptor, 310:285
Direct repeat-binding protein 1, identification of, 311:901
Distamycin analogues, effects of, on polymerase chain reaction, 308:513
Disulphide ring, in methanol dehydrogenase, 307:735
2,5-Di-(tert-butyl)-1,4-benzohydroquinone, Ca^{2+} sensitivity to, in platelets, 310:449
DNA: *see* Deoxyribonucleic acid
Dopamine β-monooxygenase, non-conjugated olefins and, 306:77
Dopamine receptor, in modulation of renal phosphate transport, 312:433
Drosophila, mitochondrial ATP synthase β subunit in, 312:887
Drosophila organellar-type Ca^{2+}-ATPase gene, 310:757
Duodenum, microvillus membranes in, ferrireductase purification from, 309:745
Dystrophin
  distribution of, in sciatic nerve, 312:309
  monoclonal antibodies against, 309:355

Ecdysteroid transformation and inactivation, enzymes of, in midgut of cotton leafworm, 312:561
Echistatin, variants of, platelet aggregation inhibition by, in different species, 305:513
EF-hand Ca^{2+} binding motif, in phospholipase C, 311:505
EGF: *see* Epidermal growth factor
Egg white riboflavin-binding protein, refolding of, 311:133
Ehlers-Danlos syndrome, type III collagen abnormality in, 311:939
Ehrlich ascites cells, shuttle activity and glycolysis in, 310:665
Ehrlich ascites tumour-bearing mice, glucose-6-phosphatase system in, 311:537
Ehrlich cell plasma membrane, purified amino acid transporter from, integrin in, 311:743
eIF-4F complex formation, during lymphocyte activation, 312:627
Elastin
  cell cycle-dependent regulation of, in vascular smooth muscle, 309:575
  in goat, relationship of, to human α_1-anti-chymotrypsin, 306:191
Electron transport, in hepatocyte, mitochondrial proton conductance and H^+/O ratio and, 310:379
Embryo
  haemoglobins in
    chloride effect in, 309:959
    mutant, ζ globin protein in, 310:597
    oxygen binding to, allosteric modulation of, 306:367
  kidney cell of, desensitization of thyrotropin-releasing hormone receptor in, 311:385
  RNA helicase gene in, 308:839
Embryogenesis, syndecan 2 expression during, *Xenopus* counterpart of, 309:69
Endocytotic vesicle, cellular swelling-induced alkalinization of, in hepatocyte, 309:19
Endometrium
  hepatocyte nuclear factor 1β and aminopeptidase N expression in, pseudopregnancy and, 312:31
  interstitial collagenase in, hormonal control of, 305:1027
Endonuclease
  from *Streptomyces antibioticus*, 306:93
  ionic regulation of, 311:1033
  restricted, from *Thermus*, 309:595
Endopeptidase, neutral
  targeting of, to apical cell surface, 305:165
  transport competence of, 312:99
Endopeptidase PC2, secretogranin II processing by, in PC12 cells, 310:777
Endopeptidase 24.18 α-subunit, furin processing of, 309:683
Endoplasmic reticulum
  Ca^{2+} gradient across, null-point estimation of, 310:371
  Ca^{2+} movement in, coenzyme A and, 306:703
  hepatic, glucose-6-phosphatase system in, from Ehrlich ascites tumour-bearing mice, 311:537
  microsome fusion in, ethylmaleimide sensitivity of, 312:23
  protein misfolding in, FK506-binding protein induction in, 305:1031
Endosome fusion
  phosphatidylinositol 3-kinase and, 311:31
  Zn^{2+} depletion and, 312:919
Endosome proteolysis, 307:313
Endothelial cell
  aortic, heparin-binding proteins and, 311:461
  cyclooxygenase induction in, tyrosine kinases and, 312:419
  electropermeabilized, von Willebrand factor exocytosis and prostacyclin synthesis in, regulation of, 309:473
  glutathione peroxidase in, selenomethionine and hyperoxia regulation of, 306:581
  growth arrest of, protein tyrosine phosphatase activity and, 311:97
  integrin of, binding sequence for, in laminin peptide, 309:765
  microvascular, cardiac, ATP hydrolysis by, 308:725
Endothelial-lymphocyte signalling, P_2 purinoceptor-mediated, 311:589
Endothelin-1, Na^+/H^+ exchange and, in coronary smooth muscle, 310:1013
Endothelin-converting enzyme, localization of, to vascular and secretory cells, 311:657
Endotoxin-induced inflammation, hepatic zinc accumulation and, in absence of metallothionein gene, 308:543
Enoyl-acyl-carrier protein reductase, sequence conservation and, in hydroxysteroid and alcohol dehydrogenases, 309:1029
Enterocyte
  glutamine metabolism in, 306:717, 310:1055
  SGLT1 sequence and location in, 312:293
  urea synthesis in, 312:717
Enzyme cycling system, assays of, 309:181
Enzyme inhibition, study of, using combination plots, 311:981
Enzyme kinetics, based on free-energy profiles, 308:305
Enzyme reactions, infrared spectroscopy of, 306:843
Eosinophil
  differentiation of, platelet-activating factor receptor and, 305:829
  lysopholpholipase in, similar to pancreatic, 309:141
  major basic protein of, expression of, 305:921
  NADPH oxidase activation in, leukotriene B_4 and, 310:795
Epidermal growth factor
  fibroblast tyrosine phosphorylation in, nitric oxide stimulation of, 305:613
  glycogenolytic effect of, in hepatocytes, 308:889
  ornithine decarboxylase induction by, in keratinocytes, retinoic acid and, 309:159
  PTH-related protein gene expression and, 307:159
  tyrosine kinase signalling pathway regulation by, 309:361
Epidermal growth factor domain, in factor IXa binding to platelets, 310:427, 312:991
Epidermal growth factor receptor, cytoplasmic domain of
  ammonium sulphate and, 306:667
  glutamate and histidine residues in, 308:219
Epidermal keratinocyte, *fos-lacZ* fusion gene expression in, 306:879
Epididymal fat cell, insulin-stimulated metabolic effects in, multiple signalling pathways for, 311:595
Epididymal luminal fluid, β-D-galactosidase from, 305:41
Epithelial cell
  bronchiolar, Clara cell secretory protein in, hepatocyte nuclear factors and, 308:197
  calcium in, effect of, on migration inhibitory factor-related protein translocation to keratin filament, 309:419
  colonic, response of, to gastrin, 311:945
  glomerular visceral, proteoglycan production by, 307:759
  intestinal, mitochondrial gene expression in, 308:665
  of ocular lens, oxidative stress, ubiquitin and proteolysis in, 307:297
  renal
    proteoglycans in, 311:881
    selenium-dependent expression of 5′-deiodinase and glutathione peroxidase in, 306:851
  thymic, phospholipase A_2 activation and prostaglandin E_2 production in, ATP receptor and, 308:399
Epithelial Na^+ channel, binding of proline-rich region of, to SH3 domains, 312:491
Epoxide hydrolase, microsomal, and hepatocellular transport of bile acids and xenobiotics, 311:975
Epstein-Barr virus-immortalized B lymphocyte, NADPH oxidase activity in, 306:141
Erythrocyte
  acylcoenzyme A-binding protein in, phospholipid renewal and, 306:793
  avidin-biotin-treated, CD59 and decay accelerating factor after, 307:651
  hypochlorous acid oxidation of glutathione in, 307:57
  malaria-infected, membrane transport and metabolic control in, 308:361
  methane-induced haemolysis of, 307:433
  monoacylglycerol lipase in, 312:519
  Plasmodium-infected, sphingomyelin synthesis in, 308:335
  protein 4.2 in, band-3 binding site in, 309:677
  protein damage and methylation-mediated repair in, 306:313
  purification of cysteine-dependent NAD^+ glycohydrolase activity from, 310:931
Erythroid differentiation, acidic peroxidoxin accumulation in, 312:699

Erythroleukaemia cell
  Ca^{2+} signalling in, G protein and dimethyl sulphoxide and, 312:151
  differentiation of
    Ca^{2+} influx changes and, 305:285
    nuclear inositide cycle in, 312:63
    protein kinase Cδ and, 312:549
  haemoglobin synthesis in
    polyamine analogue structure and, 309:787
    spermine induction of, 309:781, 312:933
Erythromegakaryocytic cell lines, adhesion of, 309:491
Escherichia coli
  β-galactosidase of
    catalysis by large subunit of, 312:281
    third-generation evolvants, 312:971
  quinoprotein glucose dehydrogenase of, structure of, 312:679
  RNase H1 from, kinetic characteristics of, 312:599
Escherichia coli promoter closure, during transcription, kinetic study of, 306:123
Etch virus protease inhibitor, α_2-macroglobulin in design of, 312:191
Ethanol
  effects of, on sarco/endoplasmic reticulum Ca^{2+} transport ATPases, 312:733
  IL-induced nitric oxide synthase and, in vascular smooth muscle cells, 308:231
  insulin-stimulated neuronal thread protein inhibited by, 310:125
Ethanolamine cycle, phosphatidylethanolamine and, 310:673
Ethylmaleimide
  microsome fusion sensitivity to, 312:23
  phosphatidic acid phosphohydrolase insensitive to, hepatic, 308:983
Eucaryotic initiation factor 2B, cloning and expression of, 309:1009
Exochelin MS, structure of, 305:187
Extracellular signal-regulated kinase
  activation of, by hepatoma cell swelling, 309:13
  in airway smooth muscle, 306:723
Eye lens: *see* Lens, ocular

F-98 glioma cell, growth and differentiation of, c-*fos* and, 306:47
Fab, in IgG, 311:283
F-actin, formation of, adrenergic control of, 307:169
Factor B, synthesis of, protein kinase C and, 305:425
Factor VIII
  binding of, to phosphatidylserine/phosphatidylcholine bilayers, 310:539
  single-chain variant of, characterization of, 312:49
Factor IX Zutphen, mutation in, 311:753
Factor IXa, binding of, to platelets, EGF domain in, 310:427, 312:991
FadL protein, outer membrane, His^{110} and, in carboxylate binding, 310:389
Fas mRNA species, differential expression of, upon peripheral blood mononuclear cell activation, 310:957
Fasting, prolonged, glucose homeostasis and, 310:819
Fat
  dietary
    hepatic enzyme expression and, 311:167
    hepatic triacylglycerol secretion and, 308:537
    hepatocyte chylomicron remnant metabolism and, 310:359
  glucose transporter-containing vesicles in, 307:383
Fat cell, acid-soluble phosphoprotein in, insulin and isoprenaline and, 306:135
Fat cell oxidase, multireceptor-linked, 307:543

Fatty acid
  4-thia, hepatic lipid metabolism and, 305:591
  cis-5-unsaturated
    metabolism of, 307:23
    oxidation of, in liver mitochondria, 308:39
  content and composition of, in phosphatidic acid, during concanavalin A stimulation, 308:113
  hepatic, partitioning of, in diabetes, 305:953
  insulin acylated with, albumin binding of, 312:725
  non-esterified, parasitized liver mitochondria and, 307:425
  oxidation of, in liver, zonation of, 311:853
  protein kinase N activated by, in testis, 310:657
  uptake of, serum albumin in, 308:155
  in white adipocyte, selective mobilization and positional distribution of, 311:911
Fatty acid-binding protein, lysophospholipid binding to, 307:305
Fatty acid synthase, DNase I hypersensitivity sites and nuclear protein binding on, 308:521
Fatty acid synthesis, by insulin, multiple signalling pathways for, 311:595
Fatty acyl chain length, Ca^{2+}-ATPase phosphorylation and dephosphorylation and, 310:875
Fatty acyl-CoA ester, glucose-6-phosphatase inhibition by, in liver microsomes, 307:391
Fc fragments, in IgG, 311:283
FcαR, in neutrophils, respiratory burst, calcium level, and degranulation and, 306:519
FcεRI, signal transduction mediated by, phosphatidylinositol 3-kinase and, 312:145
FcγRII
  F11 receptor cross-linking with, platelet activation and, 310:155
  tyrosine phosphorylation induced by, in neutrophils, 306:489
FcγRIIA, cross-linking of, and syk interaction with tyrosine-phosphorylated protein, 311:471
^{59}Fe-lactoferrin, hepatocyte uptake of, 311:603
Ferritin
  cavity of, small molecule permeation into, 307:253
  N-terminal deletions in, protein solubility and core formation and, 305:253
  of pea seed, extension peptide sequence of, 305:959
Ferriprotoporphyrin IX, replacement of, in haem domain of cytochrome P-450 BM-3, 310:939
Ferrireductase, purification of, from duodenal microvillus membranes, 309:745
Ferritin
  caeruloplasmin-oxidized iron and, 305:21
  heavy gene of, transcriptional regulation of, 311:769
Ferrochelatase, nitric oxide inactivation of, 310:533
Ferroxidase centre, of bacterioferritin, 312:385
Fertilin, α and β isoforms of, cloning and analysis of, 307:843
Fetal lung fibroblasts, cortisol-treated, phosphatidylcholine biosynthesis and, in type II cells, 312:425
FGF: *see* Fibroblast growth factor
Fibril mineralization, in collagen, blockade of, by residue substitution, 311:815

Fibroblast
  α2C10 adrenoceptor-G protein interaction in, 306:525
  bombesin-stimulated phospholipase D in, 306:115
  bradykinin-induced phospholipase D/1,2-diacylglycerol pathway in, 312:799
  collagen and collagenase gene expression in, PDGF and, 310:585
  collagen type I gene expression in, okadaic acid and, 308:995
  cortisol-treated, from fetal lung, phosphatidylcholine biosynthesis and, in type II cells, 312:425
  dermal, glycosaminoglycan and decorin production in, IL-4 and, 307:673
  growth-restricted, concentrations of cyclin A, cyclin B, and p21 in, 312:693
  hyaluronic acid synthesis and release by, 309:649
  iduronate 2-sulphatase processing in, 309:425
  IFN-γ-stimulated, C2 synthesis in, protein kinase C and, 305:425
  internalization and recycling of glucagon-like peptide-1 in, 310:203
  mitogen-activated protein kinase and cell growth in, Ca^{2+} and, 310:881
  procollagen production in, regulation of, 307:63
  pulmonary, cell surface proteoglycans in, effects of TGF-β and basic FGF on, 310:73
  respiratory-deficient, mitochondrial DNA replication defects in, 305:817
  sphingomyelinase-treated, cholesterol in, 308:269
  synovial and dermal, heat shock of, collagenase gene stimulation by, 308:743
  tyrosine phosphorylation in, nitric oxide stimulation of, with and without EGF, 305:613
Fibroblast growth factor
  adipocyte differentiation and, 307:549
  basic, cell surface proteoglycan effects of, in lung fibroblasts, 310:73
  membrane ruffling induced by, in breast cancer cells, 306:609
  smooth muscle cell internalization of, TGF-β1 and, 311:393
Fibroblast growth factor-regulated protein, expression of, in adrenal gland, 312:609
Firefly luciferase, substrate regulation of, 305:929
FK506, time-dependent inhibition of peptidylprolyl isomerases by, 305:159
FK506-binding protein, induction of, 305:1031
Flavin-dependent alcohol oxidase, from yeast, spatial localization of, 310:601
Flavobacterium heparinum, chondroitin lyase and glycuronidase from, 312:569
Flavocytochrome b_2, flavin binding domain of, 309:601
Food, pyrroloquinoline quinone in, 307:331
10-Formyldihydrofolic acid, cofactor role for, 308:1031
Formyl-peptide receptor, regulation of, by prolonged intracellular elevation of cAMP, 311:995
10-Formyltetrahydrofolate dehydrogenase, dehydrogenase and hydrolase reactions catalysed by, 306:651
Forskolin, binding of, to GalP protein, kinetics and thermodynamics of, 308:261
fos-lacZ fusion gene expression, in epidermal keratinocyte, 306:879
Free radical
  production of, in peritoneal macrophage, aging and, 312:555

reactive, from protein hydroperoxides, 305:643
Fructose-2,6-bisphosphatase
hepatic, NMR analysis of, 308:189
phosphorylation and ADP-ribosylation of, 309:119
Fructose, carrier-mediated uptake of, in skeletal muscle, 311:517
Fructose 1,6-bisphosphate, yeast pyruvate kinase mutant activity and, 310:117
Fructose-1,6-bisphosphate 1-phosphohydrolase, from muscle, kinetics of, 310:1029
Fuel metabolism, in macrophage, effects of adrenaline and protein kinase C activators on, 310:709
Furin
endopeptidase 24.18 α-subunit processing by, 309:683
prosomatostatin processing and, 309:33
substrate of, prohormone convertase inhibitor and, 307:689

G protein
α2C10-adrenoceptor interaction with, in fibroblasts, 306:525
βγ subunit assembly in, coiled-coil model of, 309:377
capacitative calcium entry regulated by, 307:663
and cardiac microsome phosphatidylethanolamine-hydrolysing phospholipase A_1, 312:805
and Ca^{2+} signalling, in erythroleukaemia cells, 312:151
cholera toxin cross-regulation of, protein kinase A phosphorylation and, 306:765
C-terminal domain of, intra- and intermolecular interactions of, 311:987
down-regulation of, by M_3 muscarinic acetylcholine receptor, 310:559
effects of, on Ca^{2+}-driven endothelial secretory responses, 309:473
m-acetylanilido-GTP as photoaffinity label for, 306:253
myocardial, thyroid hormone regulation of, 307:831
opioid receptor complexes with, immunoprecipitation of, 306:71
palmitoylation of, plasma membrane interaction and, 310:1021
pertussis toxin-insensitive, coupling of, to formyl-peptide receptor, 309:331, 311:1039
pertussis toxin-sensitive
fibroblast procollagen production and, 307:63
in glutamate receptor inhibition of phospholipase C, 307:851
phosphorylation of, insulin inhibition of, in hepatocyte, 308:693
platelet ADP receptor activation of, 312:775
$pp60^{src}$ phosphorylation of, 305:411
taste-specific, 309:629
tyrosine kinase signalling pathway regulation by, 309:361
G protein-adenylate cyclase complex, activation of, agonist regulation of, 308:275
G protein-coupled receptor, orphan, adenylate cyclase activation of, 309:837
G protein RhoA, ADP-ribosylation of, myelomonocytic cell division and, 308:853
GAL4-VP16, direct activation and antirepression functions of, 312:899
α-Galactosidase, active site of, methionine and, 308:955
β-Galactosidase, of *Escherichia coli*
catalysis by large subunit of, 312:281
third-generation evolvants of, 312:971
β-D-Galactosidase, from epididymal luminal fluid, 305:41
α1,3-Galactosyltransferase, acceptor for, 309:877
Gall bladder mucin, repeating domains in, 310:41
GalP protein, forskolin binding to, kinetics and thermodynamics of, 308:261
γ-Aminobutyric acid receptors, 310:1
γs-Crystallin, sequence of, in lens, 307:407
Gastric mucin
cDNA codes encoding, isolation and characterization of, 308:89
cloning and chromosomal localization of, 311:775
cysteine-rich domains in, 308:831
Gastric mucosa, lysophospholipase isoenzymes in, 308:551
Gastric peroxidase, thiocyanate oxidation by, 305:59
Gastrin, colonic epithelial cell early response to, 311:945
GATA-binding protein, J6 gene expression and, 307:183
Gelatinase, binding of, to collagen type I and matrix components, 309:299
Gelatinase inhibitor, bone resorption and, 308:167
Gelonin, ribosome inactivation by, 3′-immature $tRNA^{Trp}$ requirement for, 310:249
Gelsolin-related protein, in muscle, 305:767
Gene 33, in hepatoma cell, insulin and, 310:375
GH_4C_1 cell, Ca^{2+} fluctuations in, thyrotropin-releasing hormone and Bay K 8644 induction of, 306:399
Glial hyaluronate-binding protein, 312:377
Glibenclamide, pancreatic and hepatic expression of glucokinase and GLUT2 gene after treatment with, 308:139
Glioblastoma, C2 synthesis in, protein kinase C and, 305:425
Glioma cell, growth and differentiation of, c-*fos* and, 306:47
Glioma × neuroblastoma hybrid cell, Na^+/Ca^+ exchanger in, 309:445
ζ-Globin protein, in mutant embryonic haemoglobin, 310:597
Glomerular mesangial cell, NGF synthesis in, PDGF and, 312:707
Glomerular visceral epithelial cell, proteoglycan production by, 307:759
Glucagon, glucose production induced by, dexfenfluramine modulation of, in hepatocyte, 310:61
Glucagon desensitization, in hepatocyte, protein kinase C-mediated phosphorylation and, 307:281
Glucagon-like peptide-1, internalization and recycling of, in fibroblasts and insulinomas, 310:203
Glucagon-mediated signalling system, adenosine-mediated system cross-talk with, in hepatocyte, 312:763
(1 → 3)-β-D-Glucan glucohydrolases, in *Acremonium persicinum*, 308:733
Glucan receptor, in macrophage, lysosomal enzyme secretion and, 306:829
Glucokinase
mutations of, kinetic characteristics of, 309:167
pancreatic and hepatic expression of, glucose refeeding and glibenclamide treatment and, 308:139
regulatory protein of, binding of, to hepatocyte matrix, 309:711
Glucopyranosyl phosphate, bound to glycogen phosphorylase *b*, ionization state of, 308:1017
Glucosamine, glucose detritiation and, in hepatocyte, 308:23
Glucose
collagen cross-linking mediated by, 305:385
cooperative binding of, to yeast hexokinase, 305:405
detritiation of, glucosamine and, in hepatocyte, 308:23
glucagon-induced production of, dexfenfluramine modulation of, in hepatocyte, 310:61
incorporation of, into nucleic acids, in hepatoma cells, 308:761
insulin receptor stimulated by, tyrosine kinase and, 305:119
Glucose homeostasis, prolonged fasting and, 310:819
Glucose refeeding, pancreatic and hepatic expression of glucokinase and GLUT2 gene after, 308:139
Glucose symporter, Na^+-dependent, sequence and location of, in enterocyte and parotid acinar cell, 312:293
Glucose tolerance, pyruvate dehydrogenase complex and, 305:811
Glucose transport
across cauliflower-bud amyloplast, 307:521
in cardiomyocyte, 5-hydroxytryptamine stimulation of, 311:575
mitochondrial uncoupling and, insulin vs. phosphatidylinositol 3-kinase and actin, 309:1
stress-activated vs. insulin-induced, dissection of, 309:731
Glucose transporter
IL-3-induced activation of, 305:843
vesicles containing, in fat and muscle tissue, 307:383
Glucose transporter THT2, of *Trypanosoma brucei*, functional expression and characterization of, 312:687
Glucose-6-phosphatase
histone II-A stimulation of, liver membrane intactness and, 310:221
in liver microsomes, fatty acyl-CoA ester inhibition of, 307:391
Glucose-6-phosphatase system, in hepatic endoplasmic reticulum, from Ehrlich ascites tumour-bearing mice, 311:537
Glucose-regulated protein, in retinoic acid-treated chondrocyte, 305:391
α-Glucosidase, from *Saccharomycopsis*, 308:753
β-Glucosidase
chimeric, 305:715
low temperature and, 305:17
in *Streptomyces*, secondary structure of, 308:791
Glucosylceramide β-glucosidase, phosphatidylserine- and saposin C-stimulated, calcium effects on, 310:571
GLUT1
C-terminal mutants of, 311:699
distribution of, in myoblasts, wortmannin and, 312:471
GLUT2, pancreatic and hepatic expression of, glucose refeeding and glibenclamide treatment and, 308:139
GLUT4
in oxidative and glycolytic skeletal muscle, 305:465
targeting and insulin-dependent translocation of, 309:813
translocation of
in cardiac muscle, insulin and, 311:161
insulin and IGF-I stimulation of, 311:59
GLUT5
in basolateral membrane of jejunum, 309:7, 310:1055
in intestinal mucosa, diabetes and, 309:271
sugar-dependent expression of, in Caco-2 cells, 312:757
Glutamate
brain neuronal phospholipase A_2 activity and, 310:83

microtubule-associated protein tau phosphorylation and, 309:941
Glutamate dehydrogenase
clostridial, denaturation of, by urea, 311:905
low temperature and, 305:17
Glutamate receptor, metabotropic, phospholipase C activity and, 307:851
Glutamate receptor GluR1, membrane topology of, 312:451
Glutamate semialdehyde aminotransferase, reactions of, with vinyl and acetylenic substrate analogues, 309:307
Glutamate transport system X_{AG}^-, Na^+-dependent, osmotic induction of, in renal epithelial cell, 310:689
Glutaminase
in brain, activity of, 305:329
hepatic, spermine activation of, 305:837
Glutamine
metabolism of, in enterocyte, 306:717, 310:1055
mitochondrial transport of, 308:629
synthesis of, rate of, in brain, ammonia and, 311:681
Glutathione
Cu(I) transfer into phytochelatin mediated by, 307:697
h.p.l.c. analysis of, 306:101
hypochlorous acid oxidation of, in erythrocyte, 307:57
in liver nucleus, 311:889
oxidized
inositol trisphosphate binding and, in hepatocytes, 310:185
inositol trisphosphate-sensitive Ca^{2+} store and, 312:485
Glutathione analogue, glutathione *S*-transferase inhibition by, in hepatocyte, 308:283
Glutathione-binding protein, from blue mussel gill, 305:145
Glutathione peroxidase
in liver nucleus, 311:889
selenium-dependent, in epithelial kidney cell, 306:851
selenomethionine and hyperoxia regulation of, in endothelial cells, 306:581
thyroidal extracellular, thyroid hormone synthesis regulation by, 308:713
Glutathione reductase, interface mutants of, 312:527
Glutathione *S*-transferase
ACTH regulation of, 305:111
catalysis by, of GSH reaction with aralkyl isothiocyanates, 306:565
from blue mussel gill, 305:145
glutathione analogue inhibition of, in hepatocyte, 308:283
hepatic, molecular masses of, 308:69
hepatopancreatic, steady-state kinetics and chemical mechanism of, 309:347
isothiocyanates as substrates for, 311:453
in liver nucleus, 311:889
S-crystallins with, sequence and evolutionary relationships of, 309:793
Sigma class, spleen prostaglandin H isomerase as, 311:739
Theta class
hepatic, cloning and modeling of, 312:91
serine residue in, 311:247
Glutathione *S*-transferase GSTM3 locus, polymorphism at, 312:713
Glutathione synthetase, sequencing and expression of, 310:353
Glutathione transferase, microsomal, hepatic, heterologous expression of, 311:861
Glutathionylspermidine metabolism, in *Escherichia coli*, 312:465
Glyceraldehyde, insulin secretion stimulated by, in islet cells, 310:215
Glyceraldehyde-3-phosphate dehydrogenase
glycated, from muscle, 309:133
neuronal, nitric oxide-induced NAD^+ linkage to, oxygen free radical enhancement of, 309:891
Glycerol 3-phosphate, ATP production induced by, in B-cell mitochondria, 312:287
Glycerol 3-phosphate shuttle
activation of, by calcium and sodium, 312:287
in Ehrlich ascites cells, 310:665
Glycogen
insulin-stimulated synthesis of, wortmannin and rapamycin blockade of, 305:25
metabolism of, EGF and, in hepatocytes, 308:889
synthesis of, by insulin, multiple signalling pathways for, 311:595
Glycogen phosphorylase *b*, substrate glucopyranosyl phosphate bound to, ionization state of, 308:1017
Glycogen synthase, insulin-stimulated activity of, wortmannin and rapamycin blockade of, 305:25
Glycogen synthase/phosphorylase, hepatic, *N*-acetylglucosylamine and, 311:845
Glycoinositolphospholipid
biosynthesis of, 308:45
of *Phytomonas*, 311:495
Glycolipid, synthesis of, *N*-acetylgalactosamine hydrophobic glycosides and, 307:791
N-Glycolylneuraminic acid, biosynthesis of, in mandibular gland, 305:459
Glycolysis
5-amino-4-imidazolecarboxamide riboside inhibition of, 305:913
shuttle activity and, in Ehrlich ascites cells, 310:665
Glycoprotein: *see also* P-glycoprotein
N-linked, in colon adenocarcinoma, autophagy and, 309:521
Glycoprotein CE9, induction and distribution of, 310:693
β_2-Glycoprotein I, cardiolipin interaction with, 310:315
Glycoprotein Ia/IIa, aggretin as agonist of, in activation of phospholipase C, 309:1021
Glycoprotein Ib, von Willebrand factor interaction with
ristocetin and, 306:453
tokaracetin and, 308:947
Glycoprotein IIb/IIIa, regulation of, thrombin receptor in, 309:613
Glycoprotein 330, renal, in Heymann nephritis, molecular forms of, 305:711
Glycosaminoglycan
lysosomal storage of, tilorone and, 312:215
sulphated, IL-4 stimulation of, 307:673
Glycosphingolipid, in placenta, 307:399
Glycosyl hydrolases, families of, 311:349, 311:350
Glycosylation
in hepatocyte, nucleotide-sugar concentration and, 305:865
of histamine H2 receptor, 310:553
IFN-γ protease resistance and, 308:9
mucin-type, prediction of, 308:801
Glycosylphosphatidylinositol, alkaline phosphatase anchored by, streptolysin-O-induced release of, 305:529
Glycosylphosphatidylinositol-anchored protein, lipid of, temperature-induced alterations in, 307:107, 307:115
Glycosylphosphatidylinositol membrane anchors, biosynthesis of, 310:361
Glycuronidase, from *Flavobacterium heparinum*, 312:569
Glyoxalase I, in detoxification, 309:127
Glyoxalase III, for conversion of methylglyoxal into lactate, 305:999
GM-CSF: *see* Granulocyte-macrophage colony-stimulating factor
GnRH: *see* Gonadotropin-releasing hormone
Goblet cell, changes in, intestinal trefoil factor and, 311:293
Gonadotropin-releasing hormone, action mechanism of, Ca^{2+} and protein kinase C and, 309:325
Granule, fusion of, with phospholipase A_2-treated plasma membrane, 307:563
Granulocyte
lipopolysaccharide-induced expression of IL 8 in, IFN-γ inhibition of, 310:751
of neutrophil, Ca^{2+} influx into, thapsigargin inhibition of, 305:525
Granulocyte-macrophage colony-stimulating factor, tyrosine phosphorylation and mitogen-activated protein kinase and, in neutrophils, 307:39
Granulosa cell, ovarian, heparan sulphate proteoglycan endocytosis in, brefeldin A and, 310:271
Griseofulvin, dietary, liver and, protoporphyrin isolated from, 307:505
Growth
inhibition of, A673 cell-derived medium and, 305:87
restricted, concentrations of cyclin A, cyclin B, and p21 in, 312:693
Growth factor-induced cell proliferation, sphingomyelinase and, 311:829
Guanidinium chloride
pyruvate dehydrogenase complex dissociation and unfolding by, 308:1025
RNase A denaturation by, inactivation during, unfolding and, 305:379
Guanidino kinase, evolution and function of, 309:255
Guanosine diphosphate-D-arabinopyranose, biosynthesis of, 311:307
Guanosine triphosphatase-activating protein, for $p21^{ras}$, Ca^{2+}-dependent phospholipid binding domain in, 307:487
Guanosine triphosphate cyclohydrolase I, in *Bacillus subtilis*, 306:371
Guanylate cyclase, membrane-associated, secreted β-amyloid precursor protein and, 311:45
α-Gustducin, functional expression of, 309:629

H^+-ATPase, vacuolar, V_o sector of, structural analysis of, 312:739
H^+/O ratio, hepatocyte mitochondrial proton conductance and, 310:379
Haem domain, of cytochrome P-450 BM-3, replacement of ferriprotoporphyrin IX in, 310:939
Haem oxygenase, prostaglandin A_1 induction of, in myoblastic cell, 308:455
Haemin, binding of, protease susceptibility and, 306:879
Haemoglobin
human embryonic
chloride effect in, 309:959
oxygen binding to, allosteric modulation of, 306:367
liposome interaction with, chemically modified, 310:827
mutant embryonic, ζ globin protein in, 310:597
photoaffinity labeling of, with tryptophan derivatives, 308:251
synthesis of, in erythroleukaemia cell polyamine analogue structure and, 309:787
spermine and, 309:781, 312:933
Haemopexin receptor, expression of, in cytotrophoblast, 307:669

Haemopoietic cell, apoptosis in, phosphatidylinositol 3-kinase and, 312:159
Hammerhead ribozyme catalysis, pyrimidine bases in, 311:487
Heart
adenylate deaminase in, oxidant sensitivity of, 306:421
angiotensin II induction of tyrosine phosphorylation of insulin receptor substrate 1 in, phosphatidylinositol 3-kinase and, 310:741
of diabetic, cardiolipin biosynthesis in, 306:759
ischaemic
pyruvate and propionate metabolism in, 312:75
reperfused, mitochondrial pore opening in, 307:93
isocitrate dehydrogenase subunit 3/4 from, 310:507
microsomes in, phosphatidylethanolamine-hydrolysing phospholipase A_1 in, G protein and, 312:805
microvascular endothelial cells in, ATP hydrolysis by, 308:725
phosphatidyl biosynthesis in, methyl lidocaine modification of, 309:871
selenium-substituted aconitase in, 311:197
Heat-shock protein
22-kDa, pea mitochondrial, sequence and expression of, 311:805
27-kDa, modulation of, by reactive oxygen species, 312:367
70-kDa
activation of, in oxidative stress, 309:453
isoforms of, 305:197
transferrin receptor association with, in reticulocytes, 308:823
90-kDa
cyclophilin-40 dimeric complex with, 307:5
steroid and receptor interactions and, 311:797
in *Leishmania*, 310:225
Heat-shock transcription factor, hypo-osmotic stress activation of, 307:347
Heat-shock treatment, mitogen-activated protein kinase activation by, 312:341
Heparan sulphate
in brain, in Alzheimer's disease, 306:177
IFN-γ binding domain of, 310:497
Heparan sulphate proteoglycan, new membrane-bound, 311:561
Heparan sulphate proteoglycan endocytosis
brefeldin A and, in ovarian granulosa cell, 310:271
and smooth muscle cell internalization of basic FGF, 311:393
Heparin
binding of, to platelet factor 4, 312:357
structure of, lipoprotein lipase binding and, 307:205
Heparin analogues, from bacterial polysaccharide, 309:465
Heparin binding EGF-like precursor, phorbol ester-induced cleavage of, 310:285
Heparin binding protein, to aortic endothelial cell, 311:461
Heparin chain, antithrombin binding site synthesis on, aging and, 312:245
Heparin proteoglycans, synthesized by mastocytoma, chondroitin sulphate in, 311:233
Hepatectomy, partial, intrahepatocytic bile acid transport after, 305:367
Hepatic chylomicron remnant metabolism, dietary fat and, 310:845
Hepatocyte
ADP- vs. ATP-induced Ca^{2+} oscillation in, phorbol ester and, 309:145
α_1-adrenergic receptors in, PMA regulation of, 305:73
asialoglycoprotein endocytosis inhibition in, by protein phosphatase inhibitors, 311:317
assembly of very low density lipoprotein lipids with apolipoprotein B in, 310:897
binding of chylomicron remnants and β-migrating very low density lipoproteins to, 310:359
Ca^{2+} oscillations in, diadenosine polyphosphate-induced, 310:629
cross-talk between glucagon- and adenosine-mediated signalling systems in, 312:763
EGF in, glycogenolytic effect of, 308:889
electron transport rate in, mitochondrial proton conductance and H^+/O ratio and, 310:379
fluorescein-isothiocyanate-dextran-loaded, swelling-induced alkalinization of endocytotic vesicles in, 309:19
G protein phosphorylation in, insulin inhibition of, 308:693
glucagon desensitization in, protein kinase C-mediated phosphorylation and, 307:281
glucagon-induced glucose production in, dexfenfluramine modulation of, 310:61
glucosamine and glucose detritiation in, 308:23
glutathione analogue inhibition of glutathione *S*-transferase in, 308:283
glycosylation in, nucleotide-sugar concentration and, 305:865
inhibition of autophagic proteolysis by cell swelling in, 312:987, 312:988
inositol trisphosphate binding in, effects of oxidized glutathione and temperature on, 310:185
mitochondrial permeability transition to lethal injury in, 307:99
nuclear factor 1β in, pseudopregnancy and, 312:31
protein synthesis in
adenosine and, 310:893
microcystin and, 306:693
sterol 27-hydroxylase feedback suppression in, 305:505
uptake of ^{59}Fe-lactoferrin by, 311:603
zonally enriched, albumin and α_1-inhibitor distribution in, 305:263
Hepatocyte matrix, glucokinase regulatory protein binding to, 309:711
Hepatocyte nuclear factors, bronchiolar epithelial Clara cell secretory protein and, 308:197
Hepatoma, 1α,24(*S*)-dihydroxyvitamin D_2 in, 310:233
Hepatoma cell
glucose incorporation into nucleic acids in, 308:761
insulin-binding proteins in, 306:21
insulin-stimulated, tyrosine-phosphorylated protein in, 308:579
phosphoenolpyruvate carboxykinase and gene 33 in, insulin and, 310:375
swelling of, extracellular signal-regulated kinase activation by, 309:13
Herpes simplex virus, immediate-early promoters of, transcription factor activation of, 307:581
Hexokinase
mitochondrial, ADP inhibition of, 309:105
yeast, cooperative binding of glucose to, 305:405
Heymann nephritis, kidney gp330 in, molecular forms of, 305:711
Histamine H1 receptor, Ca^{2+} influx and, arachidonic acid induction of, 305:859
Histamine H2 receptor, glycosylation of, 310:553
Histatin, as tannin-binding protein, in saliva, 311:341
Histone acetylation, tissue-type plasminogen activator gene expression and, 310:171
Histone H1, transcription and, 305:791
Histone H1e-c variants, binding of, to CpG-rich DNA, 305:739
Histone II-A, microsomes treated with, membrane intactness of, 310:221
HIV: *see* Human immunodeficiency virus
Hormones, hepatic cytochrome P-450 3A and, 309:55
HSP-1, primary structure and binding properties of, 310:615
Human immunodeficiency virus, Rev-Rev-responsive element interaction in, 308:447
Human immunodeficiency virus reverse transcriptase, polyoxotungstates and, 307:129
Human serum albumin, modification of, by non-steroidal anti-inflammatory drugs, 311:431
Hyaluronan, biosynthesis of, growth factor stimulation of, 307:817
Hyaluronic acid
arrangement of, in cartilage proteoglycan aggregates, 307:595
synthesis and release of, by fibroblast, 309:649
Hyaluronic acid-binding protein, glial, 312:377
Hyaluronidase
kinetic investigation of, 310:55
viscosimetric kinetic investigation of, 306:153
Hydralazine, triplex-DNA stabilization by, 311:183
Hydration state, hepatic triacylglycerol secretion and, 312:57
Hydrogen-deuterium exchange, catalysed by tryptophan synthase, 311:1015
Hydrogen peroxide
nitric oxide synergy with, in platelets, 310:149
$p72^{syk}$ kinase and calcium mobilization and, in peripheral blood lymphocytes, 308:347
Hydroperoxides, biological degradation of, 311:821
α-Hydroxyaldehyde, long chain, in liver, 309:807
17α-Hydroxylase-17,20-lyase, cytochrome b_5 effect on, 308:901
Hydroxymethylglutaryl-coenzyme A reductase
hepatic, dietary fat and, 311:167
post-transcriptional regulation of, 305:233
17β-Hydroxysteroid dehydrogenase IV, human 80-kDa, molecular cloning of, 311:437
5-Hydroxytryptamine, glucose transport in cardiomyocyte stimulated by, 311:575
5-Hydroxytryptamine receptor, desensitization and resensitization of, 307:775
Hyperosmolarity, hepatic macrophage prostaglandin synthesis and cyclooxygenase expression and, 312:135
Hypochlorous acid, glutathione oxidation by, in erythrocyte, 307:57
Hypochondrogenesis, type II collagen mutations in, 307:823
Hypo-osmotic stress, heat-shock transcription factor activation and, 307:347

Iduronate 2-sulphatase, fibroblast processing of, 309:425
IFN: *see* Interferon
IGF: *see* Insulin-like growth factor
IL: *see* Interleukin
Ileum, Na^+/bile acid co-transport system in, 306:241

Imidazoleglycerol-phosphate dehydratase, of *Saccharomyces cerevisiae*, 306:385
3′-Immature $tRNA^{Trp}$, requirement of, for gelonin inactivation of ribosome, 310:249
Immunoglobulin G, Fab and Fc fragments in, 311:283
Immunoglobulin M, Shc/Grb2/hSOS complex induction by, in B cell, 307:215
Immunoglobulin-binding protein, binding of, to Fc IgG fragment, 310:177
Immunosuppression, seminal ribonuclease catalytic activity and, 308:547
Inflammation, endotoxin-induced, hepatic zinc accumulation and, in absence of metallothionein gene, 308:543
Inositide cycle, nuclear, in erythroleukaemia cell differentiation, 312:63
Inositol, transport of, in thyrocyte growth and differentiation, 309:667
Inositol bisphosphate, in mammalian cells, 306:557
Inositol hexakisphosphate
  dephosphorylation of, stereospecificity of, 312:907
  nuclear-associated phosphorylation of inositol trisphosphate to, 312:907
Inositol monophosphatase, metal ion binding to, 307:585
Inositol phospholipids, from *Trypanosoma* epimastigote forms, 310:255
Inositol phosphorylceramides, temperature-induced alteration of, in precursors of glycosylphosphatidylinositol-anchored proteins, 307:107
Inositol polyphosphate, coatomer interaction with, 310:279
Inositol polyphosphate phosphatase
  hepatic, aluminium and, 305:557
  multiple, 305:491
Inositol tetrakisphosphate, dephosphorylation of, by 3-phosphatase and 1-phosphatase, 308:127
Inositol tetrakisphosphate receptor, non-neuronal, 305:139
Inositol trisphosphate
  antibody to, 311:1009
  binding of, effects of oxidized glutathione and temperature on, in hepatocytes, 310:185
  Ca^{2+} release induced by, control of, 306:445
  Ca^{2+} store sensitive to, 312:789
    Ca^{2+} uptake to, in adrenal chromaffin cells, 307:749
    oxidized glutathione and, 312:485
  in mammalian cells, 306:557
  nuclear-associated phosphorylation of, to inositol hexakisphosphate, 312:907
  production of, Rab3 effector domain peptide isoforms and, 309:621
  quantal responses to, 312:789
  release of, in parotid acini, purinoceptor P_{2z} activation and, 312:457
  time-dependent lithium modulation of, in neuroblastoma cell, 311:225
Inositol trisphosphate 3-kinase, in iris sphincter smooth muscle, protein phosphorylation and, 308:1009
Inositol trisphosphate 3-kinase A, active site labelling of, by phenylglyoxal, 310:109
Inositol trisphosphate 3-kinase isoenzymes, expression of, 306:429
Inositol trisphosphate receptor
  calmodulin binding domain in, 308:83
  from mung bean, 306:631
  from platelets, 312:499
  pancreatic acinar cell desensitization and, 305:103
  trypsin digestion of, 307:859
Insecticide resistance, carboxylesterase in, gene amplification of, 305:651
Insulin
  acid-soluble fat cell phosphoprotein and, 306:135
  binding of, to receptor, chloroquine and, 311:787
  expression of, insulin promoter factor 1 and, 310:997
  fatty acid-acylated, albumin binding of, 312:725
  G protein phosphorylation inhibited by, in hepatocyte, 308:693
  glucose transport induced by, vs. stress-activated glucose transport, dissection of, 309:731
  GLUT4 translocation and, 311:59, 311:161
  glyceraldehyde-stimulated secretion of, in islet cells, 310:215
  glycogen synthesis and glycogen synthase activity stimulated by, wortmannin and rapamycin blockade of, 305:25
  hepatic carnitine palmitoyltransferase I regulation by, 310:853
  hepatoma cell phosphoenolpyruvate carboxykinase and gene 33 and, 310:375
  inhibition of cholera toxin-stimulated adenylate cyclase by, 312:769
  insulin receptor serine kinase activity stimulated by, 308:915
  membrane distribution in T-tubule regulated by, 312:393
  metabolic effects of, multiple signalling pathways for, 311:595
  mitochondrial uncoupling-induced glucose transport and, 309:1
  neuronal thread protein stimulated by, ethanol inhibition of, 310:125
  protein kinase C and
    in adipocyte, 308:181
    in skeletal muscle, 308:177, 308:181
  regulation of, in vascular smooth muscle, Ca^{2+}-ATPase and, 311:555
Insulin promoter factor 1, insulin and somatostatin gene expression and, 310:997
Insulin receptor
  cytoplasmic cysteines of, 306:811
  extracellular domain of, deletion of, 305:599
  glucose-stimulated, tyrosine kinase and, 305:119
  in hepatoma cell, tyrosine-phosphorylated protein in, 308:579
  IGF-I/insulin hybrid binding to, 305:981
  serine kinase activity of, insulin-stimulated, 308:915
  tyrosine kinase mutants in, 306:465
Insulin receptor autoactivation cascade, hepatic, in pregnancy, 311:523
Insulin receptor substrate 1, tyrosine phosphorylation of, angiotensin II induction of, phosphatidylinositol 3-kinase and, in heart, 310:741
Insulin-binding proteins, in hepatoma cell, liver, and skeletal muscle, 306:21
Insulin enhancer binding site box, of insulin gene regulatory region, 309:231
Insulin-like growth factor I
  2-deoxyglucose uptake stimulated by, mitogen-activated protein kinase cascade and, 311:735
  and foetal brown adipocyte differentiation, 310:771
  GLUT4 translocation stimulated by, 311:59
  metabolic response of skin to, 308:411
Insulin-like growth factor I analogues, oxidative folding of, 308:865
Insulin-like growth factor I/insulin hybrid, single-chain, binding of, to insulin receptor, 305:981
Insulin-like growth factor II, leader 3 of, proteins binding to, 307:225
Insulinoma, internalization and recycling of glucagon-like peptide-1 in, 310:203
Integrin
  association of, with tyrosine kinase, in platelets, 309:481
  binding sequence for, in laminin peptide, 309:765
  erythroblastic cell adhesion mediated by, after PMA induction, 309:491
  ligand interaction with, 305:945
  platelet activation independent of, collagen-like peptides and, 306:337
  in purified amino acid transporter, from Ehrlich cell plasma membrane, 311:743
  regulation of, thrombin receptor in, 309:613
  snake venom RGD protein binding to, 312:223
  transferrin receptor association with, 306:129
Integrin-independent protein kinase C activation, of platelet phospholipase, D, 310:623
Inter-α-inhibitor, heavy chain precursors for, in liver and brain, 306:505
Interferon α, IL-6 receptor and, in myeloma cell, 309:175
Interferon γ
  C-terminal deletions of, RNase activation and, 307:123
  inhibition of lipopolysaccharide-induced expression of IL-8 by, in granulocyte, 310:751
  protease resistance of, 308:9
  serine proteinase inhibitor 3 gene activation by, via IL-6-responsive element, 309:63
Interferon γ binding domain, of heparan sulphate, 310:497
Interleukin-1
  2-deoxyglucose uptake stimulated by, mitogen-activated protein kinase cascade and, 311:735
  MAD3 phosphorylation induced by, 307:287
Interleukin-1β, nitric oxide synthase induced by, ethanol and, in vascular smooth muscle cells, 308:231
Interleukin-1 and -6, synergistic induction of C-reactive protein by, 310:143
Interleukin-2, -mediated T lymphoblast proliferation, okadaic acid inhibition of, 308:777
Interleukin-2 receptor
  γ-chain of, in myeloid cell, 308:909
  signal transduction and, 306:217
Interleukin-3, glucose transporter activation and, 305:843
Interleukin-4, stimulation of sulphated glycosaminoglycan and decorin production by, 307:673
Interleukin-6 receptor, IFN-α and, in myeloma cell, 309:175
Interleukin-6-responsive element, IFN-γ activation of serine proteinase inhibitor 3 gene via, 309:63
Interleukin-8, lipopolysaccharide-induced expression of, in granulocyte, IFN-γ inhibition of, 310:751
Interstitial collagenase, endometrial, hormonal control of, 305:1027
Intestinal mucosa
  GLUT5 gene expression in, diabetes and, 309:271
  mast cell tryptase in, 309:921
Intestinal trefoil factor, goblet cell changes and, 311:293
Intestine
  carnitine palmitoyltransferases in, in suckling rat, 306:379
  epithelial cells in, mitochondrial gene expression in, 308:665
  MUC2 gene in, 306:311
Invertase, from *Pichia anomala*, 306:235

Iodide conductance, in proteoliposomes, 312:543
Ionomycin, mammary gland lipid secretion and, 308:975
Iris sphincter smooth muscle, inositol trisphosphate 3-kinase in, protein phosphorylation and, 308:1009
Iron
  caeruloplasmin-oxidized, ferritin accumulation of, 305:21
  hepatic, superoxide dismutase and, 305:975
Iron binding site, in transferrin, salt and mutation effects on, 309:403
Iron chelating agent, plant nutrition and, 312:879
Iron depletion, by picolinic acid, effect of, on lactoferrin receptor in colon carcinoma cell, 308:391
Iron-sulphur protein, from cotton leafworm mitochondria, 307:719
Islet cell, glyceraldehyde-stimulated insulin secretion in, 310:215
Isoaspartyl-protein carboxyl methyltransferase, immunochemical characterization of, 309:993
Isocitrate dehydrogenase
  NAD^+-specific
    α-subunit of, characterization of, 308:63
    sequences of, 310:917
  subunit 3/4 of, from heart, 310:507
Isocitrate lyase, site-directed mutagenesis of, 305:239
Isometamidium chloride, accumulation and compartmentalization of, in *Trypanosoma congolense*, 312:319
Isoprenaline
  acid-soluble fat cell phosphoprotein and, 306:135
  adipocyte phosphoenolpyruvate carboxykinase and, 305:65
Isothiocyanate, as substrate for glutathione transferase, 311:453

J6 gene, expression of, GATA-binding protein and, 307:183
Jejunum, basolateral membrane of, GLUT5 hexose transporter in, 309:7, 310:1055
Jun protein family, TATA-binding protein and transcription factor IIB interaction with, 305:967

Kallikrein
  in colon, cloning and purification of, 307:481
  in human tissue, binding site in, 312:233
  lysyl-bradykinin-releasing, cleavage specificity of, 306:63
KDEL mutant, on *Pseudomonas* toxin, 307:29
Keratin filament, migration inhibitory factor-related protein translocation to, 309:419
Keratinocyte
  diacylglycerol pattern in, UV radiation and, 305:471
  EGF induction of ornithine decarboxylase in, retinoic acid and, 309:159
  epidermal, *fos-lacZ* fusion gene expression in, 306:879
  lovastatin enhancement of UVA photocytotoxicity in, cholesterol and cathepsin inhibitor effects on, 310:305
  prostaglandin H synthase isoenzyme expression in, 309:263
Kex2 protease, recombinant proalbumin variant processing by, 308:321
Kidney
  brush-border membrane vesicle of, carnitine transport by, 309:643
  carnitine transport and expression in, in oocyte, 309:389
  epithelial cells in, proteoglycans in, 311:881
  gp330 in, in Heymann nephritis, molecular forms of, 305:711
  mesangial cells of, mitogen-activated protein kinase cascade in, PDGF and angiotensin and, 305:777
  mitochondria of, perinatal maturation of, 305:675
  Na^+-dependent phosphate co-transporter from, 305:81
  phosphate transport through, dopamine receptor in, 312:433
Kidney cell
  embryonal, desensitization of thyrotropin-releasing hormone receptor in, 311:385
  epithelial, selenium-dependent expression of 5′-deiodinase and glutathione peroxidase in, 306:851
Kinetoplastid membrane protein
  cloning and structure-function analysis of, 305:315
  isolation and characterization of, 305:307
Kininogen, M protein interaction with, 305:173
Kininogen-like molecule, trypanopain modulation by, 305:549
Kukoamine A, as inhibitor of trypanothione reductase, 311:371

Laccase, thermal and chemical denaturation of, 306:697
β-Lactamase
  class A, protein stability and, 308:859
  stereospecificity of, 309:431
  of *Streptomyces cacaoi*, regulation of, 311:155
  TEM-1, glutamic acid 103 substitution in, 305:33
Lactase, Caco-2 cell expression of, during differentiation, 308:769
Lactation
  adipose tissue signal transduction and, 308:291
  brown adipose tissue hypotrophy induced by, mitochondrial protein and, 308:749
Lactoferrin
  glycosylation of, 312:107
  hepatocyte uptake of, 311:603
  lipopolysaccharide interaction with, 312:839
Lactoferrin receptor, in colon carcinoma, picolinic acid-induced iron depletion and, 308:391
β-Lactoglobulin B, cyanylated, ^{13}C NMR of, 306:531
Lactoperoxidase, inactivation of, by mercaptomethylimidazole oxidation product, 306:751
Laminin peptides, cell adhesion and, 309:765
Lecithin, hydrophobicity of, in bile salts, 312:795
Lecithin-cholesterol acyltransferase, recombinant plasma, 309:249
Lectin
  cerebellar soluble, lymphocyte activation and, 311:629
  interaction of, with prophenoloxidase system, 310:23
  S-type mammalian, carbohydrate binding by, 308:237
Legume lipo-oligosaccharidic nodulation factor, radiolabelled, 306:259
Lens, ocular
  epithelial cells of, oxidative stress, ubiquitin and proteolysis in, 307:297
  γs-crystallin sequence in, 307:407
  major intrinsic protein of, 305:753
Lepidoptera, midgut enzymes in, ecdysteroid transformation and inactivation and, 312:561
Leucocyte receptor, heptahelical, multiple forms of, 309:773
Leukaemia cell: *see also* Erythroleukaemia cell
  Ca^{2+} influx in, nucleotides and, 305:879
  myeloid differentiation of, poly(ADP-ribose) polymerase during, 308:131
  polyamine depletion in, intracellular acidification and, 312:749
Leukotriene, synthesis of, in calcium-depleted neutrophil, 310:681
Leukotriene B_4, NADPH oxidase activation and, in eosinophils, 310:795
Levansucrase, isolation and enzymic properties of, 309:113
Linolinic acid-cyclodextrin inclusion complexes, in aqueous solutions, 308:151, 309:1031
Lipid
  hepatic, metabolism of, 4-thia fatty acids and, 305:591
  mammary gland secretion of, effects of oxytocin, prolactin, and ionomycin on, 308:975
Lipid binding protein, from cestode, 311:49
Lipid linked oligosaccharide, synthesis of, 310:909
Lipid order, in plasma membrane, temperature and, 312:811
Lipid peroxidation, cellular defence against, hepatic ubiquinone reductase and, 309:883
Lipid transfer, lysosomal protein causing, 308:937
Lipoate protein ligase, purification and properties of, 309:853
Lipogenesis, hepatic carbonic anhydrase in, 310:197
Lipophosphoglycan
  biosynthesis of, 308:45
  polymorphism in, in *Leishmania*, 310:807
Lipopolysaccharide
  cystine transport induced by, in peritoneal macrophages, 310:547
  effect of, on mitogen-activated protein kinases and cytosolic phospholipase A_2, 308:815
  IL-8 expression induced by, in granulocyte, IFN-γ inhibition of, 310:751
  lactoferrin interaction with, 312:839
  macrophage fuel metabolism and, 310:709
  tissue- and cell-specific xanthine oxidoreductase regulation by, 306:225
Lipoprotein
  high density
    hepatic uptake of, 311:611
    proliferative effect of, protein phosphorylation and, in adenocarcinoma, 307:557
  low density
    aggregation of, 310:417
    binding of, to apolipoprotein(a), 309:899
    hepatic receptors for, dietary fat and, 311:167
    neutron scattering of, 310:407, 310:417
    oxidized, 306:293, 310:417
    P-selectin induction by, 306:293
    proliferative and cytotoxic effects of, on vascular smooth muscle cells, 309:1015
    receptors for, measurement of, 305:897
  very low density
    β-migrating, binding of, to hepatocytes, 310:359
    excess apolipoprotein B and, in hepatocytes, 310:897
    hepatic microsomal triglyceride transfer protein activity and, 310:11

Lipoprotein(a):apolipoprotein B-containing lipoprotein interaction, 307:17
Lipoprotein lipase
  activity of, regulation of, in diabetic cardiomyocytes, 310:67
  binding of, heparin structure and, 307:205
Liposome-haemoglobin interaction, chemically modified, 310:827
Lipoxygenase pathway, in TNF-α-mediated apoptosis, 310:133
Lithium, time-dependent modulation of inositol trisphosphate by, in neuroblastoma cell, 311:225
Liver
  acyl-CoA binding to UDP-glucuronosyltransferase isoforms in, 312:301
  albumin gene expression in, vitamin B_6 and, 309:243
  carbohydrate-induced pyruvate kinase in, 308:105
  carbonic anhydrase in, in lipogenesis, 310:197
  carnitine acetyltransferase in, cDNA sequence of, 305:439
  carnitine palmitoyltransferases in
    insulin regulation of, 310:853
    in suckling rat, 306:379
  C4BPA protein promoter in, 308:613
  cytochrome P-450 3A in, hormonal regulation of, 309:55
  dihydrodiol dehydrogenase 3 activity in, cysteine and, 310:101
  endoplasmic reticulum of, glucose-6-phosphatase system in, from Ehrlich ascites tumour-bearing mice, 311:537
  enzyme expression in, dietary fat and, 311:167
  ethylmaleimide-insensitive phosphatidic acid phosphohydrolase in, 308:983
  expression of bile acid coenzyme A-amino acid *N*-actyltransferase in, 311:203
  fatty acid-binding protein and albumin in, lysophospholipid binding to, 307:305
  fatty acid oxidation in, zonation of, 311:853
  fatty acid partitioning in, diabetes and, 305:953
  glucokinase and GLUT2 gene expression in, glucose refeeding and glibenclamide treatment and, 308:139
  glutaminase in, spermine activation of, 305:837
  glutathione *S*-transferase in
    molecular masses of, 308:69
    steady-state kinetics and chemical mechanism of, 309:347
  glycogen synthase/phosphorylase in, *N*-acetylglucosylamine and, 311:845
  griseofulvin ingestion and, protoporphyrin isolated from, 307:505
  inositol polyphosphate phosphatase in, aluminium and, 305:557
  insulin receptor autoactivation cascade in, during pregnancy, 311:523
  insulin-binding proteins in, 306:21
  inter-α-inhibitor heavy chain precursors in, 306:505
  iron and superoxide dismutase in, 305:975
  lipid metabolism in, 4-thia fatty acids and, 305:591
  long chain α-hydroxyaldehydes in, 309:807
  macrophages of
    arachidonic release of, cytosolic phospholipase A_2 and, 311:189
    prostaglandin synthesis and cyclooxygenase expression in, hyperosmolarity and, 312:135
  microsomes in
    carnitine acyltransferase in, 310:989
    glucose-6-phosphatase in, fatty acyl-CoA ester inhibition of, 307:391
    glutathione transferase in, heterologous expression of, 311:861
    triglyceride transfer protein in, very low density lipoprotein secretion and, 310:11
    histone II-A-treated, intactness of, 310:221
  mitochondria of, *cis*-5-unsaturated fatty acid oxidation in, 308:39
  nucleus of, glutathione and glutathione *S*-transferase and glutathione peroxidase in, 311:889
  oligosaccharyltransferase from, active site of, 312:979
  parasitized, mitochondria from, non-esterified fatty acid and, 307:425
  phosphodiesterase-I/nucleotide pyrophosphatase, threonine regulation of, 306:271
  phosphofructokinase/fructose-2,6-bisphosphatase in, NMR analysis of, 308:189
  proteolysis in, cell swelling-induced inhibition of, colchicine sensitivity of, 308:529
  recombinant carnitine palmitoyltransferase II in, characterization of, 309:689
  S-adenosylmethionine synthetase active site in, 308:565
  sphinganine-phosphatases in, 311:139
  Theta class glutathione *S*-transferase in, cloning and modeling of, 312:91
  triacylglycerol secretion from
    dietary fat and, 308:537
    hydration state and, 312:57
  ubiquinone reductase in, cellular antioxidant defence and, 309:883
  uptake of high density lipoprotein by, 311:611
  zinc accumulation in, in absence of metallothionein gene
    after zinc challenge, 309:25
    in endotoxin-induced inflammation, 308:543
LLC-PK_1 cell, apical surface of, targeting of neutral endopeptidase to, 305:165
Lovastatin, UVA photocytotoxicity and, in keratinocytes, cholesterol and cathepsin inhibitor effects on, 310:305
Luciferase, firefly, substrate regulation of, 305:929
Luciferase reporter gene, for studies of cAMP-elevating agents, 309:385
Luminal fluid, epididymal, β-D-galactosidase from, 305:41
Lung
  fetal, cortisol-treated fibroblasts of, phosphatidylcholine biosynthesis and, in type II cells, 312:425
  fibroblasts of, cell surface proteoglycans in, effects of TGF-β and basic FGF on, 310:73
  tryptase isoforms in, 307:341
Lung carcinoma cell, cytokine and tumour promoter regulation of urokinase-type plasminogen activator receptor in, 310:345
Lymphocyte
  activation of
    cerebellar soluble lectin and, 311:629
    eIF-4F complex formation during, 312:627
  peripheral blood, $p72^{syk}$ and calcium activation in, hydrogen peroxide and, 308:347
Lymphocyte-endothelial signalling, P_2 purinoceptor-mediated, 311:589
Lymphoid cell, methional-induced apoptosis in, 305:1017
Lysine 272, function of, in yeast uracil permease, 308:847
Lysophosphatidic acid
  Ca^{2+} mobilization and, 307:609
  mitogen-activated protein kinase tyrosine phosphorylation stimulated by, regulation of, 307:743
Lysophospholipase, pancreatic, in eosinophils, 309:141
Lysophospholipid
  binding of, to fatty acid-binding protein and albumin, 307:305
  ovarian and breast cancer cell activation by, 309:933
Lysosomal enzyme
  mannose 6-phosphate pathway-dependent routing of, in invertebrate, 310:589
  secretion of, macrophage glycan receptor and, 306:829
Lysosomal α-mannosidase B, cDNA coding for, 305:363
Lysosomal protein, lipid transfer caused by, 308:937
Lysosome, glycosaminoglycan storage in, tilorone and, 312:215
Lysosome-associated membrane proteins 1 and 2, subcellular localization of, 311:667
Lysyl bradykinin, released by kallikrein, cleavage specificity of, 305:63
Lysyl oxidase, precursor of, proteolytic processing site of, 306:279

M protein, kininogen interaction with, 305:173
α_2-Macroglobulin
  binding of TGF-β1 to, 312:579
  design of new protease inhibitor using, 312:191
α_2-Macroglobulin receptor, phospholipase Cγ1 phosphorylation and, 309:151
α_2-Macroglobulin thiol ester mutant Cys949Tyr, synthesis of, 312:183
Macrophage
  fuel metabolism in, effects of adrenaline and protein kinase C activators on, 310:709
  glycan receptor in, lysosomal enzyme secretion and, 306:829
  hepatic
    arachidonic release of, cytosolic phospholipase A_2 and, 311:189
    prostaglandin synthesis and cyclooxygenase expression in, hyperosmolarity and, 312:135
  peritoneal
    free-radical production in, aging and, 312:555
    lipopolysaccharide-induced cystine transport in, 310:547
  phospholipase A_2 in, dexamethasone and, 307:499
  surfactant protein A stimulation of, isolation method and, 309:551
MAD3, phosphorylation of, IL-1-induced, 307:287
Magnesium
  cyclic GMP hydrolysis catalysed by, in retinal rod, 308:653
  endonuclease activity regulated by, 311:1033
Major basic protein, eosinophilic, expression of, 305:921
Major intrinsic protein, of eye lens, 305:753
Malaria-infected membrane transport
  inhibitors of, arylaminobenzoates and, 311:761
  metabolic control in, 308:361
Malate dehydrogenase, catalytic rate improvement of, 305:539
Malic enzyme, in brain mitochondria, secondary structure of, 309:607
Mammary gland
  lipid secretion from, effects of oxytocin, prolactin, and ionomycin on, 308:975

transferrin in, structure of, 307:47, 308:1040
transgene competition in, 310:637
Mandibular gland, *N*-glycolylneuraminic acid biosynthesis in, 305:459
Manganese superoxide dismutase, parasitic, 308:441
Mannanase, *Pseudomonas*, 305:1005
Mannose 6-phosphate-dependent pathway, lysosomal enzyme routing dependence of, in invertebrate, 310:589
Mannose-binding protein, allelic, failure of, to bind mannose-binding protein-associated serine protease, 311:1021
Mannose-6-phosphatase, histone II-A stimulation of, liver membrane intactness and, 310:221
α-Mannosidase B, lysosomal, cDNA coding for, 305:363
Manoalide analogue, phospholipase A_2 inactivation by, 308:297
Mast cell proteinase
cloning and expression of, 311:675
matrix metalloproteinase activation by, 305:301
Mast cell tryptase
in intestinal mucosa, 309:921
isoforms in, 307:341
Mastocytoma, heparin proteoglycans synthesized by, chondroitin sulphate in, 311:233
Mastoparan, neutrophil NADPH oxidase assembly and, 310:715
Matrix, gelatinase binding to, 309:299
Matrix metalloproteinase, aggrecan generated by, quantification of, 307:245
Megakaryocyte, primaquine blockade of calcium release-activated current in, 309:725
Melanocyte, diacylglycerol pattern in, UV radiation and, 305:471
α-Melanocyte-stimulating hormone, adrenal steroidogenic actions of, tyrosine kinase and protein kinase C and, 305:433
Melanoma cell, C3-cleaving cysteine proteinase on, 312:961
Melittin, fluorescence and circular dichroism studies of, 305:785
Membrane transport, in malaria-infected erythrocyte, 308:361
Menstruation, endometrial interstitial collagenase and, 305:1027
Mercaptomethylimidazole, oxidation product of, lactoperoxidase inactivation by, 306:751
Mesangial cell
glomerular
NGF synthesis in, PDGF and, 312:707
proteoglycan production by, 307:759
renal, mitogen-activated protein kinase cascade in, PDGF and angiotensin II and, 305:777
Metabolic flux, physiological control of, 311:35
Metabolism, in malaria-infected erythrocyte, 308:361
Metabolite, transit time of, control analysis of, 308:895
Metal, heavy, exposure of platelet to, procoagulant activity and, 308:15
Metal ion, binding of, to *myo*-inositol monophosphatase, 307:585
Metalloprotease-like disintegrin-like cysteine-rich protein family, mammalian, sequencing of, 312:239
Metalloprotein, spin concentration of, 305:871
Metalloproteinase
matrix, aggrecan generated by, quantification of, 307:245
versican digestion by, glial hyaluronate-binding protein and, 312:377
Metalloproteinase-derived aggrecan fragment, detection of, with monoclonal antibody, 310:337
Metallothionein
amino acid structure of, 306:265
cadmium-binding isoforms of, 311:951
hepatic zinc accumulation in absence of after zinc challenge, 309:25
in endotoxin-induced inflammation, 308:543
structure and expression of, in blue crab, 311:617
Metallothionein vitellogenin synthesis, cadmium-oestradiol interaction in, 307:197
Methane, erythrocyte haemolysis and, 307:433
Methanol dehydrogenase
disulphide ring in, 307:735
interaction of, with its cytochrome electron acceptor, 312:261
structure of, 308:375
Methional, apoptosis induced by, in lymphoid cells, 305:1017
Methionine
α-galactosidase active site and, 308:955
soluble, in trypanosomes, 309:737
Methyl lidocaine, modification of cardiac phosphatidyl biosynthesis by, 309:871
Methylation, protein repair mediated by, in erythrocyte, 306:313
N-Methyl-4-phenylpyridinium, hydrophobic analogues of, Complex I inhibition by, 306:359
Micelle
binding of, phospholipase A_2 structure and, 305:935
reverse, kinetic models in, 310:721
Microcystin
inhibition of okadaic binding to protein phosphatase 2A by, 306:657
protein synthesis and, in hepatocytes, 306:693
hepatic
Microsome
cardiac, phosphatidylethanolamine-hydrolysing phospholipase A_1 in, G protein and, 312:805
epoxide hydrolase in, and hepatocellular transport of bile acids and xenobiotics, 311:975
fusion of, *N*-ethylmaleimide sensitivity of, 312:23
hepatic
carnitine acyltransferases in, 310:989
glutathione transferase in, heterologous expression of, 311:861
triglyceride transfer protein in, very low density lipoprotein secretion and, 310:11
protein transport in, 306:57
Microtubule-associated protein, phosphorylation of
during brain development, 306:481
effects of glutamate, colchicine, and β-amyloid on, 309:941
isoform composition and function and, 307:419
Microvillous membrane, duodenal, ferrireductase purification from, 309:745
Midiplasmin, α_2-antiplasmin inhibition of, 305:97
Migration inhibitory factor-related protein, translocation of, to keratin filament, 309:419
Milk, secretion of, autocrine regulation of, 305:51
Mineralocorticosteroid receptor, hsp90 and, 311:797
Mitochondria
ATP-dependent proteolysis in, 310:527
of B cell, glycerol 3-phosphate-induced ATP production in, 312:287
of brain
malic enzyme in, secondary structure of, 309:607
phospholipid composition and membrane fluidity in, thyroid hormone and, 305:29
chaperonin in, in skeletal muscle, 311:119
of cotton leafworm, iron-sulphur proteins and cytochrome P-450 in, 307:719
cytochrome *c* oxidase in, in postnatal development, 306:353
dimeric vs. octameric creatine kinase in, 308:623
DNA replication in, defects in, in respiratory-deficient fibroblast, 305:817
gene for, intestinal epithelial cell expression of, 308:665
glutamine transport by, 308:629
hexokinase in, ADP inhibition of, 309:105
of ischaemic/reperfused heart, pore opening in, 307:93
of kidney, perinatal maturation of, 305:675
of liver
cis-5-unsaturated fatty acid oxidation in, 308:39
parasitized, non-esterified fatty acid and, 307:425
permeability transition to lethal injury in, 307:99
proton conductance in, electron transport and, 310:379
loss of uncoupling protein from, 311:327
of plant, hsp22 in, sequence and expression of, 311:805
protein of, in lactation-induced hypotrophy of brown adipose tissue, 308:749
respiration of, discrimination between leaks and slips in, 310:477
of *Saccharomyces cerevisiae*, ATP-induced respiration uncoupling in, 307:657
uncoupling of, glucose transport caused by, insulin vs. phosphatidylinositol 3-kinase and actin, 309:1
Mitogen-activated protein kinase
activation of
by acetylcholine receptor, calcium dependence of, 309:381
in B cell, IgM-induced Shc/Grb2/hSOS complex and, 307:215
by heat shock treatment, 312:341
Ca^{2+} and, in fibroblast, 310:881
cerebral cannabinoid transduction pathway and, 312:637
effects of GM-CSF and TNF-α on, in neutrophils, 307:39
IL-1- and IGF-I-stimulated 2-deoxyglucose uptake and, 311:735
lipopolysaccharide effect on, 308:815
lysophosphatidic acid-stimulated tyrosine phosphorylation of, regulation of, 307:743
PDGF and angiotensin and, in renal mesangial cells, 305:777
pertussis toxin-sensitive and -insensitive pathways of, in ventricular cardiomyocytes, 309:437
Mitogen-activated protein kinase kinase, NGF-stimulated, 307:513
Mitomycin, binding of, to poly(d(G-m^5C)), 306:185
Mitosis, arachidonic acid mobilization during, cytosolic phospholipase A_2 activation and, 309:91
MMP^+: *see N*-Methyl-4-phenylpyridinium
Molecular chaperone, α-crystallin as, 311:367
α-Momorcharin, active centre geometry and depurinating mechanism of, 309:285

Monoacylglycerol lipase, in erythrocytes, 312:519
Monoclonal antibody
  for aggrecan degradation products, 305:799
  to measure number of functioning low density protein receptors, 305:897
Morphinone reductase, bacterial, Old Yellow Enzyme relation to, 312:671
MUC2
  biosynthesis of, 308:873
  in colon, biosynthesis of, 309:221
  in intestine and trachea, 306:311
  mucin apoprotein, biosynthesis of, 308:873
MUC5AC gene, characterization of, 305:211
Mucin
  colonic, regulation of, 312:125
  gall bladder, repeating domains in, 310:41
  gastric
    cDNA codes encoding, isolation and characterization of, 308:89
    cloning and chromosomal localization of, 311:775
    cysteine-rich domains in, 308:831
  high molecular weight, salivary gland secretion of, 309:801
  in SDS-polyacrylamide gel electrophoresis, 310:1053
  -type glycosylation, prediction of, 308:801
Mucosa
  gastric, lysophospholipase isoenzymes in, 308:551
  intestinal
    GLUT5 gene expression in, diabetes and, 309:271
    mast cell tryptase in, 309:921
Multidrug resistance, ATPase activity of P-glycoprotein and, 308:381
Muscarinic M_3 acetylcholine receptor, G protein down-regulation by, 310:559
Muscle: *see also* Skeletal muscle; Smooth muscle
  Ca^{2+} transport ATPase of, ethanol and, 312:733
  fructose-1,6-bisphosphate 1-phosphohydrolase from, kinetics of, 310:1029
  gelsolin-related protein in, 305:767
  glucose transporter-containing vesicles in, 307:383
  glycated glyceraldehyde-3-phosphate dehydrogenase from, 309:133
Myelin, brain, phospholipid methylation in, 307:239
Myeloid cell, differentiation of, IL-2 receptor γ-chain in, 308:909
Myeloid differentiation, of leukaemia cell, poly(ADP-ribose) polymerase during, 308:131
Myeloma cell
  IL-6 receptor in, IFN-α and, 309:175
  reduction of amplified ornithine decarboxylase sequences in, 310:299
Myelomonocytic cell, division of, ADP-ribosylation of RhoA protein and, 308:853
Myeloperoxidase, benzoic acid hydrazide inhibition of, 308:559
Myoblast
  creatine kinase localization in, 308:599
  GLUT1 distribution in, wortmannin and, 312:471
  prostaglandin A_1 induction of haem oxygenase in, 308:455
Myocardial G protein, thyroid hormone regulation of, 307:831
Myocyte: *see* Cardiomyocyte
Myosin
  cardiac, heavy chain mutation of, 306:345
  smooth muscle binding sites for, in caldesmon, 312:617
Myosin II heavy chain, cryptic cell adhesion domain of, 309:569
Myotoxin a, Ca^{2+}-ATPase inhibition by, 307:571

Na^+/Ca^+ exchange, in neuroblastoma × glioma hybrid cell, 309:445
Na^+/H^+ exchange, endothelin-1 and, in coronary smooth muscle, 310:1013
Na^+/K^+-$2Cl^-$ co-transporter, bumetanide binding and ion transport by, 309:637
Na^+/K^+-ATPase
  gastric, creatine kinase B coupling with, 311:445
  Glu-327→Ala substitution in, 309:187
NAD^+, linkage of, to neuronal glyceraldehyde-3-phosphate dehydrogenase, nitric oxide-induced, oxygen free radical enhancement of, 309:891
NAD^+ glycohydrolase activity, cysteine-dependent, purification of, from erythrocytes, 310:931
NAD^+ isocitrate dehydrogenase
  α-subunit of, characterization of, 308:63
  sequences of, 310:917
NADH:coenzyme Q reductase, aging and, 311:105
NADPH, tri-iodothyronine-binding protein activated by, photoaffinity labeling of, 305:729
NADPH oxidase
  activation of
    leukotriene B_4 and, in eosinophils, 310:795
    in neutrophil, rac translocation and, 308:991
  in Epstein-Barr virus-immortalized B cell, 306:141
  in neutrophil, mastoparan and, 310:715
Naphthalenesulphonamide, neutrophil superoxide production blockade by, 311:81
NDA, *N*-MeCys^3,*N*-MeCys^{7}TANDEM dissociation from, 306:15
Neprilysin, asparagine 542 of, substrate and inhibitor binding and, 2:623
Nerve growth factor
  mitogen-activated protein kinase kinase and, 307:513
  synthesis of, in glomerular mesangial cell, PDGF and, 312:707
Neuroblastoma cell
  angiotensin II receptor coupled to tyrosine dephosphorylation in, 306:87
  μ-opioid activation of phospholipase C in, 305:577, 307:879
  time-dependent lithium modulation of inositol trisphosphate in, 311:225
Neuroblastoma × glioma hybrid cell, Na^+/Ca^+ exchanger in, 309:445
Neurocalcin δ, S100β binding to, 306:551
Neuroendocrine tissue, chromogranin A-derived peptide in, 310:331
Neuroepithelioma cell, growth inhibitory activity from, 305:87
Neuron
  in brain, phospholipase A_2 activity in, glutamate and, 310:83
  glyceraldehyde-3-phosphate dehydrogenase in, nitric oxide-induced NAD^+ linkage to, oxygen free radical enhancement of, 309:891
  nitric oxide synthase in, discs-large-homologous region of, 305:687
  prothrombin and thrombin actions on, 308:965
  thread protein of, insulin-stimulated, ethanol inhibition of, 310:125
Neurotensin receptor, antibody to, in brain, 305:277
Neurotrophic factor, ciliary, structure-function of, 309:215
Neutron scattering, of low density lipoprotein, 310:407, 310:417
Neutrophil
  assembly of NADPH oxidase in, mastoparan and, 310:715
  calcium-depleted, leukotriene synthesis in, 310:681
  early Ca^{2+} signalling in, 310:445
  FcRs in, respiratory burst, calcium level, and degranulation and, 306:519
  FcγRII-induced tyrosine phosphorylation in, 306:489
  granulocyte of, Ca^{2+} influx into, thapsigargin inhibition of, 305:525
  NADPH oxidase activation in, rac translocation and, 308:991
  novel S100 protein in, 309:395
  $p59^{hck}$ localization in, 309:657
  raf-1 as signalling molecule in, 308:1037
  superoxide production by
    naphthalenesulphonamide blockade of, 311:81
    polyenoic very long chain fatty acids and, 311:689
  tyrosine phosphorylation and, mitogen-activated protein kinase in, effects of GM-CSF and TNF-α on, 307:39
NGF: *see* Nerve growth factor
Nicotinate adenine dinucleotide phosphate, Ca^{2+} release and, 312:955
Nitrate reductase, periplasmic
  Mo(V) EPR spectra acquired from, 310:311
  in *Thiosphaera*, 309:983
Nitric oxide
  hydrogen peroxide synergy with, in platelets, 310:149
  inactivation of ferrochelatase by, 310:533
  NAD^+ linkage to neuronal glyceraldehyde-3-phosphate dehydrogenase induced by, oxygen free radical enhancement of, 309:891
  oxidative release of, by Piloty's acid and Angeli's salt, 312:333
  turnover by, cytochrome *c* oxidase inhibition and, 312:169
  tyrosine phosphorylation stimulation by, in fibroblast, with and without EGF, 305:613
  tyrosine and tryptophan radical scavenging by, 310:745
Nitric oxide synthase
  IL-induced, ethanol and, in vascular smooth muscle cells, 308:231
  neuronal, discs-large-homologous region of, 305:687
Nitrone spin trap, thymocyte apoptosis and, 306:771
Nitrophorin 2, purification and characterization of, 308:243
Nitroxide antioxidant, thymocyte apoptosis and, 306:771
NMN adenyltransferase, from testis, 310:395
N-nitrosating reaction, chlorogenic acid and, 312:947
Nodulation factor, legume lipo-oligosaccharidic, radiolabelled, 306:259
Nuclear factor 1β, in hepatocyte, pseudopregnancy and, 312:31
Nuclear factor Bbf, H-ferritin gene transcriptional regulation and, 311:769
Nuclear factor κB/rel, in apoptotic thymocyte, 312:833
Nuclear matrix, protein 4.1 from, in mammalian cells, 312:871
Nuclear protein binding, on fatty acid synthase gene, 308:521
Nuclear transport, regulation of, phosphorylation and, 311:705
Nucleic acid, glucose incorporation into, in hepatoma cells, 308:761
Nucleophosmin, translocation of, ATP and, 305:987
Nucleotide
  Ca^{2+} influx and, in leukaemia cell, 305:879

cyclic, cellular Ca^{2+} regulation and, 310:263
Nucleotide-sugar concentration, hepatocyte glycosylation and, 305:865
Nucleus
cytochrome *c* oxidase in, in postnatal development, 306:353
inositide cycle in, in erythroleukaemia cell differentiation, 312:63
Null-point method, to estimate Ca^{2+} gradient across endoplasmic reticulum, 310:371
Nutrition, in plant, iron-chelating agents and, 312:879

Obesity, pyruvate dehydrogenase complex in, glucose tolerance and, 305:811
Obesity gene, cold-induced suppression of, in white adipose tissue, 311:729
Octadecylrhodamine dequenching assay, for membrane fusion, 307:875
Oestradiol
cadmium interaction with, in metallothionein vitellogenin synthesis, 307:197
endometrial interstitial collagenase control by, 305:1027
Oestrogen receptor
hsp90 and, 311:797
zinc finger domain of, cooperative interactions in, 305:805
Okadaic acid
binding of, to protein phosphatase 2A, inhibition of, by microcystin, calyculin, and tautomycin, 306:657, 308:1039
collagen type I gene expression and, in fibroblast, 308:995
endocytosis inhibition and, 311:317
inhibition of IL-2-mediated T lymphoblast proliferation by, 308:777
platelet cytoskeletal reorganization and, 307:439
Old Yellow Enzyme, bacterial morphinone reductase and, 312:671
Olefins, non-conjugated, dopamine β-monooxygenase and, 306:77
Oligopeptidase, thimet, substrate size specificity of, 308:145
Oligosaccharide, lipid-linked, synthesis of, 310:909
Oligosaccharyltransferase, hepatic, active site of, 312:979
Oocyte
capacitative calcium entry in, G protein regulation of, 307:663
GLUT4 translocation in, insulin and IGF-I stimulation of, 311:59
maturation of, $p21^{ras}$ and, 306:11
renal carnitine transport and expression in, 309:389
μ-Opioid, phospholipase C activation by, in neuroblastoma, 305:577, 307:879
Opioid receptor, G protein complexes with, immunoprecipitation of, 306:71
Ornithine cycle enzymes, genes for, transcriptional regulation of, 312:649
Ornithine decarboxylase
amplified sequences of, reduction of, in myeloma cells, 310:299
cloning and expression of, 312:13
differential embryonic transcription and expression of, body mass and, 308:161
EGF induction of, in keratinocytes, retinoic acid and, 309:159
molecular cloning and characterization of, from nematode, 308:635
regulated degradation of, 306:1
Ornithine decarboxylase gene knockout, phenotypes of, in yeast, 312:83
Ornithine decarboxylase-overproducing cell, polyamine accumulation in, apoptosis induction by, 311:723
Orosomucoid, ligand binding to, thermodynamics of, 306:545
Orphan G protein-coupled receptor, adenylate cyclase activation of, 309:837
Orphan nuclear receptor TIS1, pathway-specific desensitization of, 308:785
Osmotic regulation, heat-shock transcription factor activation and, 307:347
Osteoblast-like cell, membrane-associated tyrosine phosphatase in, regulation of, 305:485
Osteoclastic bone resorption, retinoic acid stimulation of, 309:721
Osteopontin, rabbit, expression of, in *Escherichia coli*, cellular adhesion and migration and, 307:257
Osteoporotic bone, collagenous matrix changes in, 310:1045
O-Trensox, plant nutrition and, 312:879
Ovarian cancer cell, lysophospholipid activation of, 309:933
Ovarian granulosa cell, heparan sulphate proteoglycan endocytosis in, brefeldin A and, 310:271
Oxidant, cardiac adenylate deaminase sensitivity to, 306:421
Oxidative stress
heat-shock and oxidation-specific stress gene activation in, 309:453
in lens epithelial cell, ubiquitin and proteolysis and, 307:297
Oxyanion, stabilization of, by trypsin, chymotrypsin, and subtilisin, 307:353
Oxygen
binding of to embryonic haemoglobin, allosteric modulation of, 306:367
glutathione peroxidase regulation by, in endothelial cells, 306:581
Oxygen free radicals, enhancement of nitric oxide-induced NAD^+ linkage to neuronal glyceraldehyde-3-phosphate dehydrogenase by, 309:891
Oxytocin, mammary gland lipid secretion and, 308:975

p21, concentration of, in growth-restricted fibroblast, 312:693
$p21^{ras}$
cyclic diguanylic acid binding to, DNA synthesis and, 311:921
GTP-activating protein for, Ca^{2+}-dependent phospholipid binding domain in, 307:487
oocyte maturation and, 306:11
$p59^{hck}$, localization of, in neutrophil, 309:657
p52(PAI-1), induction of, by sodium butyrate and cytochalasin D, 306:497
$p67^{phox}$, rac translocation and, 308:991
$p72^{syk}$ kinase, activation and phosphorylation of, hydrogen peroxide and, in peripheral blood lymphocytes, 308:347
Pallidipin, procaryotic expression of, 307:465
Pancreas
acinar cell
Ca^{2+} entry in, cGMP role in, 311:649
desensitization of, inositol trisphosphate receptor and, 305:103
eosinophilic lysophospholipase similar to that from, 309:141
glucokinase and GLUT2 gene expression in, glucose refeeding and glibenclamide treatment and, 308:139
glutathione *S*-transferase in, steady-state kinetics and chemical mechanism of, 309:347
type I ATP diphosphohydrolase from, 312:351
zymogen granules in, fusion of, to plasma membrane, 307:876
Pancreatitis-associated protein I promoter, tissue specificity of, 311:643
Pancreatitis-associated protein III gene, cloning, expression, and chromosomal location of, 307:9
Papillomavirus type 6 E7 protein, as substrate of protein kinase, C, 312:667
Parasite
erythrocyte infested with, membrane transport and metabolism in, 308: 361
manganese superoxide dismutase from, 308:441
Parathyroid hormone
induction of protein kinase C in cardiomyocytes by, 310:439
mutated, fragments of, skeletal tissues stimulated by, 309:85
Parathyroid hormone-related protein, EGF-stimulated, genetic transcription and, 307:159
Parietal cell, functional coupling of gastric Na^+/K^+-ATPase and creatine kinase B on, 311:445
Parotid acinar cell
inositol trisphosphate and calcium release in, purinoceptor P_{2z} activation and, 312:457
SGLT1 sequence and location in, 312:293
Parotid gland, amylase gene expression in, cholinergic regulation of, 306:637
PC2, processing of prosomatostatin to somatostatin-14 by, 311:111
PDGF: *see* Platelet-derived growth factor
Penicillin-binding protein, kinetic properties of, 309:49
Pentaglycosylceramide, fucose-containing, blood group B-active, in blastula cell, 306:821
Pepstatin, thermostable aspartic proteinase insensitivity to, 307:783
DD-Peptidase, stereospecificity of, 309:431
Peptide hydroperoxides, biological degradation of, 311:821
Peptidylprolyl isomerases, FK506 time-dependent inhibition of, 305:159
Peripheral blood lymphocyte, activation of, eIF-4F complex formation during, 312:627
Peripheral blood mononuclear cell activation, Fas mRNA species expression upon, 310:957
Peritoneal macrophage
free-radical production in, aging and, 312:555
lipopolysaccharide-induced cystine transport in, 310:547
Peroxisome proliferator response element, upstream of cytochrome P-450 CYP4A1 gene, 306:473
Pertussis toxin
G protein insensitive to, coupling of, to formyl peptide receptor, 309:331, 311:1039
G protein sensitive to
fibroblast procollagen production and, 307:63
in glutamate receptor inhibition of phospholipase C, 307:851
mitogen-activated protein kinase pathway sensitivity to, in ventricular cardiomyocytes, 309:437
regulation of lysophosphatidic acid-stimulated tyrosine phosphorylation of mitogen-activated protein kinase by, 307:743
P-glycoprotein
ATPase activity of, multidrug resistance and, 308:381
class I, in brain capillaries, 305:761
volume-activated chloride currents and, 307:713
pH, vesicular, cellular volume and, 309:19
Phagocytosis, in plasma membrane, temperature and, 312:811
Phenol sulphotransferase, tracheobronchial, cortisol and, 311:209
Phenylalanine hydroxylase, recombinant human, as fusion protein in *Escherichia coli*, 306:589

Phenylglyoxal, inositol trisphosphate 3-kinase A active site labelling by, 310:109
Pheochromocytoma cell, protein tyrosine phosphatase-like protein from, 306:331
Phorbol 12-myristate 13-acetate
  α_1-adrenergic receptor regulation by, in hepatocyte, 305:73
  integrin-mediated erythroblastic cell adhesion after, 309:491
  macrophage fuel metabolism and, 310:709
  phosphodiesterase 1 induction by, 310:975
  signalling mediated by, in bone marrow cells, 310:163
  susceptibility to, protein kinase C and, 312:69
Phorbol ester
  choline uptake stimulated by, after protein kinase C introduction, 305:621
  effect of, on ADP- vs. ATP-induced Ca^{2+} oscillation, in hepatocyte, 309:145
  heparin-binding EGF-like precursor cleavage induced by, 310:285
Phosphate
  renal transport of, dopamine receptor in, 312:433
  sodium-dependent, co-transporter of, in kidney, 305:81
Phosphatidic acid
  fatty acid content and composition of, during concanavalin A stimulation, 308:113
  phospholipase A_2 hydrolysis of, in brain, 306:305
  production of, phospholipase D and, in small arteries, 307:451
Phosphatidic acid phosphohydrolase, ethylmaleimide-insensitive, in liver, 308:983
Phosphatidylalcohol, accumulation of, in cultured cells, 308:473
Phosphatidylcholine
  biosynthesis of
    N-acylsphingomyelin inhibition of, 311:873
    alkylphosphocholine inhibition of, in neuron, 312:411
    phosphatidylethanolamine *N*-methyltransferase inhibition of, 312:939
    in type II cells, cortisol-treated fetal lung fibroblasts and, 312:425
  bradykinin-stimulated hydrolysis of, in airway smooth muscle, Ca^{2+} and protein kinase C in, 311:637
  phospholipase A_2 hydrolysis of, 308:507
Phosphatidylethanolamine
  ethanolamine cycle and, 310:673
  transbilayer distribution of, in soyabean asolectin vesicles, 312:643
Phosphatidylethanolamine hydrolysing phospholipase A_1, in cardiac microsomes, G protein and, 312:805
Phosphatidylethanolamine *N*-methyltransferase, inhibition of phosphatidylcholine biosynthesis by, 312:939
Phosphatidylinositol
  biosynthesis of, in heart, methyl lidocaine modification of, 309:871
  phosphorylated, substrate cycling of, in plants, 311:1001
Phosphatidylinositol 3-kinase
  and angiotensin II induction of tyrosine phosphorylation of insulin receptor substrate 1, in heart, 310:741
  endosome fusion and, 311:31
  in FcεRI-mediated signal transduction, 312:145
  haemopoietic cell apoptosis and, 312:159
  mitochondrial uncoupling-induced glucose transport and, 309:1
Phosphatidylinositol tetrakisphosphate, C isoform of, cloning and sequence of, 309:715
Phosphatidylinositol transfer protein, isoform of, sphingomyelin transfer by, 310:643
Phosphatidylserine, glucosylceramide β-glucosidase stimulated by, calcium effects on, 310:571
Phosphodiesterase 1, induction of, by phorbol 12-myristate 13-acetate and protein kinase C isoforms, 310:975
Phosphodiesterase 1/nucleotide pyrophosphatase, hepatic, threonine regulation of, 306:271
Phosphodiesterase 4A, distribution of, in brain, 310:965
Phosphodiesterase RD1, cAMP-specific, cerebellar, 306:801
Phosphodiesterase-chloramphenicol acetyltransferase chimeras, membrane association and, 308:673
Phosphoenolpyruvate carboxykinase
  in adipocyte, dexamethasone and isoprenaline and, 305:65
  in hepatoma cell, insulin and, 310:375
  transcription of, thyroid hormone and, 309:913
Phosphoenolpyruvate carboxykinase promoter, DNA distortion in, retinoid receptors and, 310:483
Phosphoenolpyruvate carboxylase, from banana fruit, 307:807
Phosphoenolpyruvate mutase, 3-arsonopyruvate interaction with, 308:932
Phosphofructokinase, pyrophosphate-dependent, cloning and sequencing of, 307:143
Phosphofructokinase/fructose-2,6-bisphosphatase
  arginine 104 and 225 in, 309:341
  hepatic, NMR analysis of, 308:139
  phosphorylation and ADP-ribosylation of, 309:119
Phosphoglucomutase, biochemical characteristics of, 309:557
Phosphoinositide, hydrolysis of, in membranes, deoxycholate and, 312:445
Phosphoinositide-specific phospholipase C-δ_1, catalysis by, point mutations and, 307:69
Phosphoinositide-specific phospholipase Cγ1, conformational change of, 305:745
Phospholipase A_1, phosphatidylethanolamine-hydrolysing, in cardiac microsomes, G protein and, 312:805
Phospholipase A_2
  activation of
    ATP receptor responsible for, in thymic epithelial cell, 308:399
    effect of, on arachidonic acid mobilization during mitosis, 309:91
    serum amyloid A protein and, 309:461
  cytosolic
    arachidonic acid release of liver macrophages and, 311:189
    kinetic properties of, 306:857
  placental, 311:147
  lipopolysaccharide effect on, 308:815
  in macrophage, dexamethasone and, 307:499
  manoalide analogue inactivation of, 308:297
  neuronal, in brain, activity of, glutamate and, 310:83
  neurotoxic, 311:895
  phosphatidic acid-hydrolysing, from brain, 306:305
  phosphatidylcholine hydrolysis by, 308:507
  from septic shock patient, 306:167
  structure of, micelle binding and, 305:935
  thyroid-stimulating hormone induction of, 309:667
Phospholipase C
  aggretin activation of, 309:1021
  EF-hand Ca^{2+} binding motif in, 311:505
  formyl-peptide receptor coupling to, 309:331, 311:1039
  metabotropic glutamate receptors and, 307:851
  μ-opioid activation of, in neuroblastoma, 305:577, 307:879
  regulation of, thyrotropin receptor and adenosine receptor cross-talk and, 306:709
Phospholipase Cδ1
  phosphoinositide-specific, catalysis by, point mutations affecting, 307:69
  pleckstrin homology domain requirement of, for plasma membrane interaction, 312:661
Phospholipase Cγ1
  gastrin activation of, 311:945
  phosphoinositide-specific, conformational change of, 305:745
  phosphorylation of, α_2-macroglobulin receptor and, 309:151
Phospholipase D
  activation of, in yeast, 307:799
  bombesin-stimulated, in fibroblasts, 306:115
  during signal transduction, 308:473
  phosphatidate production and, in small arteries, 307:451
  platelet, integrin-independent protein kinase C activation of, 310:623
Phospholipase D/1,2-diacylglycerol pathway, bradykinin-induced, 312:799
Phospholipid
  Ca^{2+}-ATPase activity and, 308:343
  composition and membrane fluidity of, thyroid hormone and, in brain mitochondria, 305:29
  methylation of, in brain myelin, 307:239
  renewal of, erythrocyte acylcoenzyme A-binding protein and, 306:793
Phospholipid bilayer, binding of factor VIII to, 310:539
Phospholipid binding domain, Ca^{2+}-dependent, in p120 GTPase-activating protein, 307:487
Phospholipid fatty acyl chain length, Ca^{2+}-ATPase phosphorylation and dephosphorylation and, 310:875
Phospholipid transfer protein, α-tocopherol exchange/transfer and, 305:659
Phosphonate, protein phosphatase inhibition by, 311:1025
Phosphoprotein
  acid-soluble, in fat cell, insulin and isoprenaline and, 306:135
  63-kDa, dephosphorylation of, during exocytosis, 309:557
Phosphorylase *b*, sulphate-activated, 310:565
Phosphorylation: *see also* Tyrosine phosphorylation
  calmodulin function and, 312:197
  nuclear transport regulation and, 311:705
  of phosphofructokinase/fructose-2,6-bisphosphatase, 309:119
  of phospholipase Cγ1, α_2-macroglobulin receptor and, 309:151
Photocytotoxicity, UVA, lovastatin enhancement of, in keratinocytes, cholesterol and cathepsin inhibitor effects on, 310:305
Photosynthetic procaryote, protochlorophyllide reductase in, 311:417
Phytochelatin, glutathione-mediated transfer of Cu(I) into, 307:697
Pichia anomala invertase, 306:235

Picolinic acid, iron depletion induced by, effect of, on lactoferrin receptor in colon carcinoma cell, 308:391
Piloty's acid, oxidative release of nitric oxide by, 312:333
Pituitary
transgenic, proopiomelanocortin expression in, 312:827
translocon-associated protein and proopiomelanocortin expression in, 312:205
Placenta
ATP-dependent bile acid transport in, 311:479
glycosphingolipid composition of, 307:399
phospholipase A_2 from, 311:147
Plasmalogen, epoxidation of, 309:807
Plasma membrane
of bloodstream form of *Trypanosoma brucei*, pyruvate transport across, 312:479
Ca^{2+}-ATPase in
localization and identification of, 306:837
primary structure of, 306:779
glycoprotein CE9 of, induction and distribution of, 310:693
lipid order and phagocytosis in, temperature and, 312:811
pancreatic zymogen granule fusion to, 307:876
phospholipase A_2-treated, granule fusion with, 307:563
phospholipase Cδ1 interaction with, pleckstrin homology domain requirement for, 312:661
sphingomyelin degradation in, 309:905
Plasminogen, cell surface-mediated activation of, by urokinase, 309:977
Plasminogen activator
tissue-type, expression of, histone acetylation and, 310:171
urokinase-type
binding of, to vitronectin, 307:867
receptor for, cytokine and tumour promoter regulation of, in lung carcinoma cell, 310:345
Plasmodium-infected erythrocyte, sphingomyelin synthesis in, 308:335
Platelet
activation of: *see also* Platelet-activating factor
integrin-independent, collagen-like peptide and, 306:337
by stimulatory antibody, 310:155
adhesion of, to collagen, catrocollastatin inhibition of, 307:411
ADP receptor of, G protein activation by, 312:775
aggregation of
echistatin variant inhibition of, in different species, 305:513
pallidipin inhibition of, 307:465
antibody activation of protein kinase C in, 311:401 306:837
Ca^{2+} fluxes in, Rap1 protein phosphorylation and, 310:469
Ca^{2+} transport ATPase of, ethanol and, 312:733
Ca^{2+}-ATPase in, localization and identification of,
cytoskeletal reorganization of, protein phosphatase inhibitors and, 307:439
differential agonist-sensitive Ca^{2+} stores in, 310:449
factor IXa binding to, EGF domain in, 310:427, 312:991
glycoprotein IIb/IIIa regulation in, thrombin receptor in, 309:613
inositol tetrakisphosphate in, 305:139
inositol trisphosphate receptor from, 312:499
integrin $\alpha_{IIb}\beta_3$-tyrosine kinase association in, 309:481
nitric oxide inhibitory effect on, hydrogen peroxide enhancement of, 310:149
phospholipase D from, integrin-independent protein kinase C activation of, 310:623
procoagulant activity of, heavy metal exposure and, 308:15
reversal of Ca^{2+} pump of, 306:35
signal transduction in, propranolol and, 309:99
syk phosphorylation in, collagen stimulation of, 311:471
Platelet factor 4
β-sheet domain of, folding of, 306:407
heparin binding to, 312:357
Platelet-activating factor, biosynthetic and catabolic enzymes and, 305:689, 308:1039
Platelet-activating factor receptor, eosinophilic differentiation and, 305:829
Platelet-derived growth factor
adipocyte differentiation and, 307:549
hyaluronan biosynthesis and, 307:817
mitogen-activated protein kinase cascade and, in renal mesangial cells, 305:777
NGF synthesis and, in glomerular mesangial cell, 312:707
tryptophan translation at TGA termination codon in, 309:411
tyrosine kinase signalling pathway regulation by, 309:361
Pleckstrin homology domain, requirement for, for phospholipase Cδ1 interaction with plasma membrane, 312:661
PMA: *see* Phorbol 12-myristate 13-acetate
Pneumocyte, cell membrane of, surfactant protein A-binding protein at, 308:77
pNR-2/pS2, recombinant, production of, 308:1001
Poly(ADP-ribose) polymerase, during leukaemia cell myeloid differentiation, 308:131
Polyamine
accumulation of, in ornithine decarboxylase-overproducing cell, apoptosis induction by, 311:723
depletion of, intracellular acidification and, 312:749
glutamyl and acetyl derivatives of, in chloroplast, 305:233
signal transduction and, in autoimmunity, 311:175
Polyamine analogues, structure of, haemoglobin synthesis and, in erythroleukaemia cell, 309:787
Polylactosamine, synthesis of, *N*-acetylgalactosamine hydrophobic glycosides and, 307:791
Poly(d(G-m^{5}C)), mitomycin binding to, 306:185
Polymerase chain reaction, distamycin analogue effects on, 308:513
Polyoxotungstates, HIV reverse transcriptase and, 307:129
Polysaccharide: *see also* Lipopolysaccharide
bacterial, heparin analogues from, 309:465
biosynthesis of, in wall of stressed cell, 306:745
Polysome, cytoskeletal-bound, mRNAs for cyclin A, c-*myc*, and ribosomal proteins L4 and S6 associated with, 310:193
Potassium, effects of, on calcium binding to Ca^{2+}-ATPase, of sarcoplasmic reticulum, 305:225
pp60$^{c\text{-}src}$, G protein phosphorylation of, 305:411
Pregnancy
liver insulin receptor autoactivation cascade in, 311:523
placental glycosphingolipid composition during, 307:399
Prephenate dehydratase, from *Amycolatopsis methanolica*, 308:313
Preproenkephalin gene, transcriptional regulation of, 307:617
Preprotachykinin-A promoter, upstream stimulatory factor binding motif and, 310:401
Primaquine, Ca^{2+} release-activated current blockade by, in megakaryocyte, 309:725
Proalbumin variant, recombinant, Kex2 protease processing of, 308:321
Procaryote, photosynthetic, protochlorophyllide reductase in, 311:417
Procollagen, production of, in fibroblast, regulation of, 307:63
Procollagen II, genes for, conservation of, 308:923
Procollagen III, production of, in baculovirus expression system, 312:847
Progesterone, endometrial interstitial collagenase control by, 305:1027
Prohormone convertase
catalytic properties of, 309:587
novel substrate and inhibitor of, 307:689
Proinsulin B chain/C peptide junction, processing of, 310:869
Prolactin, mammary gland lipid secretion and, 308:975
Prolixin S, purification and characterization of, 308:243
Prolyl oligopeptidase, catalysis and stability of, ionic strength and, 312:267
Promastigote, sinefungin and AdoMet uptake by, 305:133
Promatrix metalloproteinase-2-tissue inhibitor of metalloproteinase-2 complex, activation of, 308:645
Proopiomelanocortin
in transgenic pituitary, 312:827
translocon-associated protein expression with, in pituitary, 312:205
Prophenoloxidase system, lectin interaction with, 310:23
Propionate metabolism, in ischaemic heart, 312:75
Propranolol, platelet signal transduction and, 309:99
Proprotamines, testis-specific, in spermiogenesis, 309:529
Prosomatostatin, processing of
furin and, 309:33
to somatostatin-14, by PC2, 311:111
Prostacyclin, synthesis of, regulation of, in electropermeabilized endothelial cell monolayers, 309:473
Prostaglandin, synthesis of, hyperosmolarity and, 312:135
Prostaglandin A_1, haem oxygenase induction by, in myoblastic cell, 308:455
Prostaglandin E_2
production of, ATP receptor responsible for, in thymic epithelial cell, 308:399
TGF-β induction of, in fibroblast, 307:63
Prostaglandin E_2 receptor, expression and mutagenesis of, 307:493
Prostaglandin H isomerase, splenic, as Sigma class glutathione *S*-transferase, 311:739
Prostaglandin H synthase, isoenzymes of, expression of, in keratinocytes, 309:263
Protease
IFN-γ resistance to, 308:9
inhibitor of, α_2-macroglobulin in design of, 312:191
susceptibility to, haemin binding and, 306:879
Proteasome
multicatalytic

monoclonal antibody analysis of, 305: 245
proteolytic activity of, 306:285
in skeletal muscle, during starvation and denervation atrophy, 307:631
Proteasome complex, from skeletal muscle, ATP activation of, 309:195
Protein: *see also specific protein*
C-reactive, synergistic induction of, by IL-1, and -6, 310:143
damage to, methylation-mediated repair of, in erythrocyte, 306:313
diversity of, caldesmon and, in smooth muscle and non-muscle tissue, 305: 445
DNA interactions with, chemical nucleases as study probes for, 305:345
glycosylphosphatidylinositol-anchored, lipid of, temperature-induced alterations in, 307:107, 307:115
microsomal, transport of, 306:57
microtubule-associated, phosphorylation of
during brain development, 306:481
isoform composition and function and, 307:419
mitogen-activated: *see* Mitogen-activated protein kinase
myofibrillar, degradation of, 306:285
phosphorylation of
high density lipoprotein proliferative effect and, in adenocarcinoma, 307: 557
iris sphincter smooth muscle inositol trisphosphate 3-kinase and, 308:1009
microtubule-associated, 306:481, 307: 419
secretory and membrane, cell-free translocation, folding, assembly and degradation of, 307:679
solubility of, in ferritin, N-terminal deletions and, 305:253
stability of, β-lactamase class A and, 308:859
synthesis of, microcystin and, in hepatocytes, 306:693
unprocessed, retention of, 306:643
Protein C, activated, protein S interaction with, residues for, 305:397
Protein FadL, His^{110} of, in outer membrane, carboxylate binding and, 310: 389
Protein 4.2, band-3 binding site in, 309:677
Protein G: *see* G protein
Protein hydroperoxides
biological degradation of, 311:821
reactive free radicals from, 305:643
Protein kinase(s)
Ca^{2+}/calmodulin-dependent, from smooth muscle, 310:517
calmodulin-like domain of, in winged bean, 305:205
Protein kinase A
capacitative calcium entry and, 307:663
G protein phosphorylation by, 306:306.765
Protein kinase C
adrenal steroidogenesis and, 305:433
in airway smooth muscle bradykinin-stimulated phosphatidylcholine hydrolysis, 311:637
antibody activation of, in platelets, 311: 401
capacitative calcium entry and, 307:663
and cholera toxin-stimulated adenylate cyclase, inhibition of, by insulin and vasopressin, 312:769
cholesterol esterase activation by, 306: 605
choline uptake regulated by, phorbol ester and, 305:621
complement component C2 synthesis and, 305:425
GnRH action mechanism and, 309:325
insulin and
in adipocyte, 308:181
in skeletal muscle, 308:177, 308:181
-mediated phosphorylation, hepatocyte glucagon desensitization and, 307:281
non-conventional isoforms of, in brain cell nucleus, 305:269
papillomavirus type 6 E7 protein as substrate of, 312:667
phosphodiesterase 1 induction by, 310: 975
platelet phospholipase D activation by, integrin independence of, 310:623
PTH induction of, in cardiomyocytes, 310:439
regulation of lysophosphatidic acid-stimulated tyrosine phosphorylation of mitogen-activated protein kinase by, 307:743
tumour promoter susceptibility and, 312:69
Protein kinase cascade, mitogen-activated, PDGF and angiotensin and, in renal mesangial cells, 305:777
Protein kinase Cδ, erythroleukaemia cell differentiation and, 312:549
Protein kinase cdc2, peptide-based substrates for, 309:927
Protein kinase C-related kinase 1, purification and characterization of, 309: 315
Protein kinase Cζ pseudogene, brain-specific, 310:835
Protein kinase N, fatty acid-activated, from testis, 310:657
Protein L4 and S6, cytoskeletal-bound polysomes and, 310:193
Protein phosphatase
phosphonate inhibitors of, 311:1025
platelet cytoskeletal reorganization and, 307:439
Protein phosphatase 2A, okadaic acid binding to, inhibition of, by microcystin, calyculin, and tautomycin, 306: 657, 308:1039
Protein phosphatase inhibitor, hepatocyte asialoglycoprotein endocytosis and, 311:317
Protein S, interaction of, with C4b binding protein and activated protein C, residues for, 305:397
Protein S receptor, on vascular smooth muscle cell, 308:481
Protein synthesis, adenosine and, in hepatocyte, homocysteine and, 310:893
Protein synthesis initiation factor 5A, transglutaminases on, 305:725
Protein tyrosine phosphatase, receptor-type
cell contact inhibition and, 311:97
with single catalytic domain, in brain, 305:499
Protein tyrosine phosphatase-like protein, from pheochromocytoma cell, 306:331
Protein tyrosine phosphatase-PEST, stability and localization of, 308:425
Proteinase, α-1-anti-proteinase and, 307: 369
Proteoglycan
cell surface
articular chondrocyte expression of, 309:963
basic FGF and TGF-β effects on, in lung fibroblasts, 310:73
in kidney epithelial cell, 311:881
production of, by glomerular visceral epithelial and mesangial cells, 307: 759
Proteoglycan aggregates, in cartilage, hyaluronate arrangement in, 307:595
Proteoliposome, iodide conductance in, 312:543
Proteolysis
ATP-dependent, in mitochondria, 310: 527
autophagic, cell swelling inhibition of, in hepatocyte, 312:987, 312:988
cell swelling-induced inhibition of, in liver, colchicine sensitivity of, 308:529
endosomal, 307:313
in lens epithelial cell, ubiquitin and oxidative stress and, 307:297
of *Rhodotorula gracilis* D-amino acid oxidase, 310:577
Proteolytic fragments, of aortic smooth muscle myosin, 312:511
Prothrombin, on neuronal cell, 308:965
Protochlorophyllide reductase, in photosynthetic procaryotes, 311:417
Proton conductance, mitochondrial, in hepatocyte, electron transport and, 310:379
Protoporphyrin, from liver, after griseofulvin ingestion, 307:505
Pseudoazurin, in *Thiosphaera pantotropha*, 308:585
PTH: *see* Parathyroid hormone
Purinoceptor P_2, endothelial-lymphocyte signalling mediated by, 2:589
Purinoceptor P_{2z}, activation of, inositol trisphosphate and stored calcium release and, in parotid acini, 312:457
Putrescine, export of, during rapid cell division, 305:291
Pyrimidine bases, in hammerhead ribozyme catalysis, 311:487
Pyrophosphate-dependent phosphofructokinase, cloning and sequencing of, 307:143
Pyrroloquinoline quinone, in food, 307: 331
Pyruvate
condensation of, *N*-acetylneuraminic acid synthesis and, 308:501
metabolism of, in ischaemic heart, 312:75
transport of, across plasma membrane, of *Trypanosoma brucei* bloodstream form, 312:479
Pyruvate carboxylase, regulation of, in adipocytes, 306:205
Pyruvate carboxylase gene and protein, yeast, polymorphism of, protein biotinylation and, 312:817
Pyruvate dehydrogenase complex
dissociation and unfolding of, by guanidinium chloride, 308:1025
glucose tolerance and, 305:811
peripheral subunit binding domain of, 306:727
pretranslational regulation of, in adipose tissue, during suckling-weaning transition, 311:531
Pyruvate kinase
liver type, carbohydrate-induced, 308: 105
yeast, mutation of, T state favoured by, 310:117

Quin2 acetoxymethyl ester, DNA strand breakage and, 305:181
Quinoprotein alcohol dehydrogenase, of *Acetobacter*, structure of, 308:375
Quinoprotein glucose dehydrogenase, structure of, 312:679
Quinoprotein methylamine dehydrogenase, allylamine reaction with, 308: 487

Rab3 effector domain peptide isoforms, inositol trisphosphate production and, 309:621
rac, translocation of, $p67^{phox}$ and, 308:991
raf-1, as neutrophil signalling molecule, 308:1037
Rap1 protein, phosphorylation of, Ca^{2+} fluxes and, in platelets, 310:469

Rapamycin, insulin-stimulated glycogen synthesis and glycogen synthase activity and, 305:25
RAW 264 cell, rapid division of, putrescine and cadaverine export during, 305:291
Redox shuttle, glycolysis and, in Ehrlich ascites cells, 310:665
Renal epithelial cell, osmotic induction of Na^+-dependent glutamate transport system X_{AG}^- in, 310:689
Resiniferatoxin, skeletal muscle effects of, 307:707
Respiration
  ATP-induced uncoupling of, in *Saccharomyces cerevisiae* mitochondria, 307:657
  mitochondrial, discrimination between leaks and slips in, 310:477
Respiratory burst, and neutrophil FCα-receptor, 306:519
Respiratory-deficient fibroblast, mitochondrial DNA replication defects in, 305:817
Respiratory distress syndrome, surfactant protein B gene variability and, 305:583
Reticulocyte, Hsp-70 association with transferrin receptor in, 308:873
Retinal rod, Mg^{2+}-catalysed cGMP hydrolysis in, 308:653
Retinoblastoma-protein-dependent pathway, sphingosine activation of, 310:453
Retinoic acid
  biosynthesis of, aldehyde dehydrogenase isozyme and, 305:681
  chondrocyte treated by, collagen type II and glucose-regulated protein levels in, 305:391
  effect of, on EGF induction of ornithine decarboxylase, in keratinocyte, 309:159
  osteoclastic bone resorption and cathepsin K/OC-2 expression stimulation by, 309:721
  recombinant, β receptor for, in *Escherichia coli*, 308:353
Retinoic acid response element
  identification and characterization of, 309:863
  retinoid receptor and, in phosphoenolpyruvate carboxykinase gene promoter, 310:483
Retinoid receptors, DNA distortion and, in phosphoenolpyruvate carboxykinase gene promoter, 310:483
Retinol-binding protein, uterine, 311:407
Retinol-binding protein receptor, tissue distribution of, 305:419
Rev protein, Rev-responsive element interaction with, in HIV, 308:447
Rh blood group locus, two-gene model of, 306:877
Rh gene, analysis of, 309:695
Rhodotorula gracilis, D-amino acid oxidase of, proteolysis of, 310:577
Riboflavin-binding protein, egg white, refolding of, 311:133
Ribonuclease, activation of, IFN-γ C-terminal deletions and, 307:123
Ribonuclease A, guanidinium chloride denaturation of, inactivation during, unfolding and, 305:379
Ribonuclease H1, in *Escherichia coli*, kinetic characteristics of, 312:599
Ribonucleic acid helicase gene, embryonic, 308:839
Ribose, collagen cross-linking mediated by, 305:385
Ribosome
  gelonin inactivation of, 3′-immature $tRNA^{Trp}$ requirement for, 310:249
  genetic transcription in, regulation of, 306:617
Rieske iron-sulphur protein, in cytochrome bc_1 complex, topology of, 305:823
Rifamycin SV, DNA strand cleavage stimulation by, 307:361
RING finger protein, TNF receptor association with, 309:825
Ristocetin, von Willebrand factor-glycoprotein Ib interaction and, 306:453
RNPDE4A5, distribution of, in brain, 310:965
Ro/SSA protein, expression and DNA binding of, 305:359
Ryanodine receptor, in skeletal muscle
  alternative splicing of, 305:373
  ATP binding site of, 308:119

S100β, neurocalcin δ binding to, 306:551
Saccharomyces cerevisiae
  mitochondria of, ATP-induced respiration uncoupling in, 307:657
  phospholipase D activation in, 307:799
Saliva, histatin as tannin-binding protein in, 311:341
Salivary anticoagulant, purification and characterization of, 308:243
Salivary gland, high molecular weight mucin secreted by, 309:801
Salt: *see also Na entries*
  transferrin iron binding site and, 309:403
Saposin C, glucosylceramide β-glucosidase stimulated by, calcium effects on, 310:571
α-Sarcin, catalytic activity of, histidine-glutamine substitution and, 309:581
Sarco/endoplasmic reticulum Ca^{2+} transport ATPases, ethanol effects on, 312:733
Sarcolemma, from skeletal muscle, 307:273
Sarcoplasmic reticulum Ca^{2+}-ATPase, Ca^{2+} binding to
  altered mechanisms in, 309:499
  potassium and, 305:225
Sciatic nerve, dystrophin and utrophin distribution in, 312:309
S-crystallin, glutathione *S*-transferase activity in, sequence and evolutionary relationships of, 309:793
Secretogranin II, PC2 processing of, in PC12 cells, 310:777
Secretor α1,2-fucosyltransferase, mutation of, correlation with Lewis(a+b+) phenotype, 312:329
Secretory cell, localization of endothelin-converting enzyme in, 311:657
Seed, of pea, ferritin in, extension peptide sequence of, 305:959
P-Selectin, induction of, by oxidized low density lipoprotein, 306:293
Selenium
  deficiency of, tissue-specific regulation of selenoenzyme expression in, 311:425
  expression of 5′-deiodinase and glutathione peroxidase dependence on, in epithelial kidney cell, 306:851
Selenium-substituted aconitase, cardiac, 311:197
Selenomethionine, glutathione peroxidase regulation by, in endothelial cells, 306:581
Seminal ribonuclease, catalytic activity of, immunosuppression and, 308:547
Sepsis, hepatic bile acid coenzyme A-amino acid *N*-actyltransferase in, 311:203
Septic shock, phospholipase A_2 in, 306:167
Serine, in Theta class glutathione transferase, 311:247
Serine kinase, in insulin receptor, insulin stimulation of, 308:915
Serine protease, mannose-binding protein-associated, failure of allelic mannose-binding protein to bind, 311:1021
Serine proteinase, oxyanion stabilization by, 307:353
Serine proteinase inhibitor 3 gene, IFN-γ activation of, via IL-6-responsive element, 309:63
Serine-thiol proteinase, exocellular, in *Paracoccidioides*, 309:209
Serine/threonine phosphatase, 311:17
  phosphonate inhibition of, 311:1025
Serpin, proteinase inhibition by, 307:369
Sertoli cell, signalling pathways in, extracellular ATP and, 311:269
Sesquiterpene lactone inhibitors, binding of, to Ca^{2+}-ATPase, 310:859
SGLT1, sequence and location of, in enterocyte and parotid acinar cell, 312:293
SH3 domain, binding of proline-rich region of epithelial Na^+ channel to, 312:491
Shc/Grb2/hSOS complex, IgM induction of, in B cell, 307:215
Sialoprotein gene, in bone, inverted TATA box in, 310:33
Signal transduction
  in adipose tissue, lactation and, 308:291
  FcεRI-mediated, phosphatidylinositol 3-kinase and, 312:145
  IL-2 receptor and, 306:217
  pathway-specific desensitization of orphan nuclear receptor TIS1 expression, 308:785
  phospholipase D activity in, 308:473
  in platelet, propranolol and, 309:99
  polyamines and, in autoimmunity, 311:175
  in Sertoli cell, extracellular ATP and, 311:269
Silkworm, novel antibacterial peptide family from, 310:651
Sinefungin, promastigote uptake of, 305:133
Skeletal muscle
  AMP deaminase in, histidine residue modification and, 309:845
  capsaicin and resiniferatoxin effects in, 307:707
  carrier-mediated fructose uptake in, 311:517
  c-*fos* and c-*jun* expression in, 308:465
  insulin-binding proteins in, 306:21
  oxidative and glycolytic, GLUT4 protein in, 305:465
  polyubiquitin and proteasome levels in, during starvation and denervation atrophy, 307:631, 307:639
  protein kinase C in, insulin and, 308:177, 308:181
  ryanodine receptor in
    alternative splicing of, 305:373
    ATP binding site of, 308:119
  sarcolemma of, 307:273
  stress protein and chaperonin expression in, 311:119
  triadin topography in, 307:769
  T-tubule of, 307:273
    insulin-regulated distribution of membrane proteins in, 312:393
    26 S proteasome complex from, ATP activation of, 309:195
Skeletal tissue, mutated PTH fragment stimulation of, 309:85
Skin, metabolic response of, to IGF-I variant, 308:411
SM22α gene, promoter region of, 310:1037
Smooth muscle
  in airway
    adenylate cyclase, cAMP, and extracellular signal-regulated kinase-2 in, 306:723

bradykinin-stimulated phosphatidylcholine hydrolysis in, Ca^{2+} and protein kinase C in, 311:637
aortic
cAMP phosphodiesterases in, 305:627
myosin of, proteolytic fragments from, 312:511
basic FGF internalization by, TGF-β1 and, 311:393
Ca^{2+}/calmodulin-dependent protein kinase II from, 310:517
caldesmon expression in, 305:445
coronary, endothelin-1 and Na^+/H^+ exchange in, 310:1013
in iris sphincter, inositol trisphosphate 3-kinase in, protein phosphorylation and, 308:1009
myosin and tropomyosin binding sites of, in caldesmon, 312:617
vascular
cell cycle-dependent elastin gene regulation in, 309:575
IL-induced nitric oxide synthase in, ethanol and, 308:231
insulin regulation and Ca^{2+}-ATPase in, 311:555
low density lipoprotein and, 309:1015
proliferation of, 306:787, 309:1015
protein S receptor on, 308:481
YC-1 inhibition and, 306:787
Snake venom RGD protein, binding of, to integrin, 312:223
Sodium: *see also Na entries*
activation of glycerol phosphate shuttle by, 312:287
Sodium/bile acid co-transport system, ileal, 306:241
Sodium butyrate
p52(PAI-1) induced by, 306:497
tissue-type plasminogen activator gene expression stimulated by, histone acetylation and, 310:171
Sodium channel, epithelial, binding of proline-rich region of, to SH3 domains, 312:491
Sodium-dependent D-glucose symporter, sequence and location of, in enterocyte and parotid acinar cell, 312:293
Sodium-dependent phosphate, co-transporter of, in kidney, 305:81
Somatostatin, expression of, insulin promoter factor 1 and, 310:997
Spermidine/spermine acetyltransferase, post-transcriptional regulation of, 305:451
Spermine
erythroleukaemia cell haemoglobin synthesis and, 309:781, 312:933
hepatic glutaminase activation of, 305:837
Spermiogenesis, in squid, testis-specific pro-protamines in, 309:529
Sphinganine-phosphatases, in liver, 311:139
Sphingomyelin
degradation of, in plasma membrane, 309:905
phosphatidylinositol-transfer protein isoform transfer of, 310:643
synthesis of, in *Plasmodium*-infected erythrocyte, 308:335
Sphingomyelinase
catalytic and haemolytic activities of, aspartate mutation and, 309:757
fibroblasts treated with, cholesterol in, 308:269
growth factor-induced cell proliferation and, 311:829
Sphingosine, activation of retinoblastoma-protein-dependent pathway by, 310:453
Spleen, prostaglandin H isomerase in, as Sigma class glutathione *S*-transferase, 311:739
Starvation, skeletal muscle polyubiquitin and proteasome levels in, 307:631
Stem cell factor dimer, dissociation-association of, 305:563
Steroidogenesis, adrenal
Ca^{2+} action site and, 305:569
tyrosine kinase and protein kinase C and, 305:433
Sterol 27-hydroxylase, feedback suppression of, in hepatocytes, 305:505
Stomatostatin-14, PC2 processing of prosomatostatin to, 311:111
Streptolysin-O, glycosylphosphatidylinositol-anchored alkaline phosphatase release induced by, 305:529
Streptomyces antibioticus, exocytoplasmic endonuclease from, 306:93
Streptomyces K15 peptidase, transfer reactions catalysed by, 307:335
Stress protein, in skeletal muscle, 311:119
Strictosidine synthase, from *Catharanthus roseus*, 306:571
Subtilisin, oxyanion stabilization by, 307:353
Suckling-weaning transition, adipose tissue pyruvate dehydrogenase complex during, 311:531
Sucrase-isomaltase, Caco-2 cell expression of, during differentiation, 308:769
Sulphate, phosphorylase *b* activated by, 310:565
Sulphobetaines, non-detergent, as solubilization agent, 305:337
Sulphoquinovosyldiacylglycerol, biosynthesis of, 309:513
Superoxide, neutrophil production of
naphthalenesulphonamide blockade of, 311:81
polyenoic very long chain fatty acids and, 311:689
Superoxide dismutase
from *Propionibacterium shermanii*, kinetics of, 310:945
hepatic, iron and, 305:975
Surface antigen 4F2hc, expression of system L-like transport by, 312:863
Surfactant protein A
Ca^{2+}-dependent binding of annexin IV to, 312:175
isolation of, alveolar-macrophage-stimulating properties and, 309:551
splice variants of, 307:327
Surfactant protein A-binding protein, at pneumocyte cell membrane, 308:77
Surfactant protein B, variability of, respiratory distress syndrome and, 305:583
Surfactant protein C, analogues of, structure and biophysical activity of, 307:535
Syk phosphorylation, collagen stimulation of, in platelets, 311:471
Syk/FcγRII interaction, tyrosine phosphorylation and, in THP-1 cells, 305:669
Synaptophysin, vesicle-associated membrane protein-2 complex with, 305:721
Syndecan 2 expression, during embryogenesis, *Xenopus* counterpart of, 309:69
Synovial cell, chemokine production by, calyculin A and, 311:89
Synovial fibroblast, heat shock of, collagenase gene stimulation by, 308:743
α-Synuclein fragment NAC, Alzheimer disease amyloid βA4 peptide cross-linking to, 310:91

T cell, annexin II phosphorylation in, 310:243
T lymphoblast, IL-2-mediated proliferation of, okadaic acid inhibition of, 308:777
N-MeCys^3,*N*-MeCys^{7}TANDEM, dissociation of, from DNA, 306:15
Tannin-binding protein, histatins as, in saliva, 311:341
Taq I, *Tsp*32 I as hyperthermostable isoschizomer of, 312:505
Taste, G protein specific for, 309:629
TATA-binding protein, c-Jun interaction with, 305:967
Tau phosphorylation, calcium and cyclic AMP and, 309:41
Tautomycin, inhibition of okadaic binding to protein phosphatase 2A by, 306:657, 308:1039
TEM-1, β-lactamase, glutamic acid 103 substitution in, 305:33
Temperature
inositol trisphosphate binding and, in hepatocytes, 310:185
and plasma membrane lipid order and phagocytosis, 312:811
thermophilic enzyme activity and, 305:17
Testis
fatty acid-activated protein kinase N from, 310:657
NMN adenyltransferase from, 310:395
-specific pro-protamines, in spermiogenesis, 309:529
ubiquitin conjugation enzyme in, 305:125
Tetradecylthioacrylic acid, hepatic lipid metabolism and, 305:591
Tetradecylthiopropionic acid, hepatic lipid metabolism and, 305:591
TGF: *see* Transforming growth factor
Thapsigargin
Ca^{2+} influx and
into B cell, 305:1011
into neutrophil granulocyte, 305:525
Ca^{2+} sensitivity to, in platelets, 310:449
Ca^{2+}-ATPase sensitivity to, Ca^{2+} stores and, in adrenal chromaffin cells, 307:749
Thermus, restricted endonuclease from, 309:595
Thimet oligopeptidase
expression of, in *Escherichia coli*, 309:203
substrate size specificity of, 308:145
Thiocyanate, oxidation of, by gastric peroxidase, 305:59
Thiol-specific antioxidant protein, accumulation of, in erythroid differentiation, 312:699
Threonine, biosynthesis of, in mammalian cells, 309:999
Thrombin
activities of, on neuronal cell, 308:965
interaction of, with extracellular domain of thrombin receptor, 305:635
thrombomodulin interaction with, water as allosteric effector in, 310:49
Thrombin receptor, in glycoprotein IIb/IIIa regulation, 309:613
Thrombomodulin, thrombin interaction with, water as allosteric effector in, 310:49
THT2, of *Trypanosoma brucei*, functional expression and characterization of, 312:687
Thymic epithelial cell, phospholipase A_2 activation and prostaglandin E_2 production in, ATP receptor and, 308:399
Thymidine kinase, promoter of, zinc sensitivity of, 308:659
Thymocyte apoptosis
nitrone spin traps and nitroxide antioxidant inhibition of, 306:771
nuclear factor κB/rel and, 312:833
Thyrocyte, growth and differentiation of, *myo*-inositol transport in, 309:667
Thyroid hormone

myocardial G protein regulation by, 307:831
phosphoenolpyruvate carboxykinase transcription and, 309:913
phospholipid composition and membrane fluidity and, in brain mitochondria, 305:29
synthesis of, thyroid extracellular glutathione peroxidase regulation of, 308:713
Thyroid hormone response element, identification and characterization of, 309:863
Thyroid-stimulating hormone
β-subunit epitopes of, immunochemistry of, 308:203
phospholipase A_2 activity induced by, 309:667
Thyroid transcription factor 1, activation of thyrotropin receptor promoter by, 310:491
Thyrotropin receptor, adenosine receptor cross-talk with, in regulation of phospholipase C and adenylate cyclase, 306:709
Thyrotropin receptor promoter, activation of, by cAMP-responsive element-binding protein and thyroid transcription factor 1, 310:491
Thyrotropin-releasing hormone, Ca^{2+} fluctuations and, in GH_4C_1 cell, 306:399
Thyrotropin-releasing hormone receptor
desensitization of, in embryonal kidney cell, 311:385
recycled dissociation of ligand from, 306:107
splice variants of, signalling properties of, 310:291
Tilorone, lysosomal storage of glycosaminoglycan induced by, 312:215
Tissue factor, soluble, expression and characterization of, 310:605
Tissue inhibitor of metalloproteinase-2, pro-matrix metalloproteinase-2 complex with, activation of, 308:645
Tissue inhibitor of metalloproteinase-3 gene, structure and regulation of, 311:549
Tissue type plasminogen activator, expression of, histone acetylation and, 310:171
TNF: *see* Tumour necrosis factor
Tobacco etch virus protease inhibitor, α_2-macroglobulin in design of, 312:191
α-Tocopherol, exchange/transfer of, phospholipid transfer protein and, 305:659
α-Tocopherol transfer protein, chromosomal localization of, 306:437
Tokaracetin, inhibition of von Willebrand factor-glycoprotein Ib interaction by, 308:947
Tolmetin, modification of human serum albumin by, 311:431
Tosylphenylalanyl chloromethylketone, IL-induced MAD3 phosphorylation and, 307:287
Trachea, MUC2 gene in, 306:311
Tracheobronchial phenol sulphotransferase, cortisol and, 311:209
Transcobalamin II receptor, regulation of, 310:923
Transcription factor, POU family, herpes simplex virus immediate-early gene promoter activation by, 307:581
Transcription factor γRF-1, activation of, in cell-free system, 310:461
Transcription factor IIB, c-Jun interaction with, 305:967
Transferrin
iron binding site of, salt and mutation effects on, 309:403
in mammary gland, structure of, 307:47, 308:1040
Transferrin receptor
Hsp-70 and, in reticulocytes, 308:823
integrin α_3 association with, 306:129
Transforming growth factor β
cell surface proteoglycan effects of, in lung fibroblasts, 310:73
hyaluronan biosynthesis and, 307:817
signalling pathways of, 307:63
Transforming growth factor β1
and basic FGF internalization by smooth muscle cells, 311:393
binding of, to α-macroglobulins, 312:579
Transglutaminase, eIF-5A and, 305:725
Translocon-associated protein, proopiomelanocortin expression with, in pituitary, 312:205
Trefoil factor, intestinal, goblet cell changes and, 311:293
Trefoil peptide, recombinant, production of, 308:1001
Trefoil peptide inhibitor, arginines in, as interface in complex with α-amylase, 309:969
Triacylglycerol
hepatic secretion of, hydration state and, 312:57
in white adipocyte, selective mobilization and positional distribution of, 311:911
Triadin, in skeletal muscle, 307:769
Trichosanthin, active centre geometry and depurinating mechanism of, 309:285
Trichostatin A, tissue-type plasminogen activator gene expression stimulated by, histone acetylation and, 310:171
3,4,6-Trihydroxyphenylalanine quinone cofactor, formation of, 306:627
Tri-iodothyronine, acylphosphatase expression induced by, 311:567
Tri-iodothyronine-binding protein, NADPH-activated, photoaffinity labeling of, 305:729
Trimethyl-lysine, in ATP synthase subunit c, in ceroid-lipofuscinosis, 310:887
Tripeptidyl-peptidase II, alternative splicing of, 306:880
Triplex DNA stabilization, by hydralazine, 311:183
Tropine dehydrogenase, catabolic role of, 307:603
Tropomyosin
caldesmon interaction with, 309:951, 312:617
smooth muscle binding sites for, in caldesmon, 312:617
Troponin T and I, μ-calpain degradation of, 308:57
Trpl, recombinant, receptor-mediated activation of, 305:605
Trypanopain, kininogen-like molecule modulation of, 305:549
Trypanosoma brucei
bloodstream form of, pyruvate transport across plasma membrane of, 312:479
calcium storage in, pH and vacuolar acidity and, 310:789, 310:1005
THT2 of, functional expression and characterization of, 312:687
Trypanosoma congolense, isometamidinium chloride in, 312:319
Trypanosoma cruzi
calmodulin-dependent calcium pump from, 306:299
trypanothione-glutathione thioltransferase from, 310:433
Trypanosome
soluble methionine in, 309:737
-specific UDP-Gal:glycosylphosphatidylinositol anchor, acceptor for, 309:877
Trypanothione-glutathione thioltransferase, from *Trypanosoma cruzi*, 310:433
Trypanothione reductase, kukoamine A and hydrophobic acylpolyamines as inhibitors of, 311:371
Trypsin
inositol trisphosphate receptor digestion by, 307:859
oxyanion stabilization by, 307:353
Trypsinogen, gene family of, isolation and characterization of, 307:471
Tryptase, mast cell, in intestinal mucosa, 309:921
Tryptase isoforms, in lung mast cell, 307:341
Tryptophan, translation of, at TGA termination codon, in PDGF, 309:411
Tryptophan derivatives, photoaffinity labeling of cyanomethaemoglobin with, 308:251
Tryptophan radical, nitric oxide scavenging of, 310:745
Tryptophan synthase, hydrogen-deuterium exchange catalysed by, 311:1015
*Tsp*32 I, as hyperthermostable isoschizomer of *Taq* I, 312:505
T-tubule, of skeletal muscle, 307:273
insulin-regulated distribution of membrane proteins in, 312:393
Tumour necrosis factor α
apoptosis mediated by, lipoxygenase pathway in, 310:133
carcinoma cell treated with, reactive oxygen species modulation of hsp27 in, 312:367
tyrosine phosphorylation and mitogen-activated protein kinase and, in neutrophils, 307:39
Tumour necrosis factor receptor, RING finger protein association with, 309:825
Tumour promoter
regulation of urokinase-type plasminogen activator receptor by, in lung carcinoma cell, 310:345
susceptibility to, protein kinase C and, 312:69
Tyrosine, sulphation of, in mammalian cells, 305:993
Tyrosine dephosphorylation, angiotensin II receptors coupled to, in neuroblastoma cells, 306:87
Tyrosine kinase
adrenal steroidogenesis and, 305:433
cyclooxygenase induction and, in endothelial cell, 312:419
glucose-stimulated, 305:119
integrin $\alpha_{IIb}\beta_3$ association with, in platelets, 309:481
mutation of, in insulin receptor, 306:465
signalling pathways of, regulation of, 309:361
Tyrosine phosphatase
membrane-associated, regulation of, in osteoblast-like cell, 305:485
protein
cell contact inhibition and, 311:97
from pheochromocytoma cell, 306:331
phosphonate inhibition of, 311:1025
with single catalytic domain, in brain, 305:499
Tyrosine-phosphorylated protein, in insulin-stimulated hepatoma cell, 308:579
Tyrosine phosphorylation
effects of GM-CSF and TNF-α on, in neutrophils, 307:39
FcγRII-induced, in neutrophils, 306:489
of insulin receptor substrate 1, angiotensin II induction of, phosphatidylinositol 3-kinase and, in heart, 310:741
lysophosphatidic acid-stimulated, of mitogen-activated protein kinase, regulation of, 307:743
nitric oxide and, EGF and, 305:613

Syk/FcγRII interaction and, in THP-1 cells, 305:669
Tyrosine radical, nitric oxide scavenging of, 310:745

U937 cell
p-aminobenzoylglutamate acetylation by, 307:1
dideoxycytidine metabolism in, 312:115
Ubiquinone reductase, hepatic, cellular antioxidant defence and, 309:883
Ubiquitin, in skeletal muscle, during starvation and denervation atrophy, 307: 631, 307:639
Ubiquitin conjugating activity, in lens epithelial cell, oxidative stress and proteolysis and, 307:297
Ubiquitin conjugation enzyme, testicular, 305:125
Ultraviolet A photocytotoxicity, lovastatin enhancement of, in keratinocytes, cholesterol and cathepsin inhibitor effects on, 310:305
Ultraviolet radiation, diacylglycerol and, in melanocytes and keratinocytes, 305:471
Uncoupling protein, loss of, from light and heavy mitochondria, 311:327
UP elements, at cyclic AMP protein-dependent promoter, 309:77
Upstream stimulatory factor binding motif, preprotachykinin-A promoter expression and, 310:401
Uracil permease, in *Saccharomyces*, lysine 272 function in, 308:847
Urate, h.p.l.c. analysis of, 306:101
Urea
denaturation of clostridial glutamate dehydrogenase by, 311:905
synthesis of, in enterocyte, 312:717
Ureidoglycollate lyase, in mammals, 312: 315
Uridine diphosphate-Gal:glycosylphosphatidylinositol anchor, trypanosome-specific, acceptor for, 309:877
Uridine diphosphate-GalNac:polypeptide *N*-acetylgalactosaminyltransferase, glycosylation of, prediction of, 308: 801
Uridine diphosphate-glucuronosyltransferase isoforms, acyl-CoA binding to, in liver, 312:301
Uridine diphosphate-*N*-acetylglucosamine, glucuronidation stimulation by, mechanism of, 305:321
Urokinase, cell surface-mediated activation of plasminogen by, 309:977
Urokinase-type plasminogen activator
binding of, to vitronectin, 307:867
receptor for, cytokine and tumour promoter regulation of, in lung carcinoma cell, 310:345
Uterus, retinol-binding protein in, 311:407
Utrophin, in sciatic nerve, 312:309

Vacuolar H^+-ATPase, V_o sector of, structural analysis of, 312:739
Vascular endothelial cell, localization of endothelin-converting enzyme in, 311:657
Vascular smooth muscle
cell cycle-dependent elastin gene regulation in, 309:575
IL-induced nitric oxide synthase in, ethanol and, 308:231
insulin regulation and Ca^{2+}-ATPase in, 311:555
proliferation of
low density lipoprotein and, 309:1015
YC-1 inhibition of, 306:787
protein S receptor on, 308:481
Vas deferens protein, expression of, in adrenal gland, 312:609
Vasoactive intestinal polypeptide receptor, transcriptional and developmental regulation of, 308:719
Vasopressin, inhibition of cholera toxin-stimulated adenylate cyclase by, 312: 769
Venom
neurotoxic phospholipase A_2 from, 311: 895
RGD protein of, binding of, to integrin, 312:223
Ventricular cardiomyocyte
β-adrenergic receptor-adenylate cyclase pathway signalling components and amplification in, 311:75
mitogen-activated protein kinase pertussis toxin-sensitive and -insensitive pathways in, 309:437
Versican, metalloproteinase digestion of, glial hyaluronate-binding protein and, 312:377
Vertebrate, dioxin (Ah) receptor in, evolutionary conservation of, 310:383
Vesicle-associated membrane protein-2, synaptophysin complex with, 305:721
Vibrio harveyi lux autoinducer, structural analogues of, 312:439
Vinyl analogue, glutamate semialdehyde aminotransferase reaction with, 309: 307
Vitamin B_6, albumin gene expression and, in liver, 309:243
Vitreous humour, collagen II from, fibrillogenesis of, 306:871
Vitronectin, urinary-type plasminogen activator binding to, 307:867
von Willebrand factor
exocytosis of, regulation of, in electropermeabilized endothelial cell monolayers, 309:473
glycoprotein Ib interaction with
ristocetin and, 306:453
tokaracetin and, 308:947

Water, as allosteric effector, in thrombin-thrombomodulin interaction, 310:49
Wortmannin
and GLUT1 distribution in myoblast, 312:471
insulin-stimulated glycogen synthesis and glycogen synthase activity and, 305:25

Xanthine oxidoreductase, tissue- and cell-specific, bacterial lipopolysaccharide regulation of, 306:225
Xenobiotics, hepatocellular transport of, microsomal epoxide hydrolase and, 311:975
Xylanase, bacterial, structure and function of, 312:39
Xylan-specific binding domain, non-catalytic, in modular xylanase, 307:191
Xylose isomerases, mutant, metal-ion interactions and kinetic studies of, 307: 135

YC-1, vascular smooth muscle proliferation and, 306:787
Yeast
recombinant proalbumin variant processing by, 308:321
uracil permease in, lysine 272 function in, 308:847
Yeast alcohol oxidase, spatial localization of coenzyme FAD in, 310:601
Yeast hexokinase, cooperative binding of glucose to, 305:405
Yeast pyruvate carboxylase gene and protein, polymorphism of, protein biotinylation and, 312:817
Yeast pyruvate kinase mutant, T state favoured by, 310:117

Zinc
depletion of, endosome fusion and, 312: 919
hepatic accumulation of, in absence of metallothionein gene
in endotoxin-induced inflammation, 308:543
after zinc challenge, 309:25
thymidine kinase promoter sensitivity to, 308:659
Zinc-binding protein, maize, expression and characterization of, 307:267
Zinc fingers
arrangement of, in vertebrate gene, *ZI3*, 311:219
cAMP response element-binding protein in, 312:17
Zinc finger domain, of oestrogen receptor, cooperative interactions in, 305:805
Zomepirac, modification of human serum albumin by, 311:431
Zymogen granules, pancreatic, fusion of, to plasma membrane, 307:876

CALLING ALL BIOTECHNOLOGISTS

Biotechnology and Applied Biochemistry

has a New Editor-in-Chief

ROGER L LUNDBLAD

Portland Press and IUBMB are pleased to announce the new editor and editorial board for *Biotechnology and Applied Biochemistry*. The new Editor-in-Chief is the distinguished biotechnologist Roger L Lundblad.

Call for Papers

Biotechnology and Applied Biochemistry publishes scholarly articles relating to commercial biotechnology and applied biochemistry. It also publishes Commentary from members of the commercial biotechnology community on registration and clinical matters. Mini reviews provide the reader with timely updates in fast-moving areas.

The focus of the journal is directed towards the publication of original articles and reviews concerning the expression, purification, characterization and application of biological macromolecules in therapeutics and diagnostics. While it is anticipated that the majority of the articles will focus on human disease, including medicine and dentistry, articles relating to veterinary medicine will also be included. It is expected that articles to be considered for publication in *Biotechnology and Applied Biochemistry* will have direct and immediate relevance to the development, manufacture and registration of such macromolecules.

Guidance for Authors

Authors in North America should submit their manuscripts to the Editor-in Chief:

Roger L Lundblad, Baxter Biotech-Hyland Division, 1720 Flower Avenue, Duarte, CA 91010-2923, USA
Tel: (818)305-6033/303-2491 Fax: (818)357-8348 e-mail: 76770.237@compuserve.com

Authors from all other areas should submit their manuscripts to:

Managing Editor, Biotechnology and Applied Biochemistry, 59 Portland Place, London W1N 3AJ, UK
Tel: +44 171 637 5873 Fax: +44 171 323 1136 e-mail: edit@portlandpress.co.uk

Subscription Information **Institutional rate:** £116.00/US$204.00 **Individual rate:** £62.00/US$105.00

Full Instructions to Authors and subscription details are available from Portland Press or by internet on http://www.portlandpress.co.uk

Associate Editors
R A Arnold, University of North Carolina, USA
N C Price, University of Stirling, UK
R K Scopes, La Trobe University, Australia

Editorial Board
A Aitken, London, UK
D Baker, Duarte, USA
R A Bradshaw, Irvine, USA
J Cleland, South San Francisco, USA
C S Craik, San Francisco, USA
A De Flora, Genova, Italy
N Goss, Broadmeadows, Australia
P Guinot, Paris, France
M G Hanna, Rockville, USA
J Harrison, Chapel Hill, USA
R Heinrikson, Kalamazoo, USA
R Jenny, Essex Junction, USA
J Jenzano, Chapel Hill, USA
H S Kingdon, Round Lake, USA
M-R Kula, Jülich, Germany
B Mackler, Washington, USA
R Moore, Parkville, Australia
D Pollard-Knight, Cambridge, UK
C V Sapan, Boca Raton, USA
B Svensson, Valby, Denmark
M Uhlen, Stockholm, Sweden
M J Waxdal, Gaithersburg, USA
B Woodhams, Lexington, USA

Published by Portland Press Ltd on behalf of the International Union of Biochemistry and Molecular Biology (IUBMB).

TITLES FROM PORTLAND PRESS

Fundamentals of Enzyme Kinetics

By **A Cornish-Bowden**

This book describes the principles of enzyme kinetics, with an emphasis on the fundamentals, rather than an encyclopaedic accumulation of facts, to allow readers to fill in gaps for themselves and proceed in the subject as far as they need to. In this way it provides the basis for understanding enzyme kinetics, whether at the level of the undergraduate, the research student or the researcher.

Contents: Basic principles of chemical kinetics; Introduction to enzyme kinetics; Practical aspects of kinetic studies; How to derive steady-state rate equations; Inhibition and activation of enzymes; Reactions of more than one substrate; Use of isotopes for studying enzyme mechanisms; Environmental effects on enzymes; Control of enzyme activity; Kinetics of multi-enzyme systems; Fast reactions; Estimation of kinetic constants; References; Solutions to problems; Index.

1 85578 072 0 Paper 352 pages July 1995 £18.00/US$29.00

Postgraduate Study in the Biological Sciences

A Researcher's Companion

By **R J Beynon**

This book will excel as a foundation course on essential skills for research students that, although seen as peripheral to experimentation, mark a professional scientist. Aimed at both student and supervisor, it contains basic but well-founded advice and information that will be needed by newcomers to experimental science. Used as a supplement to your established practices, it aims to extend student awareness and skills though their own efforts.

"... sound advice on every aspect of doing a higher degree"

Trends in Cell Biology

" I have encountered no other book quite like this one for brevity, readability and practical down-to-earth good sense "

Times Higher Education Supplement

Contents: Starting out. Developing your experimental skills. Conducting a research project. Writing about your work. Talking about your work. Computers and computing. Safety matters. The graduate student as teacher. Moving on.

1 85578 009 7 Paper 150 pages May 1993 £9.50/US$17.00

For further information on all Portland Press titles contact:
http://www.portlandpress.co.uk

Compendium of Biochemical Nomenclature and Related Documents

Published for the IUBMB by Portland Press

Edited by **C Liébecq**

This is an essential reference text for all authors and editors in biochemistry and related disciplines. It contains all the current recommendations on nomenclature issued by the nomenclature committees of the International Union of Biochemistry. It also includes text from, and references to, other important nomenclature documents.

The book's main sections cover; amino acids, peptides and proteins; enzymes; nucleotides, nucleic acids and protein synthesis; carbohydrates; and lipids. There are also articles covering the nomenclatures of: organic chemistry, isotopically modified compounds, phosphorus containing compounds, folic acids, vitamin B6, corrinoids and tetrapyrroles; as well as the presentation of thermodynamic data.

1 85578 005 4 Paper 350 pages 1992 £18.00/US$36.00

Essays in Biochemistry

Volume 30

Edited by **D K Apps** and **K F Tipton**

Essays in Biochemistry provides a single source of information on rapidly moving areas of biochemistry. Particular attention is given to areas which perhaps because of recent developments are poorly covered by standard textbooks.

Contents: Contact sites and transport in mitochondria, P N Moynagh; Tyrosine hydroxylase: human isoforms, structure and regulation in physiology and pathology, T Nagatsu; Antizyme-dependent degradation of ornithine decarboxylase, S Hayashi; The chloroplast genome, M Sugiura; Lectins – proteins with a sweet tooth: function in cell recognition, N Sharon; Exocytosis, A Morgan; Intracellular calcium channels, R Ashley; Diphtheria toxin-based receptor-specific chimaeric toxins as targeted therapies, E B Sweeney and J R Murphy; Thyrotropin-releasing hormone: basis and potential for its therapeutic use, J A Kelly; Subject index.

1 85578 018 6 Paper 150 pages Nov 1995 £17.50/US$30.00

Address orders to: Portland Press Commerce Way, Colchester, CO2 8HP, UK
Tel:(01206) 796351 Fax:(01206) 799331

Or to: Portland Press Inc., Ashgate Publishing Co, Old Post Road, Brookfield, VT 05036-9704, USA
Tel: (802) 276 3162
Fax: (802) 276 3837

* Postage and handling: please add £2.00/US$3.50

CALLING ALL BIOTECHNOLOGISTS

Biotechnology and Applied Biochemistry

has a New Editor-in-Chief

ROGER L LUNDBLAD

Portland Press and IUBMB are pleased to announce the new editor and editorial board for *Biotechnology and Applied Biochemistry*. The new Editor-in-Chief is the distinguished biotechnologist Roger L Lundblad.

Call for Papers

Biotechnology and Applied Biochemistry publishes scholarly articles relating to commercial biotechnology and applied biochemistry. It also publishes Commentary from members of the commercial biotechnology community on registration and clinical matters. Mini reviews provide the reader with timely updates in fast-moving areas.

The focus of the journal is directed towards the publication of original articles and reviews concerning the expression, purification, characterization and application of biological macromolecules in therapeutics and diagnostics. While it is anticipated that the majority of the articles will focus on human disease, including medicine and dentistry, articles relating to veterinary medicine will also be included. It is expected that articles to be considered for publication in *Biotechnology and Applied Biochemistry* will have direct and immediate relevance to the development, manufacture and registration of such macromolecules.

Guidance for Authors

Authors in North America should submit their manuscripts to the Editor-in Chief:

Roger L Lundblad, Baxter Biotech-Hyland Division, 1720 Flower Avenue, Duarte, CA 91010-2923, USA
Tel: (818)305-6033/303-2491 Fax: (818)357-8348 e-mail: 76770.237@compuserve.com

Authors from all other areas should submit their manuscripts to:

Managing Editor, Biotechnology and Applied Biochemistry, 59 Portland Place, London W1N 3AJ, UK
Tel: +44 171 637 5873 Fax: +44 171 323 1136 e-mail: edit@portlandpress.co.uk

Subscription Information **Institutional rate:** £116.00/US$204.00 **Individual rate:** £62.00/US$105.00

Full Instructions to Authors and subscription details are available from Portland Press or by internet on http://www.portlandpress.co.uk

Associate Editors
R A Arnold, University of North Carolina, USA
N C Price, University of Stirling, UK
R K Scopes, La Trobe University, Australia

Editorial Board
A Aitken, London, UK
D Baker, Duarte, USA
R A Bradshaw, Irvine, USA
J Cleland, South San Francisco, USA
C S Craik, San Francisco, USA
A De Flora, Genova, Italy
N Goss, Broadmeadows, Australia
P Guinot, Paris, France
M G Hanna, Rockville, USA
J Harrison, Chapel Hill, USA
R Heinrikson, Kalamazoo, USA
R Jenny, Essex Junction, USA
J Jenzano, Chapel Hill, USA
H S Kingdon, Round Lake, USA
M-R Kula, Jülich, Germany
B Mackler, Washington, USA
R Moore, Parkville, Australia
D Pollard-Knight, Cambridge, UK
C V Sapan, Boca Raton, USA
B Svensson, Valby, Denmark
M Uhlen, Stockholm, Sweden
M J Waxdal, Gaithersburg, USA
B Woodhams, Lexington, USA

Published by Portland Press Ltd on behalf of the International Union of Biochemistry and Molecular Biology (IUBMB).

Printed in Great Britain by the University Press, Cambridge